



QAI Design B1123-1b – HercuTech Inc. –ASTM E119 HercuWall[®] Series 8 Panel System with CFC Box Beam 1 Hour Fire-Resistance Rated Load-Bearing Wall Assembly




CFC Box Beam 1 Hour Load-Bearing Fire-Resistance Rating Application Details




HERCUTECH INC. HERCUWALL[®] SERIES 8 PANELS ASTM E119 1-HR LOAD-BEARING WALL





1-hr Load-Bearing Unbraced CFC Box Beam Wall




1-hr Load-Bearing Unbraced CFC Box Beam Wall

1-hr Load-Bearing Unbraced CFC Box Beam Wall



HERCUTECH INC. HERCUWALL[®] SERIES 8 PANELS ASTM E119 1-HR LOAD-BEARING WALL



1-hr Load-Bearing Braced (2 Sides) CFC Box Beam Wall¹

1-hr Load-Bearing Braced (1 Side) CFC Box Beam Wall¹

Note 1: Gaps between truss blocking and HercuWall[®] fire-resistance rated assembly require an approved 1-hour rated fire-resistant joint system (not shown).



Item	COMPONENT	DESCRIPTION	
1	HercuWall® Panel	Manufacturer:	HercuTech Inc.
		Approved Types:	Type S, Type SW, Type A products of Type II EPS foam, 1.5 lbs/ft ³ nominal density.
		Installation:	HercuWall® panels are insert into the bottom track and fastened through the bottom track with one #8 x 3/4 inch (19 mm) screw into each ShearStrip [®] to locate the panels.
2	ShearStrip®	Manufacturer:	HercuTech Inc.
		Minimum Thickness:	24 gauge (0.022 inches) (0.55 mm) thickness, 2 Inches (51 mm) width.
		Installation:	ShearStrip® are factory installed in HercuWall® panels.
3	Top Track	Manufacturer:	HercuTech Inc.
		Minimum Thickness:	24 gauge (0.022 inches) (0.55 mm) thickness. 2.5 Inches (64 mm) depth.
		Installation:	1 Top Track is installed on interior face, 1 Top Track is installed on exterior face for 2 Top Tracks per panel. Top Tracks are attached with one #8 x 3/4 inch (19 mm) screws into each ShearStrip [®] .
4	Reinforcing	Туре:	Steel
		Specifications:	Minimum Grade 60 per ASTM A615.
		Minimum Size:	#4
		Installation:	Place into the bond beam of the wall and into the prepared rebar hooks (not shown) located in the upper most position of the shear strip. Rebar size and spacing to be in accordance with the Engineering Design for site.
	CFC Box Beam	Manufacturer:	HercuTech Inc.
		Minimum Thickness:	16 gauge (0.060 inches) (1.6 mm),.
5		Installation:	Attach the CFC Box Beam to the HercuWall® Top Track using #8 x 3/4 inch (19 mm) self-tapping screws prior to concrete pour. ½ inch (13 mm) diameter J-bolts or #4 rebar dowels are embedded into the CFC Box Beam concrete and protrude into the Base Beam of the above HercuWall® panel for unbraced stacked panel applications. For braced stacked panel applications, embedded J-bolts are utilized to attach a top plate to the CFC Box Beam. J-bolts spacing, embedment and locations details can be found in figures 21-25.
6	Rebar Cage with Stirrups	Manufacturer:	HercuTech
		Size:	Pre-Engineered in size per site specifications.
		Specifications:	Location, size and installation into rebar chairs are to follow Engineering Design.
7	Concrete	Туре:	3/8 inch (9.5 mm) aggregate, not to exceed 45%.
		Specifications:	Minimum 4,000 psi (27.6 MPa) compressive strength @ 28 days cure per Section 2.2.10 of this report.
		Installation:	Special Inspection and cylinder testing is required.
	Interior Finish	Туре:	Single layer Type X gypsum wall board complying with ASTM C1396
8		Thickness:	Minimum 5/8 inches (16 mm).
		Installation:	Single layer on each face. The gypsum is to be anchored into the underlying ShearStrip® at 8 inches (203 mm) on center around the gypsum perimeter and 12 inches (305 mm) on center spacing in the field, with #6 1.25 inch (32 mm) length Type S drywall screws. Joints and screw heads are to be taped and mudded per industry standard.
	Exterior Sheathing	Туре:	Single layer Type X gypsum wall board complying with ASTM C1396 or ASTM C1177.
9		Thickness:	Minimum 5/8 inches (16 mm).
		Installation:	Single layer on each face. The gypsum is to be anchored into the underlying ShearStrip [®] at 8 inches (203 mm) on center around the gypsum perimeter and 12 inches (305 mm) on center spacing in the field, with #6 1.25 inch (32 mm) length Type S drywall screws. Joints and screw heads are to be taped and mudded per industry standard.

Note 1: HercuWall® Series 8 panel assemblies described above, have been evaluated for load-carrying capacity at 100% allowable loading as outlined in Tables 2-6 of CERus-1003.