

## WINDOWS & DOORS LISTING PROGRAM

**Customer:** #0877658 B.C. Ltd. DBA Stilewood International Door & Window  
**Class:** Fenestration Products – Energy Performance  
**Location:** Port Coquitlam, British Columbia  
**Website:** <http://www.stilewood.com>

**Listing No.** W478-1  
**Report No.** W478-1 ED3  
**Project No.** W478-1  
**Effective Date:** May 4, 2011  
**Last Revised Date:** May 17, 2017  
**Expires:** N/A

**Standards:** CAN/CSA A440.2-09 “Fenestration Energy Performance”

**Product:** Wood Windows

**Markings:** Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W478-1
- c) QAI logo shown here:



d) “Evaluation for energy performance in accordance with CAN/CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CAN/CSA A440.2”

**Models / Ratings:** **Wood Picture Window**

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
WOODPIC-LE(4,e=0.036)-Arg(10)-Cl(4)	1.58	24
WOODPIC-LE(6,e=0.039)-Arg(12.7)-Cl(6)	1.52	26
WOODPIC-Cl(4)-Arg(10)-LE(4,e=0.215)	1.89	34
WOODPIC-LE(6,e=0.035)-Arg(12.7)-Cl(6)	1.51	26
WOODPIC-LE(6,e=0.018)-Arg(12.7)-Cl(6)	1.47	22

### Wood Casement Window

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
WOODCAS-LE(4,e=0.036)-Arg(10)-Cl(4)	1.69	17
WOODCAS-LE(6,e=0.039)-Arg(12.7)-Cl(6)	1.64	18
WOODCAS-Cl(4)-Arg(10)-LE(4,e=0.215)	1.91	24
WOODCAS-LE(6,e=0.035)-Arg(12.7)-Cl(6)	1.64	18
WOODCAS-LE(6,e=0.018)-Arg(12.7)-Cl(6)	1.61	15

### Wood Awning Window

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
WOODAWN-LE(4,e=0.036)-Arg(10)-Cl(4)	1.69	17
WOODAWN-LE(6,e=0.039)-Arg(12.7)-Cl(6)	1.64	18
WOODAWN-Cl(4)-Arg(10)-LE(4,e=0.215)	1.92	24
WOODAWN-LE(6,e=0.035)-Arg(12.7)-Cl(6)	1.64	18
WOODAWN-LE(6,e=0.018)-Arg(12.7)-Cl(6)	1.61	15

### Wood Fixed Window

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
WOODFIX-LE(4,e=0.036)-Arg(10)-Cl(4)	1.79	14
WOODFIX-LE(6,e=0.039)-Arg(12.7)-Cl(6)	1.81	15
WOODFIX-Cl(4)-Arg(10)-LE(4,e=0.215)	2.01	22
WOODFIX-LE(6,e=0.035)-Arg(12.7)-Cl(6)	1.81	16
WOODFIX-LE(6,e=0.018)-Arg(12.7)-Cl(6)	1.78	12

### Wood Eclipse Folding Door

Model Code	U-Value (W/m <sup>2</sup> K)
SDW-WECL-FD-3,035(2)-3,CL-AR,10-TGI	1.69
SDW-WECL-FD-3,035(2)-3,164(4)-AR,10-TGI	1.56
SDW-WECL-FD-3,035(2)-3,CL-3,CL-AR,11-TGI	1.36
SDW-WECL-FD-5,035(2)-5,035(4)-5,CL-AR,8-TGI	1.30
SDW-WECL-FD-6,035(2)-3,CL-6,CL-AR,8-TGI	1.44

### Wood Eclipse Folding Window (Casement)

Model Code	U-Value (W/m <sup>2</sup> K)
SDW-WFWC-CAS-6,035(2)-3,CL-6,CL-AR,8-TGI	1.43

**Notes:** Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.