

ELECTRICAL LISTING PROGRAM

Customer: Dream Lighting Inc.
 Class: LED Luminaires and LED Equipment for use in Recreational Vehicles
 Location: Elkhart, IN, USA
 Listing No. E10593
 Report No. E10593-1502 Edition 2
 Project No. E10593-2101-02
 Effective Date: October 19, 2015
 Last Revised: June 28, 2021
 Date:
 Expires: N/A

Standards: CSA C22.2 No. 250.0 "Luminaires"
 UL 234 "Low Voltage Lighting Fixtures for use in Recreational Vehicles"

Product: Recreational Vehicles Luminaires, Indoor & Outdoor use, permanently connected.

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer's name or trademark
- b) Model designation
- c) Month and year of manufacture
- d) Product ratings: voltage, frequency, watts
- e) QAI file Number: E10593
- f) The wording "Conforms to CSA C22.2 No. 250.0 and UL 234"
- g) Warning markings as required by the standards in English and French

h) QAI logo: 

Models /
Ratings:

Model Designation	Voltage (Vdc)	Wattage (W)	Description	Environmental Location
Luminaires:				
0016901-Silver Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
0016902-Black Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location



0016905- White Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
0016915- Black Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
0016925- Silver	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
LED Strip Lights:				
Model Designation	Voltage (Vdc)	Wattage (W)	Description	Environmental Location
0043611- Green-196"	12	22.8	LED Strip Light, encapsulated with plastic gel 12VDC LED Strip Light Light Color: Green PCB Color: White LED Type: SMD3528 LED Quantity per Meter: 60 pcs Strip Length: 5 Meters Waterproof 0.116W per inch	Wet Location
0043611- Blue-196"	12	22.8	LED Strip Light, encapsulated with plastic gel	Wet Location



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

			<p>12VDC LED Strip Light</p> <p>Light Color: Blue</p> <p>PCB Color: White</p> <p>LED Type: SMD3528</p> <p>LED Quantity per Meter: 60 pcs</p> <p>Strip Length: 5 Meters</p> <p>Waterproof</p> <p>0.116W per inch</p>	
0043611-Cool White-196"	12	22.8	<p>LED Strip Light, encapsulated with plastic gel</p> <p>12VDC LED Strip Light</p> <p>Light Color: Cool White</p> <p>PCB Color: White</p> <p>LED Type: SMD3528</p> <p>LED Quantity per Meter: 60 pcs</p> <p>Strip Length: 5 Meters</p> <p>Waterproof</p> <p>0.116W per inch</p>	Wet Location



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

0043611- Warm White- 196"	12	22.8	<p>LED Strip Light, encapsulated with plastic gel</p> <p>12VDC LED Strip Light</p> <p>Light Color: Warm White</p> <p>PCB Color: White</p> <p>LED Type: SMD3528</p> <p>LED Quantity per Meter: 60 pcs</p> <p>Strip Length: 5 Meters</p> <p>Waterproof</p> <p>0.116W per inch</p>	Wet Location
0043611- Multi-Color- 196"	12	22.8	<p>LED Strip Light, encapsulated with plastic gel</p> <p>12VDC LED Strip Light</p> <p>Light Color: Multi- Color</p> <p>PCB Color: White</p> <p>LED Type: SMD3528</p> <p>LED Quantity per Meter: 60 pcs</p> <p>Strip Length: 5 Meters</p>	Wet Location



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

			Waterproof 0.116W per inch	
0043615-Green-196"	12	22.8	LED Strip Light, enveloped with silicone tube 12VDC LED Strip Light Light Color: Green PCB Color: White LED Type: SMD3528 LED Quantity per Meter: 60 pcs Strip Length: 5 Meters Waterproof 0.116W per inch	Wet Location
0043615-Blue-196"	12	22.8	LED Strip Light, enveloped with silicone tube 12VDC LED Strip Light Light Color: Blue PCB Color: White LED Type: SMD3528 LED Quantity per Meter: 60 pcs	Wet Location



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

			Strip Length: 5 Meters Waterproof 0.116W per inch	
0043615- Cool White- 196"	12	22.8	LED Strip Light, enveloped with silicone tube 12VDC LED Strip Light Light Color: Cool White PCB Color: White LED Type: SMD3528 LED Quantity per Meter: 60 pcs Strip Length: 5 Meters Waterproof 0.116W per inch	Wet Location
0043615- Warm White- 196"	12	22.8	LED Strip Light, enveloped with silicone tube 12VDC LED Strip Light Light Color: Warm White PCB Color: White LED Type: SMD3528	Wet Location



			LED Quantity per Meter: 60 pcs Strip Length: 5 Meters Waterproof 0.116W per inch	
0043615-Multi-Color-196"	12	22.8	LED Strip Light, enveloped with silicone tube 12VDC LED Strip Light Light Color: Multi-Color PCB Color: White LED Type: SMD3528 LED Quantity per Meter: 60 pcs Strip Length: 5 Meters Waterproof 0.116W per inch	Wet Location

- Notes:
- 1- Devices included in this listing are for use in Recreational Vehicles only. Final acceptance of those devices in the recreational vehicle is subject to inspection by the Recreational Vehicle Certifier.
 - 2- ELV fixture to be connected to the secondary side of approval power supply – Class 2 or similar certified / listed limited power supply sources, supply to be fused, 5A max.
 - 3- Product is design for Interior Use Only.
 - 4- Suitable for Dry, or Wet Locations as per model location designator.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
TORONTO, ON: 905.605.5444
SEATTLE, WA: 425.512.8419
WEBSITE: WWW.QAI.ORG

Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
