



Directory of Listed Products



[Go to Directory Page](#)

ELECTRICAL PRODUCTS LISTING PROGRAM

Class: LED Lighting for use in Recreational Vehicles

Customer: Dream Lighting Inc.

Location: 631 Collins Rd, Elkhart, IN, 46516, USA

Listing No.: E10593-1301 Edition 3

Effective Date: November 26, 2013

Last Revised: June 15, 2015

Expires: N/A

Products: Luminaires and LED Equipment for use in Recreational Vehicles.
Dry, and Wet Locations use, Permanently Connected.

Standards: CSA C22.2 No. 250.0 Luminaires
UL 234 Low Voltage Lighting for Use in Recreational Vehicles

Models:

Model Designation	Voltage (Vdc)	Wattage (W)	Description	Environmental Location
LED Awning Light				
0013512C	12	5.4	9.84" (250mm) LED Awning Light, Cool White	Wet Location
0013515C	12	12.4	21.65" (550mm) LED Awning Light, Cool White	Wet Location
0013522C	12	5.4	9.84" (250mm) LED Awning Light Silver Shell, Cool White	Wet Location
0013525C	12	12.4	21.65" (550mm) LED Awning Light, Cool White	Wet Location

0013552C	12	5.4	9.84" (250mm) LED Awning Light Black Shell, Cool White	Wet Location
LED-123-1535	12	3	9.84" (250mm) LED Awning Light Black Shell with Cover, Cool White	Wet Location
LED Strip Light				
0013601C	12	1 / 2.2	5.9" (150mm) LED Strip Light with Two Phases Brightness, Cool White	Dry Location
0013603C	12	2.2 / 4.7	11.81" (300mm) LED Strip Light with Two Phases Brightness, Cool White	Dry Location
0013604C	12	2.5 / 6.6	17.72" (450mm) LED Strip Light with Two Phases Brightness, Cool White	Dry Location
0013606C	12	3.1 / 7.9	23.62" (600mm) LED Strip Light with Two Phases Brightness, Cool White	Dry Location
Recessed LED Down Light				
0016001C	12	1.8	2.76" (70mm) Black Plate LED Recessed Down Light, Cool White	Dry Location
0016001W	12	1.8	2.76" (70mm) Black Plate LED Recessed Down Light, Warm White	Dry Location
0016011C	12	2.2	2.76" (70mm) Silver Plate LED Recessed Down Light, Cool White	Dry Location
0016011W	12	2.2	2.76" (70mm) Silver Plate LED Recessed Down Light, Warm White	Dry Location
0016031C	12	2.6	2.76" (70mm) Silver Plate LED Recessed Down Light, Cool White	Dry Location
0016031W	12	2.6	2.76" (70mm) Silver Plate LED Recessed Down Light, Warm White	Dry Location
3"/4" Stainless Steel LED Dome Light				
0016143W	12	3	3" (76mm) LED Dome Light 304 Stainless Steel, Commercial White	Dry Location
0016104W	12	4.5	4" (101mm) LED Stainless Steel Dome Light, Commercial White	Dry Location

3.5"/4.5" LED Mushroom Light				
0016263W	12	1.8	3.5" (90mm) LED Mushroom Light, Warm White	Dry Location
0016264W	12	3.8	4.5" (115mm) LED Mushroom Light, Warm White	Dry Location
LED Crystal Ceiling Light				
0016601C	12	1.6	LED Crystal Ceiling Light Single Section, Cool White/Blue	Dry Location
0016602C	12	1.5 / 2.5 / 4.2	LED Crystal Ceiling Light Double Section, Cool White/Blue	Dry Location
0016604C	12	2.4 / 4.2 / 7.8	LED Crystal Ceiling Light 4 Section, Cool White/Blue	Dry Location
5"/8.5" LED Dome Light				
0016931C	12	5.4 / 11.4	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Dry Location
0016935C	12	5.4 / 11.4	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Dry Location
0016937C	12	2.1 / 3.6	5" (127mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Dry Location
Recessed LED Down Light				
0016722C	12	4.5	3.3" (85mm) Square, Chrome Plate LED Recessed Down Light, Cool White	Dry Location
0016722W	12	4.5	3.3" (85mm) Square, Chrome Plate LED Recessed Down Light, Warm White	Dry Location
0016721C	12	3	2.76" (70mm) Square, Chrome Plate LED Recessed Down Light, Cool White	Dry Location
0016721W	12	3	2.76" (70mm) Square, Chrome Plate LED Recessed Down Light, Warm White	Dry Location
0016711W	12	3	3" (76mm) Square, Silver Plate, White Bottom Plate, Without Spring, Warm White	Dry Location

0016711C	12	3	3" (76mm) Square, silver plate, white bottom plate, without spring, Cool White	Dry Location
0016712W	12	3	2.76" (70mm) Square, White Plate LED Recessed Down Light, With Spring, Warm White	Dry Location
0016712C	12	3	2.76" (70mm) Square, White Plate LED Recessed Down Light, With Spring, Warm White	Dry Location
Surface Mount LED Down Light				
0016908W	12	3.5	3" (76mm) Round, LED Down Light, Chrome Face Plate, Warm White, Without Switch	Dry Location
0016908C	12	3.5	3" (76mm) Round, LED Down Light, Chrome Face Plate, Cool White, Without Switch	Dry Location
0016909W	12	3.5	3" (76mm) Round, LED Down Light, White Face Plate, Warm White, Without Switch	Dry Location
0016909C	12	3.5	3" (76mm) Round, LED Down Light, White Face Plate, Cool White, Without Switch	Dry Location
0016938W	12	3.5	3" (76mm) Round, LED Down Light, Chrome Face Plate, Warm White, With Switch	Dry Location
0016938C	12	3.5	3" (76mm) Round, LED Down Light, Chrome Face Plate, Cool White, With Switch	Dry Location
0016939W	12	3.5	3" (76mm) Round, LED Down Light, White Face Plate, Warm White, With Switch	Dry Location
0016939C	12	3.5	3" (76mm) Round, LED Down Light, White Face Plate, Cool White, With Switch	Dry Location
0016936W	12	3.5	3" (76mm) Round, LED Down Light, Black Face Plate, Warm White, With Switch	Dry Location
0016936C	12	3.5	3" (76mm) Round, LED Down Light, Black Face Plate, Cool White, With Switch	Dry Location
0016906W	12	3.5	3" (76mm) Round, LED Down Light, Black Face Plate, Warm White, Without Switch	Dry Location
0016906C	12	3.5	3" (76mm) Round, LED Down Light, Black Face Plate, Cool White, Without Switch	Dry Location

LED Ceiling Light With Decorative Glass

0017115	12	4.5	LED Ceiling Light With Decorative Glass, 14.5" (370mm) Height With Switch	Dry Location
0017105	12	4.5	LED Ceiling Light With Decorative Glass, 14.5" (370mm) Height, Without Switch	Dry Location
0017111	12	4.5	LED Ceiling Light With Decorative Glass, 243mm, With Switch	Dry Location
0017101	12	4.5	LED Ceiling Light With Decorative Glass, 243mm, No Switch	Dry Location
0017112	12	9	LED Ceiling Twin Light, Double LED And Glass, 243mm Height, With Switch	Dry Location
0017102	12	9	LED Ceiling Twin Light, Double LED And Glass, 243mm Height, No Switch	Dry Location
0018111	12	4.5	LED Wall Mount With Decorative Glass, 253mm Height, With Switch	Dry Location
0018101	12	4.5	LED Wall Mount With Decorative Glass, 253mm Height, Without Switch	Dry Location

RV Led Reading Light

0012172W	12	2	RV LED Swivel Crystal Reading Light, Chrome Plated With Switch, 120mm Height, Warm White	Dry Location
0012172C	12	2	RV LED Swivel Crystal Reading Light, Chrome Plated With Switch, 120mm Height, Cool White	Dry Location
0012152W	12	2	RV LED Swivel Crystal Reading Light, Nickel Brushed, With Switch, 120mm Height, Warm White	Dry Location

0012152C	12	2	RV LED Swivel Crystal Reading Light, Nickel Brushed, With Switch, 120mm Height, Cool White	Dry Location
0012185W	12	2	RV LED Swivel Reading Light, Chrome Plated, With Switch, 125mm Height, Warm White	Dry Location
0012185C	12	2	RV LED Swivel Reading Light, Chrome Plated, With Switch, 125mm Height, Cool White	Dry Location
0012173W	12	2	RV LED Swivel Reading Light, Nickel Brushed, With Switch, 125mm Height, Warm White	Dry Location
0012173C	12	2	RV LED Swivel Reading Light, Nickel Brushed, With Switch, 125mm Height, Cool White	Dry Location
0012183W	12	2	RV LED Swivel Reading Light With Decorative Glass, With Switch, 130mm Height, Warm White	Dry Location
0012183C	12	2	RV LED Swivel Reading Light With Decorative Glass, With Switch, 130mm Height, Cool White	Dry Location
LED Strip Lights				
0043611	12	2.7	19.96" (500mm) LED Strip Light, encapsulated with plastic gel	Dry Location
0043615	12	2.7	19.96" (500mm) LED Strip Light, enveloped with silicone tube	Dry Location
New Models*:				
Model Designation	Voltage (Vdc)	Wattage (W)	Description	Environmental Location
0013555	12	12.4	21.65" (550mm) LED Awning Light, Cool White	Wet Location
0013502-B-C	12	5.4	9.84" (250mm) LED Awning Light, Cool White	Wet Location
0013502-H-C	12	5.4	9.84" (250mm) LED Awning Light Black Shell, Cool White	Wet Location
0013502-Y-C	12	5.4	9.84" (250mm) LED Awning Light Black Shell, Cool White	Wet Location
0013712	12	5.4	9.84" (250mm) LED Awning Light, Cool White	Wet Location

0016933	12	2.1 / 3.6	5" (127mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Dry Location
0016002	12	2.6	2.76" (70mm) Silver Plate LED Recessed Down Light, Cool White	Dry Location
0016937	12	4.5	5" (127mm) Round, LED Down Light, White Face Plate, With Switch	Wet Location
0016916	12	4.5	5" (127mm) Round, LED Down Light, Black Face Plate, With glow Switch	Wet Location
0016936	12	4.5	LED ultra slim opal panel light switch-127mm/5"-black	Wet Location
0016918	12	4.5	5" (127mm) Round, LED Down Light, chrome plated Face Plate, With Switch	Wet Location
0016917	12	4.5	5" (127mm) Round, LED Down Light, White Face Plate, With glow Switch	Wet Location
0016907	12	4.5	5", white plate, non-switch	Wet Location
0016939	12	2.5	3" (96mm) Round, LED Down Light, White Face Plate, With Switch	Wet Location
0016906	12	2.5	3" (96mm) Round, LED Down Light, Black Face Plate, Without Switch	Wet Location
0016908	12	2.5	3" (96mm) Round, LED Down Light, chrome plated Face Plate, With Switch	Wet Location
0016909	12	2.5	3" (96mm) Round, LED Down Light, Black Face Plate, Without Switch	Wet Location
0016967	12	2.5	LEDMark recessed light with switch -Black	Wet Location
0016958	12	2.5	LEDMark recessed light non-switch -Silver	Wet Location
0016968	12	2.5	LEDMark recessed light with switch -Silver	Wet Location
0016969	12	2.5	LEDMark recessed light with switch -White	Wet Location
0016960	12	2.5	LEDMark recessed light non-switch -Black	Wet Location
0016961	12	2.5	LEDMark recessed light non-switch -nickel brushed	Wet Location

0016962	12	2.5	LEDMark recessed light switch -nickel brushed	Wet Location
0016963	12	2.5	LEDMark recessed light non-switch -White	Wet Location
0016262	12	2.5	LED 3.5" Puck light	Dry Location
0016283	12	3.5	LED 3.5" down light(recessed)	Dry Location
0016265	12	4	LED 4.5" puck light	Dry Location
0016274	12	4	4.5" LED Mushroom Dome Light with Switch (surface)	Dry Location
0016284	12	4.5	LED 4.5" down light (recessed)	Dry Location
0012175	12	2	LED Flexible Task reading light-chrome plated	Dry Location
0012176	12	2	LED Flexible Task reading light-brushed nickel	Dry Location
0012153	12	2	LED Flexible crystal reading light-brushed nickel	Dry Location
0012177	12	2	LED Flexible crystal reading light-black	Dry Location
0012154	12	2	LED Flexible crystal reading light-Matte black	Dry Location
0012178	12	2	LED Flexible crystal reading light-glossy black	Dry Location
0012155	12	2	LED Swivel crystal reading light-bronze	Dry Location
0012176	12	2	LED Flexible Task reading light-chrome plated	Dry Location
0012156	12	2	LED Swivel crystal reading light-oil rubber bronze	Dry Location
0012157	12	2	LED Swivel crystal reading light-bronze without blue night light	Dry Location
0012158	12	2	LED reading light	Dry Location
0012159	12	2	LED reading light	Dry Location
2110211	12	9	LED Ceiling Light with Cloth Lampshade-Round-nickel brushed-230MM	Dry Location
2110213	12	9	Long pendant light-19"	Dry Location

2110212	12	9	Long pendant light with #1 cover	Dry Location
2110215	12	9	Long pendant light with #9 cover	Dry Location
2110216	12	9	Long pendant light with #7 cover	Dry Location
2110217	12	9	Long pendant light with #21 cover	Dry Location
2110218	12	9	Long pendant light with #12 cover	Dry Location
2120211	12	6	Standard Oval shade NO.8	Dry Location
2120111	12	6	6" oval shade brushed nickel NO. 8	Dry Location
2120112	12	6	6" oval shade brushed nickel NO. 21	Dry Location
2120212	12	6	Standard Oval shade NO.21	Dry Location
2120213	12	6	Standard Oval shade NO.7	Dry Location
2120215	12	6	Standard Oval shade NO.9	Dry Location
2120216	12	6	Standard Oval shade NO.12	Dry Location
2120113	12	6	6" oval shade brushed nickel NO. 7	Dry Location
2120115	12	6	6" oval shade brushed nickel NO. 9	Dry Location
2120116	12	6	6" oval shade brushed nickel NO. 12	Dry Location
2120117	12	6	6" oval shade brushed nickel NO. 20	Dry Location
2180211	12	3	HL Wall shade light NO. 8 Flair (not cylinder or oval)	Dry Location
2180111	12	3	Oval wall shade	Dry Location
2180212	12	3	HL Wall shade light NO. 21 Flair (not cylinder or oval)	Dry Location
2180213	12	3	HL Wall shade light NO.9 Flair (not cylinder or oval)	Dry Location
2180112	12	3	Oval wall shade with 12"	Dry Location

2180113	12	3	Oval wall shade with 18"	Dry Location
0018112	12	3	LED Wall light with glass	Dry Location
0018113	12	3	LED Wall light with glass	Dry Location
0018114	12	3	LED Wall light with glass	Dry Location
0018115	12	3	LED Wall light with glass	Dry Location
0018116	12	3	LED Wall light with glass	Dry Location
0018117	12	3	LED Wall light with glass	Dry Location
0018118	12	3	LED Wall light with glass	Dry Location
0018119	12	3	LED Wall light with glass	Dry Location
0018120	12	3	LED Wall light with glass	Dry Location
0018121	12	3	LED Wall light with glass	Dry Location
0018122	12	3	LED Wall light with glass	Dry Location
0017113	12	3	LED Ceiling light with Glass	Dry Location
0017114	12	3	LED Ceiling light with Glass	Dry Location
0017117	12	3	LED Ceiling light with Glass	Dry Location
0017119	12	3	LED Ceiling light with Glass	Dry Location
0017120	12	3	LED Ceiling light with Glass	Dry Location
0017121	12	3	LED Ceiling light with Glass	Dry Location
0017122	12	3	LED Ceiling light with Glass	Dry Location
0017123	12	3	LED Ceiling light with Glass	Dry Location
0017125	12	3	LED Ceiling light with Glass	Dry Location
0017126	12	3	LED Ceiling light with Glass	Dry Location

0011101	12	0.2	LED 1" light in red	Dry Location
0011102	12	0.1	LED 1" light in blue	Dry Location
0011103	12	0.1	LED 1" light in Amber	Dry Location
0011105	12	0.1	LED 1" light in cool white	Dry Location
0011106	12	0.2	LED 1" light in warm white	Dry Location
0011503	12	0.2	LED eyeball light in ultra bright	Dry Location
0011505	12	0.2	LED eyeball light in warm	Dry Location
0011506	12	0.2	LED eyeball light in blue	Dry Location
0011201	12	0.2	2.2" LED square step light-white	Dry Location
0011202	12	0.2	2.2" LED square step light-black	Dry Location
0011203	12	0.2	2.2" LED square step light-chrome plated	Dry Location
0011481	12	0.1	LED oblong step light	Dry Location
0011483	12	0.1	LED oblong step light	Dry Location
0011501	12	0.1	LED half moon step light	Dry Location
0011502	12	0.1	LED half moon stainless steel step light	Dry Location
0011441	12	0.1	LED stylish step light-chrome plated in cool white	Dry Location
0011442	12	0.1	LED stylish step light-chrome plated in warm white	Dry Location
0011443	12	0.1	LED stylish step light-chrome plated in blue	Dry Location
0011601	12	0.1	LED stylish step light-brushed nickel in cool white	Dry Location
0011602	12	0.1	LED stylish step light-brushed nickel in blue white	Dry Location
0019111	12	9	LED Pan Light with hand made edge-brush nickel	Dry Location

0019112	12	9	LED Pan Light with switch-brush nickel	Dry Location
0019113	12	9	LED Pan Light with hand made edge-chrome plated	Dry Location
0019115	12	9	LED Pan Light with switch -brush nickel	Dry Location
0019116	12	9	LED Pan Light with hand made edge-brush nickel	Dry Location
0019121	12	9	LED bar light -brush nickel in warm white	Dry Location
0019122	12	9	LED bar light -chrome plated	Dry Location
0019123	12	9	LED bar light -brush nickel in cool white	Dry Location
0016041	12	2	LED down light-360°-nickel brushed	Dry Location
0016042	12	2	LED down light -360-nickle brushed	Dry Location
0016043	12	2	LED single pancake	Dry Location
0016045	12	4	LED double pancake	Dry Location
0016046	12	2	LED down light -360-nickle brushed-no switch	Dry Location

Label:

Products are marked in a permanent manner where it is readily visible after installation with the following: Manufacturer's Name, Trademark or other recognized symbol of identification; Model Designation; Month and Year of Manufacture; Rated Input Voltage; Frequency; Amperes or Volt-Amperes Input; QAI logo with the "c" and "us" identifiers; QAI File Number E10593, and wording Certified to CSA C22.2 No. 250.0 and UL 234.
Warning markings as required in both national languages.

Note:

Devices included in this listing are for use in Recreational Vehicles only. Final acceptance of those devices in the recreational vehicle is subject to inspection by the Recreational Vehicle Certifier.

The materials, products or systems listed in this directory have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.

No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.

Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active.

Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.

Copyright QAI Laboratories, 2014