

## WINDOWS & DOORS LISTING PROGRAM

**Customer:** Eurosell Windows Ltd.  
**Class:** Fenestration Products – Energy Performance  
**Location:** Surrey, British Columbia  
**Website:** [www.eurosellwindows.com](http://www.eurosellwindows.com)

**Listing No.** W481  
**Project No.** W481–1 Edition 6  
**Effective Date:** January 8, 2013  
**Last Revised Date:** August 25, 2020  
**Expires:** N/A

**Standards:** CSA A440.2-14 “Fenestration Energy Performance”

**Product:** Vinyl Windows and Doors

**Markings:** Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W481
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

### Models / Ratings:

#### 5000 Series Picture Window

Model Code	U-Value (W/m²K)	Energy Rating
ESW-5000PC-3,272(2)-13AR90SS-3,CL	1.49	26
ESW-5000PC-3,272(2)-13AR90SS-3,i89(3)	1.48	27
ESW-5000PC-3,SB60(2)-13AR90SS-6,CL	1.47	26
ESW-5000PC-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.16	33
ESW-5000PC-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL-G	1.19	30
ESW-5000PC-3,SB60(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.15	32

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-5000PC-3,SN68(2)-13AR90SS-3,SN68(4)	1.19	30
ESW-5000PC-3,SB60(2)-13AR90SS-3,I89(4)	1.25	31
ESW-5000PC-3,366(2)-3,SB60(4)-3,CL-13AR90SS	0.87	32
ESW-5000PC-3,366(2)-3-3,180(4)-3,CL-13AR90SS	0.89	31

### **5000 Series Casement Window**

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-5000CA-3,272(2)-13AR90SS-3,CL	1.47	23
ESW-5000CA-3,272(2)-13AR90SS-3,I89(3)	1.46	23
ESW-5000CA-3,SB60(2)-13AR90SS-6,CL	1.45	23
ESW-5000CA-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.21	27
ESW-5000CA-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL-G	1.22	26
ESW-5000CA-3,SB60(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.20	27
ESW-5000CA-3,SN68(2)-13AR90SS-3,SN68(4)	1.24	25
ESW-5000CA-3,SB60(2)-13AR90SS-3,I89(4)	1.28	26
ESW-5000CA-3,366(2)-3,SB60(4)-3,CL-13AR90SS	0.99	27
ESW-5000CA-3,366(2)-3-3,180(4)-3,CL-13AR90SS	1.01	26

### **5000 Series Awning Window**

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-5000AW-3,272(2)-13AR90SS-3,CL	1.48	22
ESW-5000AW-3,272(2)-13AR90SS-3,I89(3)	1.47	23
ESW-5000AW-3,SB60(2)-13AR90SS-6,CL	1.46	22
ESW-5000AW-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.22	27
ESW-5000AW-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL-G	1.22	26
ESW-5000AW-3,SB60(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.21	27
ESW-5000AW-3,SN68(2)-13AR90SS-3,SN68(4)	1.28	24
ESW-5000AW-3,SB60(2)-13AR90SS-3,I89(4)	1.32	25
ESW-5000AW-3,366(2)-3,SB60(4)-3,CL-13AR90SS	1.00	27
ESW-5000AW-3,366(2)-3-3,180(4)-3,CL-13AR90SS	1.01	26

**9000 Series Picture Window**

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-9000PC-3,272(2)-13AR90SS-3,CL	1.51	26
ESW-9000PC-3,366(2)-13AR90SS-3,CL	1.48	20
ESW-9000PC-3,366(2)-13AR90SS-3,CL-G	1.53	18
ESW-9000PC-3,SB60(2)-13AR90SS-3,CL-6,CL	1.49	26
ESW-9000PC-3,SB60(2)-13AR90SD-3,CL-3,CL-G	1.59	23
ESW-9000PC-3,SB60(2)-13AR90SD-3,CL-3,CL	1.80	19
ESW-9000PC-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.35	28
ESW-9000PC-3,SN68(2)-13AR90SS-3,SN68(4)	1.22	29
ESW-9000PC-3,SB60(2)-13AR90SS-3,I89(4)	1.27	30

**9000 Single (Horizontal) Sliding Window**

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-9000SS-3,272(2)-13AR90SS-3,CL	1.58	23
ESW-9000SS-3,366(2)-13AR90SS-3,CL	1.54	18
ESW-9000SS-3,366(2)-13AR90SS-3,CL-G	1.59	16
ESW-9000SS-3,SB60(2)-13AR90SS-3,CL-6,CL	1.55	23
ESW-9000SS-3,SB60(2)-13AR90SD-3,CL-3,CL-G	1.70	20
ESW-9000SS-3,SB60(2)-13AR90SD-3,CL-3,CL	1.89	16
ESW-9000SS-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.42	25
ESW-9000SS-3,SN68(2)-13AR90SS-3,SN68(4)	1.31	26
ESW-9000SS-3,SB60(2)-13AR90SS-3,I89(4)	1.35	27

**9000 Series Single Hung Window**

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-9000SH-3,272(2)-13AR90SS-3,CL	1.58	23
ESW-9000SH-3,366(2)-13AR90SS-3,CL	1.54	18
ESW-9000SH-3,366(2)-13AR90SS-3,CL-G	1.59	15
ESW-9000SH-3,SB60(2)-13AR90SS-3,CL-6,CL	1.55	23
ESW-9000SH-3,SB60(2)-13AR90SD-3,CL-3,CL-G	1.68	19
ESW-9000SH-3,SB60(2)-13AR90SD-3,CL-3,CL	1.87	15
ESW-9000SH-3,272(2)-13AR90SS-3,CL-13AR90SS-3,CL	1.41	25
ESW-9000SH-3,SN68(2)-13AR90SS-3,SN68(4)	1.32	26
ESW-9000SH-3,SB60(2)-13AR90SS-3,I89(4)	1.36	26

### Vinyl Tilt and Turn Window

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-VTTW-TT-3,272(2)-3,CL-16AR90	1.53	N/A
ESW-VTTW-TT-3,272(2)-3,i89(4)-16AR90	1.38	N/A
ESW-VTTW-TT-3,272(2)-3,CL-19AR90	1.54	N/A
ESW-VTTW-TT-3,272(2)-3,i89(4)-19AR90	1.39	N/A
ESW-VTTW-TT-3,272(2)-3,CL-3,CL-13AR90	1.30	N/A
ESW-VTTW-TT-3,272(2)-3,CL-3,i89(6)-13AR90	1.21	N/A

### Vinyl In-Swing Side-Hinged Door (Patio Door)

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-VPD-ISHD-4,272(2)-4,CL-14AR90	1.48	N/A
ESW-VPD-ISHD-4,272(2)-4,i89(4)-14AR90	1.33	N/A
ESW-VPD-ISHD-4,272(2)-4,CL-17AR90	1.49	N/A
ESW-VPD-ISHD-4,272(2)-4,i89(4)-17AR90	1.31	N/A

### Vinyl Picture Window

Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
ESW-VPICW-PC-3,272(2)-3,CL-16AR90	1.51	N/A
ESW-VPICW-PC-3,272(2)-3,i89(4)-16AR90	1.27	N/A

**Notes:** Windows and doors are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.