

FENESTRATION LISTING PROGRAM

Customer: Hometech Windows Corp.
Class: Fenestration Products – Energy Performance
Location: Concord, ON
Website: www.hometechwindow.com
Listing No. W558
Report No. W558-1 ED2
Effective Date: April 10, 2018
Last Revised Date: May 11, 2020
Expires: N/A

Standards: CSA A440.2 Fenestration Energy Performance

Product: Vinyl Windows

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer’s name or trademark
- b) QAI file Number: W558
- c) The wording “Evaluated for energy performance in accordance with CSA A440.2”
- d) The wording “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”
- e) QAI logo with ‘c’ identifier as shown here:



Models / Ratings:

Vinyl Contemporary Series Casement Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HT-CA-3/4,3LoE180[2]-3i89[4]-13ARG90	1.33	36
HT-CA-3/4,3LoE180[2]-3i89[4]-13ARG90-5/16GR	1.35	34
HT-CA-3/4,3LoE180[2]-3i89[4]-13ARG90-5/8GR	1.35	34

Vinyl Contemporary Series Picture Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HT-LF-3/4,3LoE180[2]-3i89[4]-13ARG90	1.29	43
HT-LF-3/4,3LoE180[2]-3i89[4]-13ARG90-5/16GR	1.32	41
HT-LF-3/4,3LoE180[2]-3i89[4]-13ARG90-5/8GR	1.32	40
HT-LF-3/4,3LoE180[2]-3i89[4]-13ARG90-SDL	1.35	36

Vinyl Contemporary Series Fixed Casement Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HT-FC-3/4,3LoE180[2]-3i89[4]-13ARG90	1.35	36
HT-FC-3/4,3LoE180[2]-3i89[4]-13ARG90-5/16GR	1.38	34
HT-FC-3/4,3LoE180[2]-3i89[4]-13ARG90-5/8GR	1.38	33

Vinyl Contemporary Series Reverse Hopper Basement Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HT-HOP-7/8-3LoE180[2]-3LoE180[4]-3i89[6]-6.5KRY95	1.13	34

Contour Series 100 Casement Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-100-CA-3,CL-3,180(3)-16AR97EN	1.58	30
HTW-100-CA-3,CL-3,180(3)-16AR97EN-F2	1.49	32
HTW-100-CA-3,CL-3,180(3)-16AR97EN-G<1	1.58	28
HTW-100-CA-3,CL-3,180(3)-16AR97EN-F2-G<1	1.49	30
HTW-100-CA-3,180(2)-3,i89(4)-16AR97EN	1.38	33
HTW-100-CA-3,180(2)-3,i89(4)-16AR97EN-G<1	1.38	30
HTW-100-CA-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.28	33
HTW-100-CA-3,CL-3,i89(3,4)-16AR97EN	1.45	34
HTW-100-CA-3,CL-3,i89(3,4)-16KY97EN-F2-G<1	1.32	35
HTW-100-CA-3,366(2)-3,i89(4)-16AR97EN-F2	1.24	23
HTW-100-CA-3,366(2)-3,180(4)-3,i89(6)-6.5AR95EN-F2	1.12	25

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-100-CA-3,CL-3,CL-3,i89(5,6)-6.5AR97EN-F2	1.30	34
HTW-100-CA-3,CL-3,CL-3,i89(5,6)-6.5AR97EN-F2-G	1.37	30
HTW-100-CA-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2	1.14	38
HTW-100-CA-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2	1.14	38
HTW-100-CA-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2-G<1	1.22	34
HTW-100-CA-3,272(2)-3,CL-16AR97EN	1.54	22
HTW-100-CA-3,366(2)-3,CL-16AR97EN	1.52	17
HTW-100-CA-3,CL-3,180ESC(3)-16AR97EN	1.60	30
HTW-100-CA-3,180ESC(2)-3,i89(4)-16AR97EN	1.39	33
HTW-100-CA-3,180(2)-3,i89(4)-16AR97EN-F2	1.27	35
HTW-100-CA-3,180(2)-3,i89(4)-16AR95EN	1.27	35
HTW-100-CA-3,180(2)-3,i89(4)-16AR95EN-F2-G<1	1.27	33
HTW-100-CA-3,CL-3,180(4)-3,i89(6)-7AR95EN-F2	1.25	33
HTW-100-CA-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F2	1.09	24

Contour Series 125 Awning Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-125-AW-3,CL-3,180(3)-16AR97EN	1.60	30
HTW-125-AW-3,CL-3,180(3)-16AR97EN-F2	1.53	31
HTW-125-AW-3,CL-3,180(3)-16AR97EN-G<1	1.60	27
HTW-125-AW-3,CL-3,180(3)-16AR97EN-F2-G<1	1.53	29
HTW-125-AW-3,180(2)-3,i89(4)-16AR97EN	1.41	32
HTW-125-AW-3,180(2)-3,i89(4)-16AR97EN-G<1	1.41	30
HTW-125-AW-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.34	32
HTW-125-AW-3,CL-3,i89(3,4)-16AR97EN	1.49	33
HTW-125-AW-3,CL-3,i89(3,4)-16KY97EN-F2-G<1	1.39	33
HTW-125-AW-3,366(2)-3,i89(4)-16AR97EN-F2	1.30	22
HTW-125-AW-3,366(2)-3,180(4)-3,i89(6)-6.5AR95EN-F2	1.17	23
HTW-125-AW-3,CL-3,CL-3,i89(5,6)-6.5AR97EN-F2	1.36	32
HTW-125-AW-3,CL-3,CL-3,i89(5,6)-6.5AR97EN-F2-G	1.40	30
HTW-125-AW-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2	1.19	37
HTW-125-AW-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2	1.19	37
HTW-125-AW-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2-G<1	1.25	33
HTW-125-AW-3,272(2)-3,CL-16AR97EN	1.56	21
HTW-125-AW-3,366(2)-3,CL-16AR97EN	1.53	17
HTW-100-AW-3,CL-3,180ESC(3)-16AR97EN	1.61	30
HTW-125-AW-3,180ESC(2)-3,i89(4)-16AR97EN	1.42	33

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-125-AW-3,180(2)-3,i89(4)-16AR97EN-F2	1.30	34
HTW-125-AW-3,180(2)-3,i89(4)-16AR95EN	1.31	34
HTW-125-AW-3,180(2)-3,i89(4)-16AR95EN-F2-G<1	1.31	32
HTW-125-AW-3,CL-3,180(4)-3,i89(6)-7AR95EN-F2	1.28	32
HTW-125-AW-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F2	1.11	24

Contour Series 150 Fixed Casement Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-150-FC-3,CL-3,180(3)-16AR97EN	1.56	35
HTW-150-FC-3,CL-3,180(3)-16AR97EN-F2	1.47	37
HTW-150-FC-3,CL-3,180(3)-16AR97EN-G<1	1.56	32
HTW-150-FC-3,CL-3,180(3)-16AR97EN-F2-G<1	1.47	34
HTW-150-FC-3,180(2)-3,i89(4)-16AR97EN	1.31	39
HTW-150-FC-3,180(2)-3,i89(4)-16AR97EN-G<1	1.31	36
HTW-150-FC-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.21	38
HTW-150-FC-3,CL-3,i89(3,4)-16AR97EN	1.39	40
HTW-150-FC-3,CL-3,i89(3,4)-16KY97EN-F2-G<1	1.26	40
HTW-150-FC-3,366(2)-3,i89(4)-16AR97EN-F2	1.16	27
HTW-150-FC-3,366(2)-3,180(4)-3,i89(6)-6.5AR95EN-F2	1.03	28
HTW-150-FC-3,CL-3,CL-3,i89(5,6)-6.5AR97EN-F2	1.23	40
HTW-150-FC-3,CL-3,CL-3,i89(5,6)-6.5AR97EN-F2-G	1.33	35
HTW-150-FC-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2	1.04	44
HTW-150-FC-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2	1.04	44
HTW-150-FC-3,CL-3,CL-3,i89(5,6)-6.5KR95EN-F2-G<1	1.16	39
HTW-150-FC-3,272(2)-3,CL-16AR97EN	1.51	25
HTW-150-FC-3,366(2)-3,CL-16AR97EN	1.48	20
HTW-150-FC-3,CL-3,180ESC(3)-16AR97EN	1.57	36
HTW-150-FC-3,180ESC(2)-3,i89(4)-16AR97EN	1.32	39
HTW-150-FC-3,180(2)-3,i89(4)-16AR97EN-F2	1.18	42
HTW-150-FC-3,180(2)-3,i89(4)-16AR95EN	1.18	42
HTW-150-FC-3,180(2)-3,i89(4)-16AR95EN-F2-G<1	1.18	39
HTW-150-FC-3,CL-3,180(4)-3,i89(6)-7AR95EN-F2	1.15	40
HTW-150-FC-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F2	0.97	28

Contour Series 200 Single Slider Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-200-SS-7/8-4LoE180[2]-4i89[4]-14.1AR97	1.36	36
HTW-200-SS-7/8-4LoE180[2]-4i89[4]-14.1AR97-GR	1.54	30
HTW-200-SS-3,CL-3,180(3)-16AR97EN	1.68	33
HTW-200-SS-3,CL-3,180(3)-16AR97EN-F2	1.62	34
HTW-200-SS-3,CL-3,180(3)-16AR97EN-G<1	1.68	29
HTW-200-SS-3,CL-3,180(3)-16AR97EN-F2-G<1	1.62	31
HTW-200-SS-3,180(2)-3,i89(4)-16AR97EN	1.44	36
HTW-200-SS-3,180(2)-3,i89(4)-16AR97EN-G<1	1.44	33
HTW-200-SS-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.38	34
HTW-200-SS-3,CL-3,i89(3,4)-16AR97EN	1.52	37
HTW-200-SS-3,CL-3,i89(3,4)-16KR97EN-F2-G<1	1.43	36
HTW-200-SS-3,366(2)-3,i89(4)-16AR97EN-F2	1.33	22
HTW-200-SS-3,366(2)-3,180(4)-3,i89(6)-7AR95EN-F2	1.18	25
HTW-200-SS-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2	1.40	36
HTW-200-SS-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2-G	1.48	31
HTW-200-SS-3,CL-3,CL-3,i89(5,6)-7KR95EN-F2	1.20	40
HTW-200-SS-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3	1.17	41
HTW-200-SS-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3-G<1	1.28	36
HTW-200-SS-3,272(2)-3,CL-16AR97EN	1.64	22
HTW-200-SS-3,366(2)-3,CL-16AR97EN	1.60	17
HTW-200-SS-3,180(2)-3,i89(4)-16AR97EN-F2	1.34	38
HTW-200-SS-3,180(2)-3,i89(4)-16AR95EN	1.42	36
HTW-200-SS-3,180(2)-3,i89(4)-16AR95EN-F3-G<1	1.31	36
HTW-200-SS-3,CL-3,180(4)-3,i89(6)-7AR95EN-F3	1.28	36
HTW-200-SS-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F3	1.09	25

Contour Series 250 Single Hung Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-250-SH-7/8-4LoE180[2]-4i89[4]-14.1AR97	1.35	36
HTW-250-SH-7/8-4LoE180[2]-4i89[4]-14.1AR97-GR	1.53	30
HTW-250-SH-3,CL-3,180(3)-16AR97EN	1.68	33
HTW-250-SH-3,CL-3,180(3)-16AR97EN-F2	1.62	34
HTW-250-SH-3,CL-3,180(3)-16AR97EN-G<1	1.68	29
HTW-250-SH-3,CL-3,180(3)-16AR97EN-F2-G<1	1.62	30
HTW-250-SH-3,180(2)-3,i89(4)-16AR97EN	1.43	36

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-250-SH-3,180(2)-3,i89(4)-16AR97EN-G<1	1.43	33
HTW-250-SH-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.37	34
HTW-250-SH-3,CL-3,i89(3,4)-16AR97EN	1.51	37
HTW-250-SH-3,CL-3,i89(3,4)-16KR97EN-F2-G<1	1.42	36
HTW-250-SH-3,366(2)-3,i89(4)-16AR97EN-F2	1.31	23
HTW-250-SH-3,366(2)-3,180(4)-3,i89(6)-7AR95EN-F2	1.18	24
HTW-250-SH-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2	1.39	36
HTW-250-SH-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2-G	1.48	31
HTW-250-SH-3,CL-3,CL-3,i89(5,6)-7KR95EN-F2	1.20	40
HTW-250-SH-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3	1.13	42
HTW-250-SH-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3-G<1	1.23	37
HTW-250-SH-3,272(2)-3,CL-16AR97EN	1.63	22
HTW-250-SH-3,366(2)-3,CL-16AR97EN	1.60	16
HTW-250-SH-3,180(2)-3,i89(4)-16AR97EN-F2	1.33	38
HTW-250-SH-3,180(2)-3,i89(4)-16AR95EN	1.42	36
HTW-250-SH-3,180(2)-3,i89(4)-16AR95EN-F3-G<1	1.30	36
HTW-250-SH-3,CL-3,180(4)-3,i89(6)-7AR95EN-F3	1.27	36
HTW-250-SH-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F3	1.08	25

Contour Series 400 Picture Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-400-PC-3,CL-3,180(3)-16AR97EN	1.57	39
HTW-400-PC-3,CL-3,180(3)-16AR97EN-F2	1.53	40
HTW-400-PC-3,CL-3,180(3)-16AR97EN-G<1	1.57	36
HTW-400-PC-3,CL-3,180(3)-16AR97EN-F2-G<1	1.53	36
HTW-400-PC-3,180(2)-3,i89(4)-16AR97EN	1.30	43
HTW-400-PC-3,180(2)-3,i89(4)-16AR97EN-G<1	1.30	39
HTW-400-PC-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.26	40
HTW-400-PC-3,CL-3,i89(3,4)-16AR97EN	1.39	44
HTW-400-PC-3,CL-3,i89(3,4)-16KR97EN-F2-G<1	1.31	42
HTW-400-PC-3,366(2)-3,i89(4)-16AR97EN-F2	1.19	27
HTW-400-PC-3,366(2)-3,180(4)-3,i89(6)-7AR95EN-F2	1.04	29
HTW-400-PC-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2	1.27	42
HTW-400-PC-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2-G	1.38	37
HTW-400-PC-3,CL-3,CL-3,i89(5,6)-7KR95EN-F2	1.06	47
HTW-400-PC-3,CL-3,CL-3,i89(5,6)-7KR95EN-F2	1.06	47
HTW-400-PC-3,CL-3,CL-3,i89(5,6)-7KR95EN-F2-G<1	1.19	42

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-400-PC-3,272(2)-3,CL-16AR97EN	1.53	27
HTW-400-PC-3,366(2)-3,CL-16AR97EN	1.49	21
HTW-400-PC-3,180(2)-3,i89(4)-16AR97EN-F2	1.23	44
HTW-400-PC-3,180(2)-3,i89(4)-16AR95EN	1.29	43
HTW-400-PC-3,180(2)-3,i89(4)-16AR95EN-F2-G<1	1.24	40
HTW-400-PC-3,CL-3,180(4)-3,i89(6)-7AR95EN-F2	1.21	41
HTW-400-PC-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F2	1.00	28

Contour Series 300 Double Slider Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-300-DS-3,CL-3,180(3)-16AR97EN	1.67	32
HTW-300-DS-3,CL-3,180(3)-16AR97EN-F2	1.61	33
HTW-300-DS-3,CL-3,180(3)-16AR97EN-G<1	1.67	29
HTW-300-DS-3,CL-3,180(3)-16AR97EN-F2-G<1	1.61	30
HTW-300-DS-3,180(2)-3,i89(4)-16AR97EN	1.44	35
HTW-300-DS-3,180(2)-3,i89(4)-16AR97EN-G<1	1.44	32
HTW-300-DS-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.38	33
HTW-300-DS-3,CL-3,i89(3,4)-16AR97EN	1.52	36
HTW-300-DS-3,CL-3,i89(3,4)-16KR97EN-F2-G<1	1.43	35
HTW-300-DS-3,366(2)-3,i89(4)-16AR97EN-F2	1.33	22
HTW-300-DS-3,366(2)-3,180(4)-3,i89(6)-7AR95EN-F2	1.19	24
HTW-300-DS-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2	1.40	35
HTW-300-DS-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2-G	1.48	30
HTW-300-DS-3,CL-3,CL-3,i89(5,6)-7KR95EN-F2	1.21	39
HTW-300-DS-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3	1.20	39
HTW-300-DS-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3-G<1	1.30	34
HTW-300-DS-3,272(2)-3,CL-16AR97EN	1.63	21
HTW-300-DS-3,366(2)-3,CL-16AR97EN	1.60	16
HTW-300-DS-3,180(2)-3,i89(4)-16AR97EN-F2	1.34	36
HTW-300-DS-3,180(2)-3,i89(4)-16AR95EN	1.43	34
HTW-300-DS-3,180(2)-3,i89(4)-16AR95EN-F3-G<1	1.31	34
HTW-300-DS-3,CL-3,180(4)-3,i89(6)-7AR95EN-F3	1.28	34
HTW-300-DS-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F3	1.09	23
HTW-300-DS-3,CL-3,180(3)-16AR97EN-F3	1.54	33
HTW-300-DS-3,180(2)-3,i89(4)-16AR97EN-F3	1.31	37

Contour Series 350 Double Hung Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-350-DH-3,CL-3,180(3)-16AR97EN	1.68	32
HTW-350-DH-3,CL-3,180(3)-16AR97EN-F2	1.62	34
HTW-350-DH-3,CL-3,180(3)-16AR97EN-G<1	1.68	29
HTW-350-DH-3,CL-3,180(3)-16AR97EN-F2-G<1	1.62	30
HTW-350-DH-3,180(2)-3,i89(4)-16AR97EN	1.43	35
HTW-350-DH-3,180(2)-3,i89(4)-16AR97EN-G<1	1.43	33
HTW-350-DH-3,180(2)-3,i89(4)-16AR97EN-F2-G<1	1.37	34
HTW-350-DH-3,CL-3,i89(3,4)-16AR97EN	1.51	37
HTW-350-DH-3,CL-3,i89(3,4)-16KR97EN-F2-G<1	1.42	36
HTW-350-DH-3,366(2)-3,i89(4)-16AR97EN-F2	1.31	22
HTW-350-DH-3,366(2)-3,180(4)-3,i89(6)-7AR95EN-F2	1.18	24
HTW-350-DH-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2	1.39	36
HTW-350-DH-3,CL-3,CL-3,i89(5,6)-7AR97EN-F2-G	1.48	31
HTW-350-DH-3,CL-3,CL-3,i89(5,6)-7KR95EN-F2	1.20	40
HTW-350-DH-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3	1.13	41
HTW-350-DH-3,CL-3,CL-3,i89(5,6)-7KR95EN-F3-G<1	1.23	36
HTW-350-DH-3,272(2)-3,CL-16AR97EN	1.63	22
HTW-350-DH-3,366(2)-3,CL-16AR97EN	1.60	16
HTW-350-DH-3,180(2)-3,i89(4)-16AR97EN-F2	1.33	36
HTW-350-DH-3,180(2)-3,i89(4)-16AR95EN	1.42	36
HTW-350-DH-3,180(2)-3,i89(4)-16AR95EN-F3-G<1	1.30	35
HTW-350-DH-3CL-3,180(4)-3,i89(6)-7AR95EN-F3	1.27	36
HTW-350-DH-3,366(2)-3,366(4)-3,i89(6)-7AR95EN-F3	1.09	24

Contemporary Series 2100/2700 Casement Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-2100-CA-3,180(2)-3,CL-13AR95EN	1.43	35
HTW-2100-CA-3,180(2)-3,i89(4)-13AR95EN	1.22	39
HTW-2100-CA-3,180(2)-3,i89(4)-13AR95EN-F1	1.18	39
HTW-2100-CA-3,180(2)-3,i89(4)-13AR95EN-F1-G<1	1.18	37
HTW-2100-CA-3,180(2)-3,i89(4)-13AR95EN-F2	1.20	39
HTW-2100-CA-3,CL-3,Di89(3/4)-13AR97EN	1.30	40
HTW-2100-CA-3,CL-3,Di89(3/4)-13AR97EN-G<1	1.30	37
HTW-2100-CA-3,366(2)-3,180(3)-13AR97EN	1.34	22
HTW-2100-CA-3,366(2)-3,180(3)-13AR97EN-G<1	1.34	20

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-2100-CA-3,272(2)-3,180(3)-13AR97EN	1.36	27
HTW-2100-CA-3,272(2)-3,180(3)-13AR97EN-G<1	1.36	25
HTW-2700-CA-3,180(2)-3,180(4)-3,CL-13AR95EN	0.90	42
HTW-2700-CA-3,180(2)-3,180(4)-3,CL-13AR95EN-G<1	0.90	40
HTW-2700-CA-3,180(2)-3,180(4)-3,i89(6)-13AR95EN	0.83	43
HTW-2700-CA-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-G<1	0.83	41
HTW-2700-CA-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-F1	0.79	44
HTW-2700-CA-3,366(2)-3,366(4)-3,i89(6)-13AR97EN	0.79	31
HTW-2700-CA-3,366(2)-3,366(4)-3,i89(6)-13AR97EN-G<1	0.79	30

Contemporary Series 2125/2725 Awning Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-2125-AW-3,180(2)-3,CL-13AR95EN	1.44	34
HTW-2125-AW-3,180(2)-3,i89(4)-13AR95EN	1.26	38
HTW-2125-AW-3,180(2)-3,i89(4)-13AR95EN-F1	1.21	39
HTW-2125-AW-3,180(2)-3,i89(4)-13AR95EN-F1-G<1	1.21	36
HTW-2125-AW-3,180(2)-3,i89(4)-13AR95EN-F2	1.23	38
HTW-2125-AW-3,CL-3,Di89(3/4)-13AR97EN	1.34	39
HTW-2125-AW-3,CL-3,Di89(3/4)-13AR97EN-G<1	1.34	37
HTW-2125-AW-3,366(2)-3,180(3)-13AR97EN	1.36	21
HTW-2125-AW-3,366(2)-3,180(3)-13AR97EN-G<1	1.36	20
HTW-2125-AW-3,272(2)-3,180(3)-13AR97EN	1.37	27
HTW-2125-AW-3,272(2)-3,180(3)-13AR97EN-G<1	1.37	25
HTW-2725-AW-3,180(2)-3,180(4)-3,CL-13AR95EN	0.91	42
HTW-2725-AW-3,180(2)-3,180(4)-3,CL-13AR95EN-G<1	0.91	40
HTW-2725-AW-3,180(2)-3,180(4)-3,i89(6)-13AR95EN	0.84	43
HTW-2725-AW-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-G<1	0.84	41
HTW-2725-AW-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-F1	0.80	44
HTW-2725-AW-3,366(2)-3,366(4)-3,i89(6)-13AR97EN	0.80	31
HTW-2725-AW-3,366(2)-3,366(4)-3,i89(6)-13AR97EN-G<1	0.80	30

Contemporary Series 2150/2750 Fixed Casement Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-2150-FC-3,180(2)-3,CL-13AR95EN	1.44	38
HTW-2150-FC-3,180(2)-3,i89(4)-13AR95EN	1.20	43
HTW-2150-FC-3,180(2)-3,i89(4)-13AR95EN-F1	1.15	44
HTW-2150-FC-3,180(2)-3,i89(4)-13AR95EN-F1-G<1	1.15	41
HTW-2150-FC-3,180(2)-3,i89(4)-13AR95EN-F2	1.20	43
HTW-2150-FC-3,CL-3,Di89(3/4)-13AR97EN	1.29	44
HTW-2150-FC-3,CL-3,Di89(3/4)-13AR97EN-G<1	1.29	41
HTW-2150-FC-3,366(2)-3,180(3)-13AR97EN	1.34	23
HTW-2150-FC-3,366(2)-3,180(3)-13AR97EN-G<1	1.34	22
HTW-2150-FC-3,272(2)-3,180(3)-13AR97EN	1.36	29
HTW-2150-FC-3,272(2)-3,180(3)-13AR97EN-G<1	1.36	28
HTW-2750-FC-3,180(2)-3,180(4)-3,CL-13AR95EN	0.85	47
HTW-2750-FC-3,180(2)-3,180(4)-3,CL-13AR95EN-G<1	0.85	44
HTW-2750-FC-3,180(2)-3,180(4)-3,i89(6)-13AR95EN	0.77	48
HTW-2750-FC-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-G<1	0.77	46
HTW-2750-FC-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-F1	0.73	49
HTW-2750-FC-3,366(2)-3,366(4)-3,i89(6)-13AR97EN	0.72	33
HTW-2750-FC-3,366(2)-3,366(4)-3,i89(6)-13AR97EN-G<1	0.72	33

Contemporary Series 2140/2740 Low Profile Fixed Window

Model Code	Window U-Value (W/m ² K)	Energy Rating (ER)
HTW-2140-PC-3,180(2)-3,CL-13AR95EN	1.48	40
HTW-2140-PC-3,180(2)-3,i89(4)-13AR95EN	1.22	44
HTW-2140-PC-3,180(2)-3,i89(4)-13AR95EN-F1	1.19	45
HTW-2140-PC-3,180(2)-3,i89(4)-13AR95EN-F1-G<1	1.19	42
HTW-2140-PC-3,180(2)-3,i89(4)-13AR95EN-F2	1.21	45
HTW-2140-PC-3,CL-3,Di89(3/4)-13AR97EN	1.31	46
HTW-2140-PC-3,CL-3,Di89(3/4)-13AR97EN-G<1	1.31	42
HTW-2140-PC-3,366(2)-3,180(3)-13AR97EN	1.37	23
HTW-2140-PC-3,366(2)-3,180(3)-13AR97EN-G<1	1.37	22
HTW-2140-PC-3,272(2)-3,180(3)-13AR97EN	1.39	30
HTW-2140-PC-3,272(2)-3,180(3)-13AR97EN-G<1	1.39	28
HTW-2740-PC-3,180(2)-3,180(4)-3,CL-13AR95EN	0.84	49
HTW-2740-PC-3,180(2)-3,180(4)-3,CL-13AR95EN-G<1	0.84	46
HTW-2740-PC-3,180(2)-3,180(4)-3,i89(6)-13AR95EN	0.76	50
HTW-2740-PC-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-G<1	0.76	48
HTW-2740-PC-3,180(2)-3,180(4)-3,i89(6)-13AR95EN-F1	0.73	51
HTW-2740-PC-3,366(2)-3,366(4)-3,i89(6)-13AR97EN	0.70	35
HTW-2740-PC-3,366(2)-3,366(4)-3,i89(6)-13AR97EN-G<1	0.70	34

Notes: Listed products meet the energy requirements of the standards listed above. Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org Please include the listing number in the request.
