

## **RECREATIONAL VEHICLE LISTING PROGRAM**

Customer: Lance Camper Manufacturing Corporation  
Class: Recreational Vehicles  
Location: Lancaster, CA  
Listing No. REC561  
Effective Date: March 16, 2009  
Last Revised: December 3, 2018  
Date:  
Expires: N/A

Standards: CSA Z240 RV Series

Product: Recreational Vehicles including: Single and Tandem Axle Travel Trailers and Slide-In Truck Campers

Markings: Products are labelled and marked in a permanent manner where it is readily visible after installation with the following information:

1. RV Specification Nameplate (QAI Label No 1040) Black lettering on White background Size: 8 ½ inches by 11 inches - includes Manufacturer's Name and Address, Model Designation, Month and Year of Manufacture, Rated Input Voltage, Frequency, Amperes or Volt-Amperes Input, All Factory Installed Appliances, Model and Listing Label Serial Number. The Specifications Nameplate is located in the interior of the kitchen cabinet door.
2. One of the following QAI Round Label with the 'c' Identifier, label number, and the wording "CSA Z240":
  - White Lettering on Purple (Tandem Axle Travel Trailer) (QAI Label No 1045) Size: 3 ½ inches in diameter
  - White Lettering on Purple (Single Axle Travel Trailer) (QAI Label No 1042) Size: 3 ½ inches in diameter
  - White Lettering on Red (Slide-in Truck Camper) (QAI Label No 1043) Size: 3 ½ inches in diameter
  - QAI Logo Shown here:





Note: The QAI Round label is usually posted near the entranceway of the RV.

3. Additional Markings as required by the Z240 standard.

MODEL NAME	ELECTRICAL RATINGS	FUEL
805	120 V, 30A, 60Hz	Propane
815	120 V, 30A, 60Hz	Propane
825	120 V, 30A, 60Hz	Propane
830	120 V, 30A, 60Hz	Propane
835	120 V, 30A, 60Hz	Propane
845	120 V, 30A, 60Hz	Propane
850	120 V, 30A, 60Hz	Propane
855	120 V, 30A, 60Hz	Propane
855S	120 V, 30A, 60Hz	Propane
861	120 V, 30A, 60Hz	Propane
865	120 V, 30A, 60Hz	Propane
915	120 V, 30A, 60Hz	Propane
950	120 V, 30A, 60Hz	Propane
950S	120 V, 30A, 60Hz	Propane
971	120 V, 30A, 60Hz	Propane
975	120 V, 30A, 60Hz	Propane
981	120 V, 30A, 60Hz	Propane
992	120 V, 30A, 60Hz	Propane
995	120 V, 30A, 60Hz	Propane
1040	120 V, 30A, 60Hz	Propane
1050	120 V, 30A, 60Hz	Propane
1052	120 V, 30A, 60Hz	Propane
1055	120 V, 30A, 60Hz	Propane
1172	120 V, 30A, 60Hz	Propane
1181	120 V, 30A, 60Hz	Propane
1191	120 V, 30A, 60Hz	Propane
1274	120 V, 30A, 60Hz	Propane
1575	120 V, 30A, 60Hz	Propane
1685	120 V, 30A, 60Hz	Propane
1880	120 V, 30A, 60Hz	Propane
1881	120 V, 30A, 60Hz	Propane
1985	120 V, 30A, 60Hz	Propane
1995	120 V, 30A, 60Hz	Propane
2180	120 V, 30A, 60Hz	Propane
2185	120 V, 30A, 60Hz	Propane
2281	120 V, 30A, 60Hz	Propane
2285	120 V, 30A, 60Hz	Propane
2295	120 V, 30A, 60Hz	Propane



# LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.  
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.  
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.  
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.  
 TORONTO, ON: 905.605.5444  
 SEATTLE, WA: 425.512.8419  
 WEBSITE: WWW.QAI.ORG

MODEL NAME	ELECTRICAL RATINGS	FUEL
2385	120 V, 30A, 60Hz	Propane
1062	120 V, 30A, 60HZ	Propane
650	120 V, 30A, 60HZ	Propane
1475	120 V, 30A, 60HZ	Propane
2155	120 V, 30A, 60HZ	Propane
2375	120 V, 30A, 60HZ	Propane
2465	120/208 V, 50A, 60HZ	Propane

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.

No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.

Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active.

Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.

\*\*\*