

LISTING PROGRAM

Customer: Lipsett Glazing Systems Inc., DBA: Sashmasters Window & Door
 Class: Fenestration
 Location: Burnaby, BC
 Website: www.Sashmasters.ca
 Listing No. W573
 Effective Date: March 7, 2018
 Last Revised Date: March 7, 2018
 Expires: <N/A>
 Standards: CSA A440.2
 Product: Wood Frame Windows

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer's name or trademark
- b) QAI file Number: W573-1
- c) The wording "CSA A440.2"
- d) QAI logo shown here:



Models /
 Ratings:

Traditional Series Wood Fixed Window

Model Code	U-Value (W/m ² K)
SAM-TRADPC-3,SB60(2)-13AR90SS-3,CL	1.53
SAM-TRADPC-3,SB60(2)-13AR90SS-3,CL-T1≥1	1.80
SAM-TRADPC-3,SB60(2)-13AR90SS-3,EADV(4)	1.36
SAM-TRADPC-3,SB60(2)-13AR90SS-3,EADV(4) -T1≥1	1.76

Traditional Series Wood Fixed Window with 'X-Glass'.

Model Code	U-Value (W/m ² K)
SAM-TRADPCST-3,CL-13AR90SS-3,EADV(4)-XGLAS	1.09
SAM-TRADPCST-3,CL-13AR90SS-3,EADV(4)-XGLAS-T1≥1	1.12
SAM-TRADPCST-3,SB60(2)-13AR90SS-3,CL-XGLAS	0.97
SAM-TRADPCST-3,SB60(2)-13AR90SS-3,CL-XGLAS -T1≥1	1.05
SAM-TRADPCST-3,SB60(2)-13AR90SS-3,EADV(4)-XGLAS	0.84
SAM-TRADPCST-3,SB60(2)-13AR90SS-3,EADV(4)-XGLAS -T1≥1	0.90

Traditional Series Wood Casement Window

Model Code	U-Value (W/m ² K)
SAM-TRADCA-3,SB60(2)-13AR90SS-3,CL	1.61
SAM-TRADCA-3,SB60(2)-13AR90SS-3,EADV(4)	1.50
SAM-TRADCA-3,SB60(2)-13AR90SS-3,EADV(4) -T1≥1	1.80

Traditional Series Wood Casement Window with 'X Glass'.

Model Code	U-Value (W/m ² K)
SAM-TRADCAST-3,CL-13AR90SS-3,EADV(4)-XGLAS	1.11
SAM-TRADCAST-3,CL-13AR90SS-3,EADV(4)-XGLAS-T1≥1	1.13
SAM-TRADCAST-3,SB60(2)-13AR90SS-3,CL-XGLAS	1.02
SAM-TRADCAST-3,SB60(2)-13AR90SS-3,CL-XGLAS -T1≥1	1.08
SAM-TRADCAST-3,SB60(2)-13AR90SS-3,EADV(4)-XGLAS	0.89
SAM-TRADCAST-3,SB60(2)-13AR90SS-3,EADV(4)-XGLAS -T1≥1	0.94

Traditional Series Wood Awning Window

Model Code	U-Value (W/m ² K)
SAM-TRADAW-3,SB60(2)-13AR90SS-3,CL	1.57
SAM-TRADAW-3,SB60(2)-13AR90SS-3,CL-T1≥1	1.74
SAM-TRADAW-3,SB60(2)-13AR90SS-3,EADV(4)	1.49
SAM-TRADAW-3,SB60(2)-13AR90SS-3,EADV(4) -T1≥1	1.73

Traditional Series Wood Awning Window with 'X Glass'.

Model Code	U-Value (W/m ² K)
SAM-TRADAWST-3,CL-13AR90SS-3,EADV(4)-XGLAS	1.09
SAM-TRADAWST-3,CL-13AR90SS-3,EADV(4)-XGLAS-T1≥1	1.10
SAM-TRADAWST-3,SB60(2)-13AR90SS-3,CL-XGLAS	1.01
SAM-TRADAWST-3,SB60(2)-13AR90SS-3,CL-XGLAS -T1≥1	1.05
SAM-TRADAWST-3,SB60(2)-13AR90SS-3,EADV(4)-XGLAS	0.89
SAM-TRADAWST-3,SB60(2)-13AR90SS-3,EADV(4)-XGLAS -T1≥1	0.92

Traditional Series Wood Double Hung (Vertical Slider) Window

Model Code	U-Value (W/m ² K)
SAM-TRADDH-3,SB60(2)-13AR90SS-3,CL	1.64
SAM-TRADDH-3,SB60(2)-13AR90SS-3,EADV(4)	1.51

Traditional Series Wood Double Hung (Vertical Slider) Window with 'X Glass'.

Model Code	U-Value (W/m ² K)
SAM-TRADDHST-3,CL-13AR90SS-3,EADV(4)-XGLAS	1.23
SAM-TRADDHST-3,CL-13AR90SS-3,EADV(4)-XGLAS-T1≥1	1.35
SAM-TRADDHST-3,SB60(2)-13AR90SS-3,CL-XGLAS	1.15
SAM-TRADDHST-3,SB60(2)-13AR90SS-3,CL-XGLAS -T1≥1	1.32
SAM-TRADDHST-3,SB60(2)-13AR90SS-3,EADV(4)-XGLAS	1.10
SAM-TRADDHST-3,SB60(2)-13AR90SS-3,EADV(4)- XGLAS-T1≥1	1.25

Notes: Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
