

WINDOW LISTING PROGRAM

Customer: Lux Windows & Glass Ltd.
 Class: Fenestration Energy Performance
 Location: Calgary, Alberta
 Website: Luxwindows.com
 Listing No. W475-2
 Report No. W475-2, Edition 6
 Effective Date: March 21, 2011
 Last Revised Date: April 26, 2017
 Expires: <N/A>

Standards: CSA A440.2-09 "Fenestration Energy Performance"

Product: Fenestration Products

Markings: Each product is marked with the following content on a permanent label that is readily visible after installation:
☐ Manufacturer's Name, Trademark or other recognized symbol of identification
☐ QAI File Number (W475)
☐ QAI logo with "c" indicator
☐ "Evaluation for energy performance in accordance with CSA A440.2"
☐ "Évalué pour la performance d'énergie en accord à la norme CSA A440.2"

Models /
Ratings:

1100 Series Vinyl Picture Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1100PIC-GO1	2.47	23
LUX-1100PIC-GO1-G1	2.53	20
LUX-1100PIC-GO1-G2	2.54	18
LUX-1100PIC-GO2	2.66	17
LUX-1100PIC-GO2-G1	2.71	14
LUX-1100PIC-GO2-G2	2.72	13
LUX-1100PIC-GO3	2.56	21
LUX-1100PIC-GO3-G1	2.59	18
LUX-1100PIC-GO3-G2	2.59	17
LUX-1100PIC-GO4	2.57	21
LUX-1100PIC-GO4-G1	2.59	18
LUX-1100PIC-GO4-G2	2.58	17
LUX-1100PIC-GO5	1.50	27
LUX-1100PIC-GO5-G1	1.57	25
LUX-1100PIC-GO5-G2	1.60	23



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

LUX-1100PIC-GO6	1.57	25
LUX-1100PIC-GO6-G1	1.65	23
LUX-1100PIC-GO6-G2	1.69	21
LUX-1100PIC-GO7	1.51	27
LUX-1100PIC-GO7-G1	1.55	25
LUX-1100PIC-GO7-G2	1.58	24
LUX-1100PIC-GO8	1.52	27
LUX-1100PIC-GO8-G1	1.56	25
LUX-1100PIC-GO8-G2	1.58	24
LUX-1100PIC-GO9	1.87	31
LUX-1100PIC-GO9-G1	1.89	29
LUX-1100PIC-GO9-G2	1.90	28
LUX-1100PIC-GO10	1.77	34
LUX-1100PIC-GO10-G1	1.78	32
LUX-1100PIC-GO10-G2	1.78	31
LUX-1100PIC-GO11	1.26	31
LUX-1100PIC-GO11-G1	1.30	29
LUX-1100PIC-GO11-G2	1.32	28
LUX-1100PIC-GO12	1.17	33
LUX-1100PIC-GO12-G1	1.20	31
LUX-1100PIC-GO12-G2	1.21	30
LUX-1100PIC-GO13	1.00	35
LUX-1100PIC-GO13-G1	1.04	33
LUX-1100PIC-GO13-G2	1.07	32
LUX-1100PIC-GO14	0.88	38
LUX-1100PIC-GO14-G1	0.91	36
LUX-1100PIC-GO14-G2	0.94	35
LUX-1100PIC-GO15	1.49	28
LUX-1100PIC-GO15-G1	1.53	26
LUX-1100PIC-GO15-G2	1.55	25
LUX-1100PIC-GO16	1.21	27
LUX-1100PIC-GO16-G1	1.26	25
LUX-1100PIC-GO16-G2	1.27	24
LUX-1100PIC-GO17	1.51	27
LUX-1100PIC-GO17-G1	1.53	26
LUX-1100PIC-GO17-G2	1.55	25
LUX-1100PIC-GO18	1.22	27
LUX-1100PIC-GO18-G1	1.25	25
LUX-1100PIC-GO18-G2	1.26	25
LUX-1100PIC-GO19	1.16	34
LUX-1100PIC-GO19-G1	1.18	32
LUX-1100PIC-GO19-G2	1.18	31
LUX-1100PIC-GO20	0.86	38
LUX-1100PIC-GO20-G1	0.86	37
LUX-1100PIC-GO20-G2	0.87	37
LUX-1100PIC-GO21	0.98	31
LUX-1100PIC-GO21-G1	1.00	30
LUX-1100PIC-GO21-G2	1.01	29



LUX-1100PIC-GO22	1.23	32
LUX-1100PIC-GO22-G1	1.25	30
LUX-1100PIC-GO22-G2	1.27	29
LUX-1100PIC-GO23	0.97	36
LUX-1100PIC-GO23-G1	0.98	35
LUX-1100PIC-GO23-G2	0.99	34
LUX-1100PIC-GO24	1.05	29
LUX-1100PIC-GO24-G1	1.07	28
LUX-1100PIC-GO24-G2	1.08	27
LUX-1100PIC-GO25	1.57	40
LUX-1100PIC-GO25G3	1.55	29
LUX-1100PIC-GO26	1.55	38
LUX-1100PIC-GO26G3	1.55	29
LUX-1100PIC-GO27	1.50	16
LUX-1100PIC-GO27G3	1.52	12
LUX-1100PIC-GO28	1.16	45
LUX-1100PIC-GO28G3	1.17	35
LUX-1100PIC-GO29	1.26	41
LUX-1100PIC-GO29G3	1.28	31
LUX-1100PIC-GO30	1.23	21
LUX-1100PIC-GO30G3	1.26	18
LUX-1100PIC-GO31	0.83	33
LUX-1100PIC-GO31G3	0.92	28
LUX-1100PIC-GO32	0.90	39
LUX-1100PIC-GO32G3	1.06	29
LUX-1100PIC-GO33	0.93	31
LUX-1100PIC-GO33G3	1.09	24
LUX-1100PIC-GO34	1.01	36
LUX-1100PIC-GO34G3	1.05	29

1100 Series Vinyl Awning Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1100AWN-GO5	1.49	22
LUX-1100AWN-GO5-G1	1.53	20
LUX-1100AWN-GO5-G2	1.55	19
LUX-1100AWN-GO6	1.54	20
LUX-1100AWN-GO6-G1	1.59	19
LUX-1100AWN-GO6-G2	1.61	18
LUX-1100AWN-GO7	1.49	22
LUX-1100AWN-GO7-G1	1.51	21
LUX-1100AWN-GO7-G2	1.52	20
LUX-1100AWN-GO8	1.50	21
LUX-1100AWN-GO8-G1	1.52	20
LUX-1100AWN-GO8-G2	1.53	20
LUX-1100AWN-GO11	1.33	24
LUX-1100AWN-GO11-G1	1.35	23
LUX-1100AWN-GO11-G2	1.36	22



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

LUX-1100AWN-GO12	1.26	26
LUX-1100AWN-GO12-G1	1.27	25
LUX-1100AWN-GO12-G2	1.28	24
LUX-1100AWN-GO13	1.13	27
LUX-1100AWN-GO13-G1	1.16	26
LUX-1100AWN-GO13-G2	1.17	26
LUX-1100AWN-GO14	1.04	29
LUX-1100AWN-GO14-G1	1.06	28
LUX-1100AWN-GO14-G2	1.07	28
LUX-1100AWN-GO15	1.47	23
LUX-1100AWN-GO15-G1	1.49	21
LUX-1100AWN-GO15-G2	1.50	21
LUX-1100AWN-GO16	1.29	21
LUX-1100AWN-GO16-G1	1.30	21
LUX-1100AWN-GO16-G2	1.30	21
LUX-1100AWN-GO17	1.48	22
LUX-1100AWN-GO17-G1	1.49	22
LUX-1100AWN-GO17-G2	1.49	21
LUX-1100AWN-GO18	1.28	22
LUX-1100AWN-GO18-G1	1.28	21
LUX-1100AWN-GO18-G2	1.29	21
LUX-1100AWN-GO19	1.24	27
LUX-1100AWN-GO19-G1	1.25	26
LUX-1100AWN-GO19-G2	1.25	25
LUX-1100AWN-GO20	1.02	30
LUX-1100AWN-GO20-G1	1.02	30
LUX-1100AWN-GO20-G2	1.02	29
LUX-1100AWN-GO21	1.13	24
LUX-1100AWN-GO21-G1	1.13	24
LUX-1100AWN-GO21-G2	1.13	24
LUX-1100AWN-GO22	1.31	25
LUX-1100AWN-GO22-G1	1.32	24
LUX-1100AWN-GO22-G2	1.32	24
LUX-1100AWN-GO23	1.11	28
LUX-1100AWN-GO23-G1	1.12	27
LUX-1100AWN-GO23-G2	1.12	27
LUX-1100AWN-GO24	1.18	23
LUX-1100AWN-GO24-G1	1.19	22
LUX-1100AWN-GO24-G2	1.19	22
LUX-1100AWN-GO25	1.52	31
LUX-1100AWN-GO25G3	1.48	25
LUX-1100AWN-GO26	1.52	30
LUX-1100AWN-GO26G3	1.49	24
LUX-1100AWN-GO27	1.48	14
LUX-1100AWN-GO27G3	1.47	12
LUX-1100AWN-GO28	1.26	34
LUX-1100AWN-GO28G3	1.24	28
LUX-1100AWN-GO29	1.34	31



LUX-1100AWN-GO29G3	1.33	25
LUX-1100AWN-GO30	1.32	17
LUX-1100AWN-GO30G3	1.32	16
LUX-1100AWN-GO31	1.03	26
LUX-1100AWN-GO31G3	1.06	23
LUX-1100AWN-GO32	1.05	31
LUX-1100AWN-GO32G3	1.05	27
LUX-1100AWN-GO33	1.11	24
LUX-1100AWN-GO33G3	1.20	20
LUX-1100AWN-GO34	1.15	28
LUX-1100AWN-GO34G3	1.15	24

1100 Series Vinyl Casement Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1100CAS-GO5	1.51	22
LUX-1100CAS-GO5-G1	1.55	20
LUX-1100CAS-GO5-G2	1.57	19
LUX-1100CAS-GO6	1.56	20
LUX-1100CAS-GO6-G1	1.61	18
LUX-1100CAS-GO6-G2	1.64	17
LUX-1100CAS-GO7	1.51	21
LUX-1100CAS-GO7-G1	1.53	20
LUX-1100CAS-GO7-G2	1.55	19
LUX-1100CAS-GO8	1.52	21
LUX-1100CAS-GO8-G1	1.54	20
LUX-1100CAS-GO8-G2	1.55	19
LUX-1100CAS-GO11	1.35	24
LUX-1100CAS-GO11-G1	1.37	23
LUX-1100CAS-GO11-G2	1.39	22
LUX-1100CAS-GO12	1.28	25
LUX-1100CAS-GO12-G1	1.30	24
LUX-1100CAS-GO12-G2	1.31	24
LUX-1100CAS-GO13	1.16	27
LUX-1100CAS-GO13-G1	1.19	26
LUX-1100CAS-GO13-G2	1.20	25
LUX-1100CAS-GO14	1.07	29
LUX-1100CAS-GO14-G1	1.09	28
LUX-1100CAS-GO14-G2	1.10	27
LUX-1100CAS-GO15	1.44	23
LUX-1100CAS-GO15-G1	1.47	22
LUX-1100CAS-GO15-G2	1.49	21
LUX-1100CAS-GO16	1.25	22
LUX-1100CAS-GO16-G1	1.27	21
LUX-1100CAS-GO16-G2	1.28	21
LUX-1100CAS-GO17	1.45	23
LUX-1100CAS-GO17-G1	1.47	22
LUX-1100CAS-GO17-G2	1.47	22



LUX-1100CAS-GO18	1.24	23
LUX-1100CAS-GO18-G1	1.26	22
LUX-1100CAS-GO18-G2	1.27	21
LUX-1100CAS-GO19	1.24	27
LUX-1100CAS-GO19-G1	1.25	26
LUX-1100CAS-GO19-G2	1.25	25
LUX-1100CAS-GO20	1.02	30
LUX-1100CAS-GO20-G1	1.02	30
LUX-1100CAS-GO20-G2	1.02	29
LUX-1100CAS-GO21	1.11	25
LUX-1100CAS-GO21-G1	1.12	24
LUX-1100CAS-GO21-G2	1.12	24
LUX-1100CAS-GO22	1.28	26
LUX-1100CAS-GO22-G1	1.30	25
LUX-1100CAS-GO22-G2	1.31	24
LUX-1100CAS-GO23	1.09	29
LUX-1100CAS-GO23-G1	1.10	28
LUX-1100CAS-GO23-G2	1.11	27
LUX-1100CAS-GO24	1.15	24
LUX-1100CAS-GO24-G1	1.17	23
LUX-1100CAS-GO24-G2	1.17	23
LUX-1100CAS-GO25	1.49	32
LUX-1100CAS-GO25G3	1.53	24
LUX-1100CAS-GO26	1.49	31
LUX-1100CAS-GO26G3	1.49	24
LUX-1100CAS-GO27	1.46	14
LUX-1100CAS-GO27G3	1.47	12
LUX-1100CAS-GO28	1.23	35
LUX-1100CAS-GO28G3	1.24	28
LUX-1100CAS-GO29	1.32	32
LUX-1100CAS-GO29G3	1.33	25
LUX-1100CAS-GO30	1.30	17
LUX-1100CAS-GO30G3	1.32	16
LUX-1100CAS-GO31	1.00	27
LUX-1100CAS-GO31G3	1.06	23
LUX-1100CAS-GO32	1.03	31
LUX-1100CAS-GO32G3	1.05	27
LUX-1100CAS-GO33	1.09	25
LUX-1100CAS-GO33G3	1.20	20
LUX-1100CAS-GO34	1.13	29
LUX-1100CAS-GO34G3	1.15	24

1100 Series Fixed Casement Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1100FIX-GO5	1.52	24
LUX-1100FIX-GO5-G1	1.59	22
LUX-1100FIX-GO5-G2	1.61	21



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

LUX-1100FIX-GO6	1.56	23
LUX-1100FIX-GO6-G1	1.63	21
LUX-1100FIX-GO6-G2	1.67	19
LUX-1100FIX-GO7	1.51	25
LUX-1100FIX-GO7-G1	1.55	23
LUX-1100FIX-GO7-G2	1.57	22
LUX-1100FIX-GO8	1.52	24
LUX-1100FIX-GO8-G1	1.55	22
LUX-1100FIX-GO8-G2	1.57	21
LUX-1100FIX-GO11	1.29	28
LUX-1100FIX-GO11-G1	1.33	26
LUX-1100FIX-GO11-G2	1.35	25
LUX-1100FIX-GO12	1.22	30
LUX-1100FIX-GO12-G1	1.24	28
LUX-1100FIX-GO12-G2	1.25	27
LUX-1100FIX-GO13	1.06	32
LUX-1100FIX-GO13-G1	1.10	30
LUX-1100FIX-GO13-G2	1.13	29
LUX-1100FIX-GO14	0.96	34
LUX-1100FIX-GO14-G1	0.99	32
LUX-1100FIX-GO14-G2	1.01	31
LUX-1100FIX-GO14-G2	1.01	31
LUX-1100FIX-GO15	1.47	26
LUX-1100FIX-GO15-G1	1.51	24
LUX-1100FIX-GO15-G2	1.53	23
LUX-1100FIX-GO16	1.23	25
LUX-1100FIX-GO16-G1	1.27	23
LUX-1100FIX-GO16-G2	1.28	23
LUX-1100FIX-GO17	1.49	25
LUX-1100FIX-GO17-G1	1.52	24
LUX-1100FIX-GO17-G2	1.53	23
LUX-1100FIX-GO18	1.24	24
LUX-1100FIX-GO18-G1	1.27	23
LUX-1100FIX-GO18-G2	1.27	23
LUX-1100FIX-GO19	1.20	30
LUX-1100FIX-GO19-G1	1.22	29
LUX-1100FIX-GO19-G2	1.23	28
LUX-1100FIX-GO20	0.94	34
LUX-1100FIX-GO20-G1	0.95	34
LUX-1100FIX-GO20-G2	0.95	33
LUX-1100FIX-GO21	1.05	28
LUX-1100FIX-GO21-G1	1.07	27
LUX-1100FIX-GO21-G2	1.07	26
LUX-1100FIX-GO22	1.26	29
LUX-1100FIX-GO22-G1	1.28	28
LUX-1100FIX-GO22-G2	1.30	27
LUX-1100FIX-GO23	1.03	32
LUX-1100FIX-GO23-G1	1.04	32



LUX-1100FIX-GO23-G2	1.05	31
LUX-1100FIX-GO24	1.10	27
LUX-1100FIX-GO24-G1	1.12	26
LUX-1100FIX-GO24-G2	1.13	25
LUX-1100FIX-GO25	1.54	33
LUX-1100FIX-GO25G3	1.52	24
LUX-1100FIX-GO26	1.52	32
LUX-1100FIX-GO26G3	1.52	23
LUX-1100FIX-GO27	1.48	12
LUX-1100FIX-GO27G3	1.49	10
LUX-1100FIX-GO28	1.20	37
LUX-1100FIX-GO28G3	1.21	28
LUX-1100FIX-GO29	1.29	34
LUX-1100FIX-GO29G3	1.31	25
LUX-1100FIX-GO30	1.27	16
LUX-1100FIX-GO30G3	1.29	14
LUX-1100FIX-GO31	0.91	28
LUX-1100FIX-GO31G3	0.99	22
LUX-1100FIX-GO32	0.97	32
LUX-1100FIX-GO32G3	0.99	27
LUX-1100FIX-GO33	1.00	26
LUX-1100FIX-GO33G3	1.15	19
LUX-1100FIX-GO34	1.07	29
LUX-1100FIX-GO34G3	1.10	24

1100 Series Vertical Slider Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1109VS-GO1	2.66	14
LUX-1109VS-GO1-G1	2.70	12
LUX-1109VS-GO1-G2	2.71	10
LUX-1109VS-GO2	2.72	11
LUX-1109VS-GO2-G1	2.77	9
LUX-1109VS-GO2-G2	2.77	7
LUX-1109VS-GO3	2.62	16
LUX-1109VS-GO3-G1	2.64	14
LUX-1109VS-GO3-G2	2.64	12
LUX-1109VS-GO4	2.62	15
LUX-1109VS-GO4-G1	2.64	13
LUX-1109VS-GO4-G2	2.63	12
LUX-1109VS-GO5	1.68	20
LUX-1109VS-GO5-G1	1.74	18
LUX-1109VS-GO5-G2	1.77	17
LUX-1109VS-GO6	1.75	19
LUX-1109VS-GO6-G1	1.82	16
LUX-1109VS-GO6-G2	1.86	15
LUX-1109VS-GO7	1.66	21
LUX-1109VS-GO7-G1	1.70	19



LUX-1109VS-GO7-G2	1.72	18
LUX-1109VS-GO8	1.69	20
LUX-1109VS-GO8-G1	1.73	18
LUX-1109VS-GO8-G2	1.74	17
LUX-1109VS-GO9	1.67	21
LUX-1109VS-GO9-G1	1.71	19
LUX-1109VS-GO9-G2	1.73	18
LUX-1109VS-GO10	1.42	20
LUX-1109VS-GO10-G1	1.46	19
LUX-1109VS-GO10-G2	1.47	18
LUX-1109VS-GO11	1.70	21
LUX-1109VS-GO11-G1	1.72	19
LUX-1109VS-GO11-G2	1.73	18
LUX-1109VS-GO12	1.44	20
LUX-1109VS-GO12-G1	1.46	19
LUX-1109VS-GO12-G2	1.47	18
LUX-1109VS-GO13	1.76	32
LUX-1109VS-GO13G3	1.73	22
LUX-1109VS-GO14	1.75	31
LUX-1109VS-GO14G3	1.74	21
LUX-1109VS-GO15	1.71	9
LUX-1109VS-GO15G3	1.71	7

1100 Series Horizontal Slider Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1106HS-GO1	2.68	14
LUX-1106HS-GO1-G1	2.72	11
LUX-1106HS-GO1-G2	2.72	10
LUX-1106HS-GO2	2.74	11
LUX-1106HS-GO2-G1	2.78	9
LUX-1109HS-GO2-G2	2.79	7
LUX-1106HS-GO3	2.64	16
LUX-1106HS-GO3-G1	2.65	13
LUX-1106HS-GO3-G2	2.65	12
LUX-1106HS-GO4	2.64	15
LUX-1106HS-GO4-G1	2.65	13
LUX-1106HS-GO4-G2	2.64	12
LUX-1106HS-GO5	1.69	21
LUX-1106HS-GO5-G1	1.75	18
LUX-1106HS-GO5-G2	1.78	17
LUX-1109HS-GO6	1.76	19
LUX-1109HS-GO6-G1	1.83	16
LUX-1109HS-GO6-G2	1.87	15
LUX-1106HS-GO7	1.68	21
LUX-1106HS-GO7-G1	1.71	19
LUX-1106HS-GO7-G2	1.74	18
LUX-1106HS-GO8	1.70	20



LUX-1106HS-GO8-G1	1.73	18
LUX-1106HS-GO8-G2	1.75	17
LUX-1106HS-GO9	1.69	21
LUX-1106HS-GO9-G1	1.73	19
LUX-1106HS-GO9-G2	1.74	18
LUX-1106HS-GO10	1.44	20
LUX-1106HS-GO10-G1	1.47	19
LUX-1106HS-GO10-G2	1.48	18
LUX-1106HS-GO11	1.71	21
LUX-1106HS-GO11-G1	1.73	19
LUX-1106HS-GO11-G2	1.74	18
LUX-1106HS-GO12	1.45	20
LUX-1106HS-GO12-G1	1.47	19
LUX-1106HS-GO12-G2	1.48	18
LUX-1106HS-GO13	1.78	31
LUX-1106HS-GO13G3	1.75	22
LUX-1106HS-GO14	1.77	30
LUX-1106HS-GO14G3	1.76	21
LUX-1106HS-GO15	1.73	9
LUX-1106HS-GO15G3	1.73	7

1202 Series Fixed Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1202FIX-GO1	2.51	20
LUX-1202FIX-GO1-G1	2.55	17
LUX-1202FIX-GO1-G2	2.56	16
LUX-1202FIX-GO2	2.56	17
LUX-1202FIX-GO2-G1	2.61	14
LUX-1202FIX-GO2-G2	2.62	13
LUX-1202FIX-GO3	2.47	21
LUX-1202FIX-GO3-G1	2.49	18
LUX-1202FIX-GO3-G2	2.49	17
LUX-1202FIX-GO4	2.48	20
LUX-1202FIX-GO4-G1	2.50	18
LUX-1202FIX-GO4-G2	2.50	17
LUX-1202FIX-GO5	1.48	27
LUX-1202FIX-GO5-G1	1.55	24
LUX-1202FIX-GO5-G2	1.58	23
LUX-1202FIX-GO6	1.55	25
LUX-1202FIX-GO6-G1	1.63	22
LUX-1202FIX-GO6-G2	1.67	21
LUX-1202FIX-GO7	1.50	26
LUX-1202FIX-GO7-G1	1.54	24
LUX-1202FIX-GO7-G2	1.56	23
LUX-1202FIX-GO8	1.52	26
LUX-1202FIX-GO8-G1	1.55	24
LUX-1202FIX-GO8-G2	1.57	23



LUX-1202FIX-GO9	1.81	31
LUX-1202FIX-GO9-G1	1.83	29
LUX-1202FIX-GO9-G2	1.84	27
LUX-1202FIX-GO10	1.72	33
LUX-1202FIX-GO10-G1	1.73	31
LUX-1202FIX-GO10-G2	1.73	30
LUX-1202FIX-GO11	1.26	30
LUX-1202FIX-GO11-G1	1.30	28
LUX-1202FIX-GO11-G2	1.32	27
LUX-1202FIX-GO12	1.18	32
LUX-1202FIX-GO12-G1	1.21	30
LUX-1202FIX-GO12-G2	1.22	29
LUX-1202FIX-GO13	1.02	34
LUX-1202FIX-GO13-G1	1.05	32
LUX-1202FIX-GO13-G2	1.08	31
LUX-1202FIX-GO14	0.91	36
LUX-1202FIX-GO14-G1	0.94	35
LUX-1202FIX-GO14-G2	0.96	34
LUX-1202FIX-GO15	1.47	26
LUX-1202FIX-GO15-G1	1.51	25
LUX-1202FIX-GO15-G2	1.53	24
LUX-1202FIX-GO16	1.21	26
LUX-1202FIX-GO16-G1	1.25	24
LUX-1202FIX-GO16-G2	1.27	23
LUX-1202FIX-GO17	1.50	26
LUX-1202FIX-GO17-G1	1.52	25
LUX-1202FIX-GO17-G2	1.54	24
LUX-1202FIX-GO18	1.23	25
LUX-1202FIX-GO18-G1	1.26	24
LUX-1202FIX-GO18-G2	1.28	23
LUX-1202FIX-GO19	1.23	31
LUX-1202FIX-GO19-G1	1.26	29
LUX-1202FIX-GO19-G2	1.27	28
LUX-1202FIX-GO20	0.98	35
LUX-1202FIX-GO20-G1	1.00	34
LUX-1202FIX-GO20-G2	1.01	33
LUX-1202FIX-GO21	1.06	28
LUX-1202FIX-GO21-G1	1.08	27
LUX-1202FIX-GO21-G2	1.10	26
LUX-1202FIX-GO22	1.44	26
LUX-1202FIX-GO22-G1	1.53	23
LUX-1202FIX-GO22-G2	1.56	21
LUX-1202FIX-GO23	1.21	30
LUX-1202FIX-GO23-G1	1.26	27
LUX-1202FIX-GO23-G2	1.27	27
LUX-1202FIX-GO24	1.22	25
LUX-1202FIX-GO24-G1	1.28	23
LUX-1202FIX-GO24-G2	1.30	22



LUX-1202FIX-GO25	1.19	31
LUX-1202FIX-GO25-G1	1.20	30
LUX-1202FIX-GO25-G2	1.21	30
LUX-1202FIX-GO26	0.90	36
LUX-1202FIX-GO26-G1	0.91	36
LUX-1202FIX-GO26-G2	0.91	35
LUX-1202FIX-GO27	1.02	29
LUX-1202FIX-GO27-G1	1.03	28
LUX-1202FIX-GO27-G2	1.04	28
LUX-1202FIX-GO28	1.24	30
LUX-1202FIX-GO28-G1	1.27	28
LUX-1202FIX-GO28-G2	1.28	28
LUX-1202FIX-GO29	1.00	34
LUX-1202FIX-GO29-G1	1.01	33
LUX-1202FIX-GO29-G2	1.01	32
LUX-1202FIX-GO30	1.07	28
LUX-1202FIX-GO30-G1	1.09	27
LUX-1202FIX-GO30-G2	1.10	26
LUX-1202FIX-GO31	1.01	35
LUX-1202FIX-GO31-G1	1.04	33
LUX-1202FIX-GO31-G2	1.07	32
LUX-1202FIX-GO32	1.25	29
LUX-1202FIX-GO32-G1	1.33	27
LUX-1202FIX-GO32-G2	1.38	25
LUX-1202FIX-GO33	0.90	37
LUX-1202FIX-GO33-G1	0.92	35
LUX-1202FIX-GO33-G2	0.93	35
LUX-1202FIX-GO34	1.10	32
LUX-1202FIX-GO34-G1	1.15	30
LUX-1202FIX-GO34-G2	1.19	28
LUX-1202FIX-GO35	1.55	37
LUX-1202FIX-GO35-G3	1.52	28
LUX-1202FIX-GO36	1.54	36
LUX-1202FIX-GO36-G3	1.52	27
LUX-1202FIX-GO37	1.49	15
LUX-1202FIX-GO37-G3	1.49	13
LUX-1202FIX-GO38	1.28	40
LUX-1202FIX-GO38-G3	1.28	31
LUX-1202FIX-GO39	1.17	41
LUX-1202FIX-GO39-G3	1.16	33
LUX-1202FIX-GO40	1.14	22
LUX-1202FIX-GO40-G3	1.14	20
LUX-1202FIX-GO41	0.92	31
LUX-1202FIX-GO41-G3	1.01	25
LUX-1202FIX-GO42	1.05	34
LUX-1202FIX-GO42-G3	1.07	28



1203 Series Casement Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1203CAS-GO1	2.40	18
LUX-1203CAS-GO1-G1	2.43	16
LUX-1203CAS-GO1-G2	2.44	15
LUX-1203CAS-GO2	2.44	15
LUX-1203CAS-GO2-G1	2.48	13
LUX-1203CAS-GO2-G2	2.49	12
LUX-1203CAS-GO3	2.36	19
LUX-1203CAS-GO3-G1	2.38	17
LUX-1203CAS-GO3-G2	2.38	16
LUX-1203CAS-GO4	2.38	18
LUX-1203CAS-GO4-G1	2.39	17
LUX-1203CAS-GO4-G2	2.39	16
LUX-1203CAS-GO5	1.51	24
LUX-1203CAS-GO5-G1	1.56	22
LUX-1203CAS-GO5-G2	1.58	21
LUX-1203CAS-GO6	1.58	22
LUX-1203CAS-GO6-G1	1.64	20
LUX-1203CAS-GO6-G2	1.67	19
LUX-1203CAS-GO7	1.52	23
LUX-1203CAS-GO7-G1	1.55	22
LUX-1203CAS-GO7-G2	1.57	21
LUX-1203CAS-GO8	1.54	23
LUX-1203CAS-GO8-G1	1.57	21
LUX-1203CAS-GO8-G2	1.58	21
LUX-1203CAS-GO9	1.79	27
LUX-1203CAS-GO9-G1	1.81	26
LUX-1203CAS-GO9-G2	1.81	25
LUX-1203CAS-GO10	1.71	30
LUX-1203CAS-GO10-G1	1.72	28
LUX-1203CAS-GO10-G2	1.72	27
LUX-1203CAS-GO11	1.32	26
LUX-1203CAS-GO11-G1	1.34	25
LUX-1203CAS-GO11-G2	1.36	24
LUX-1203CAS-GO12	1.25	28
LUX-1203CAS-GO12-G1	1.27	27
LUX-1203CAS-GO12-G2	1.28	26
LUX-1203CAS-GO13	1.10	30
LUX-1203CAS-GO13-G1	1.13	28
LUX-1203CAS-GO13-G2	1.15	28
LUX-1203CAS-GO14	1.00	32
LUX-1203CAS-GO14-G1	1.03	31
LUX-1203CAS-GO14-G2	1.05	30
LUX-1203CAS-GO15	1.51	23
LUX-1203CAS-GO15-G1	1.54	22
LUX-1203CAS-GO15-G2	1.56	21



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
TORONTO, ON: 905.605.5444
SEATTLE, WA: 425.512.8419
WEBSITE: WWW.QAI.ORG

LUX-1203CAS-GO16	1.28	23
LUX-1203CAS-GO16-G1	1.31	22
LUX-1203CAS-GO16-G2	1.32	21
LUX-1203CAS-GO17	1.53	23
LUX-1203CAS-GO17-G1	1.55	22
LUX-1203CAS-GO17-G2	1.56	21
LUX-1203CAS-GO18	1.29	23
LUX-1203CAS-GO18-G1	1.31	22
LUX-1203CAS-GO18-G2	1.32	21
LUX-1203CAS-GO19	1.30	27
LUX-1203CAS-GO19-G1	1.32	26
LUX-1203CAS-GO19-G2	1.33	25
LUX-1203CAS-GO20	1.09	30
LUX-1203CAS-GO20-G1	1.10	29
LUX-1203CAS-GO20-G2	1.10	29
LUX-1203CAS-GO21	1.14	25
LUX-1203CAS-GO21-G1	1.16	24
LUX-1203CAS-GO21-G2	1.17	24
LUX-1203CAS-GO22	1.49	22
LUX-1203CAS-GO22-G1	1.55	20
LUX-1203CAS-GO22-G2	1.57	19
LUX-1203CAS-GO23	1.29	26
LUX-1203CAS-GO23-G1	1.32	24
LUX-1203CAS-GO23-G2	1.34	23
LUX-1203CAS-GO24	1.28	22
LUX-1203CAS-GO24-G1	1.33	20
LUX-1203CAS-GO24-G2	1.35	20
LUX-1203CAS-GO25	1.26	27
LUX-1203CAS-GO25-G1	1.27	27
LUX-1203CAS-GO25-G2	1.27	26
LUX-1203CAS-GO26	1.00	32
LUX-1203CAS-GO26-G1	1.01	31
LUX-1203CAS-GO26-G2	1.01	31
LUX-1203CAS-GO27	1.10	26
LUX-1203CAS-GO27-G1	1.11	25
LUX-1203CAS-GO27-G2	1.12	25
LUX-1203CAS-GO28	1.31	26
LUX-1203CAS-GO28-G1	1.32	26
LUX-1203CAS-GO28-G2	1.33	25
LUX-1203CAS-GO29	1.09	30
LUX-1203CAS-GO29-G1	1.10	29
LUX-1203CAS-GO29-G2	1.11	28
LUX-1203CAS-GO30	1.15	25
LUX-1203CAS-GO30-G1	1.16	24
LUX-1203CAS-GO30-G2	1.17	24
LUX-1203CAS-GO31	1.12	30
LUX-1203CAS-GO31-G1	1.14	29
LUX-1203CAS-GO31-G2	1.16	28



LUX-1203CAS-GO32	1.33	25
LUX-1203CAS-GO32-G1	1.39	23
LUX-1203CAS-GO32-G2	1.42	22
LUX-1203CAS-GO33	1.02	32
LUX-1203CAS-GO33-G1	1.03	31
LUX-1203CAS-GO33-G2	1.04	31
LUX-1203CAS-GO34	1.19	28
LUX-1203CAS-GO34-G1	1.22	27
LUX-1203CAS-GO34-G2	1.25	25
LUX-1202CAS-GO35	1.59	32
LUX-1202CAS-GO35-G3	1.56	25
LUX-1202CAS-GO36	1.58	31
LUX-1202CAS-GO36-G3	1.57	24
LUX-1202CAS-GO37	1.54	13
LUX-1202CAS-GO37-G3	1.54	11
LUX-1202CAS-GO38	1.34	35
LUX-1202CAS-GO38-G3	1.35	28
LUX-1202CAS-GO39	1.24	36
LUX-1202CAS-GO39-G3	1.23	29
LUX-1202CAS-GO40	1.22	20
LUX-1202CAS-GO40-G3	1.22	17
LUX-1202CAS-GO41	1.04	26
LUX-1202CAS-GO41-G3	1.11	23
LUX-1202CAS-GO42	1.15	30
LUX-1202CAS-GO42-G3	1.17	25

1204 Series Awning Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1204AWN-GO1	2.46	17
LUX-1204AWN-GO1-G1	2.46	15
LUX-1204AWN-GO1-G2	2.46	14
LUX-1204AWN-GO2	2.50	14
LUX-1204AWN-GO2-G1	2.51	13
LUX-1204AWN-GO2-G2	2.51	12
LUX-1204AWN-GO3	2.42	18
LUX-1204AWN-GO3-G1	2.40	16
LUX-1204AWN-GO3-G2	2.40	16
LUX-1204AWN-GO4	2.43	17
LUX-1204AWN-GO4-G1	2.41	16
LUX-1204AWN-GO4-G2	2.41	15
LUX-1204AWN-GO5	1.53	23
LUX-1204AWN-GO5-G1	1.57	21
LUX-1204AWN-GO5-G2	1.59	21
LUX-1204AWN-GO6	1.61	21
LUX-1204AWN-GO6-G1	1.65	19
LUX-1204AWN-GO6-G2	1.68	18
LUX-1204AWN-GO7	1.55	23



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

LUX-1204AWN-GO7-G1	1.57	21
LUX-1204AWN-GO7-G2	1.58	21
LUX-1204AWN-GO8	1.56	22
LUX-1204AWN-GO8-G1	1.58	21
LUX-1204AWN-GO8-G2	1.59	20
LUX-1204AWN-GO9	1.83	27
LUX-1204AWN-GO9-G1	1.83	25
LUX-1204AWN-GO9-G2	1.83	24
LUX-1204AWN-GO10	1.74	29
LUX-1204AWN-GO10-G1	1.74	28
LUX-1204AWN-GO10-G2	1.74	27
LUX-1204AWN-GO11	1.35	26
LUX-1204AWN-GO11-G1	1.37	24
LUX-1204AWN-GO11-G2	1.38	24
LUX-1204AWN-GO12	1.28	27
LUX-1204AWN-GO12-G1	1.29	26
LUX-1204AWN-GO12-G2	1.29	26
LUX-1204AWN-GO13	1.13	29
LUX-1204AWN-GO13-G1	1.15	28
LUX-1204AWN-GO13-G2	1.17	27
LUX-1204AWN-GO14	1.03	31
LUX-1204AWN-GO14-G1	1.05	30
LUX-1204AWN-GO14-G2	1.06	30
LUX-1204AWN-GO15	1.53	23
LUX-1204AWN-GO15-G1	1.55	22
LUX-1204AWN-GO15-G2	1.56	21
LUX-1204AWN-GO16	1.32	22
LUX-1204AWN-GO16-G1	1.33	21
LUX-1204AWN-GO16-G2	1.33	21
LUX-1204AWN-GO17	1.55	23
LUX-1204AWN-GO17-G1	1.56	21
LUX-1204AWN-GO17-G2	1.57	21
LUX-1204AWN-GO18	1.33	22
LUX-1204AWN-GO18-G1	1.33	21
LUX-1204AWN-GO18-G2	1.33	21
LUX-1204AWN-GO19	1.32	26
LUX-1204AWN-GO19-G1	1.33	25
LUX-1204AWN-GO19-G2	1.34	25
LUX-1204AWN-GO20	1.10	30
LUX-1204AWN-GO20-G1	1.11	29
LUX-1204AWN-GO20-G2	1.11	28
LUX-1204AWN-GO21	1.17	24
LUX-1204AWN-GO21-G1	1.18	24
LUX-1204AWN-GO21-G2	1.18	23
LUX-1204AWN-GO22	1.51	22
LUX-1204AWN-GO22-G1	1.56	20
LUX-1204AWN-GO22-G2	1.58	19
LUX-1204AWN-GO23	1.31	25



LUX-1204AWN-GO23-G1	1.34	24
LUX-1204AWN-GO23-G2	1.34	23
LUX-1204AWN-GO24	1.33	21
LUX-1204AWN-GO24-G1	1.35	20
LUX-1204AWN-GO24-G2	1.36	19
LUX-1204AWN-GO25	1.27	27
LUX-1204AWN-GO25-G1	1.27	27
LUX-1204AWN-GO25-G2	1.28	26
LUX-1204AWN-GO26	1.01	32
LUX-1204AWN-GO26-G1	1.01	31
LUX-1204AWN-GO26-G2	1.01	31
LUX-1204AWN-GO27	1.13	25
LUX-1204AWN-GO27-G1	1.13	24
LUX-1204AWN-GO27-G2	1.13	24
LUX-1204AWN-GO28	1.32	26
LUX-1204AWN-GO28-G1	1.33	25
LUX-1204AWN-GO28-G2	1.34	25
LUX-1204AWN-GO29	1.10	30
LUX-1204AWN-GO29-G1	1.11	29
LUX-1204AWN-GO29-G2	1.11	28
LUX-1204AWN-GO30	1.18	24
LUX-1204AWN-GO30-G1	1.18	23
LUX-1204AWN-GO30-G2	1.18	23
LUX-1203AWN-GO34	1.61	32
LUX-1203AWN-GO34-G3	1.55	26
LUX-1202AWN-GO35	1.60	31
LUX-1202AWN-GO35-G3	1.55	25
LUX-1202AWN-GO36	1.56	13
LUX-1202AWN-GO36-G3	1.53	12
LUX-1202AWN-GO37	1.35	35
LUX-1202AWN-GO37-G3	1.33	28
LUX-1202AWN-GO38	1.24	36
LUX-1202AWN-GO38-G3	1.21	30
LUX-1202AWN-GO39	1.23	19
LUX-1202AWN-GO39-G3	1.19	18
LUX-1202AWN-GO40	1.05	27
LUX-1202AWN-GO40-G3	1.10	23
LUX-1202AWN-GO41	1.16	30
LUX-1202AWN-GO41-G3	1.15	25

1201 Series Picture Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1201PIC-GO1	2.66	21
LUX-1201PIC-GO1-G1	2.71	18
LUX-1201PIC-GO1-G2	2.72	16
LUX-1201PIC-GO2	2.71	18
LUX-1201PIC-GO2-G1	2.77	15



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

LUX-1201PIC-GO2-G2	2.78	13
LUX-1201PIC-GO3	2.61	22
LUX-1201PIC-GO3-G1	2.64	19
LUX-1201PIC-GO3-G2	2.64	18
LUX-1201PIC-GO4	2.63	21
LUX-1201PIC-GO4-G1	2.65	19
LUX-1201PIC-GO4-G2	2.64	18
LUX-1201PIC-GO5	1.50	28
LUX-1201PIC-GO5-G1	1.57	26
LUX-1201PIC-GO5-G2	1.61	24
LUX-1201PIC-GO6	1.58	26
LUX-1201PIC-GO6-G1	1.66	23
LUX-1201PIC-GO6-G2	1.70	22
LUX-1201PIC-GO7	1.52	28
LUX-1201PIC-GO7-G1	1.57	26
LUX-1201PIC-GO7-G2	1.59	25
LUX-1201PIC-GO8	1.54	27
LUX-1201PIC-GO8-G1	1.58	25
LUX-1201PIC-GO8-G2	1.60	24
LUX-1201PIC-GO9	1.87	33
LUX-1201PIC-GO9-G1	1.89	31
LUX-1201PIC-GO9-G2	1.90	30
LUX-1201PIC-GO10	1.76	36
LUX-1201PIC-GO10-G1	1.78	34
LUX-1201PIC-GO10-G2	1.78	33
LUX-1201PIC-GO11	1.24	32
LUX-1201PIC-GO11-G1	1.28	30
LUX-1201PIC-GO11-G2	1.30	29
LUX-1201PIC-GO12	1.15	34
LUX-1201PIC-GO12-G1	1.18	33
LUX-1201PIC-GO12-G2	1.20	32
LUX-1201PIC-GO13	0.97	37
LUX-1201PIC-GO13-G1	1.01	35
LUX-1201PIC-GO13-G2	1.04	34
LUX-1201PIC-GO14	0.84	39
LUX-1201PIC-GO14-G1	0.88	38
LUX-1201PIC-GO14-G2	0.91	37
LUX-1201PIC-GO15	1.50	28
LUX-1201PIC-GO15-G1	1.55	26
LUX-1201PIC-GO15-G2	1.57	25
LUX-1201PIC-GO16	1.21	27
LUX-1201PIC-GO16-G1	1.25	26
LUX-1201PIC-GO16-G2	1.27	25
LUX-1201PIC-GO17	1.53	28
LUX-1201PIC-GO17-G1	1.56	26
LUX-1201PIC-GO17-G2	1.58	25
LUX-1201PIC-GO18	1.22	27
LUX-1201PIC-GO18-G1	1.26	26



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
TORONTO, ON: 905.605.5444
SEATTLE, WA: 425.512.8419
WEBSITE: WWW.QAI.ORG

LUX-1201PIC-GO18-G2	1.27	25
LUX-1201PIC-GO19	1.21	33
LUX-1201PIC-GO19-G1	1.24	32
LUX-1201PIC-GO19-G2	1.25	31
LUX-1201PIC-GO20	0.93	38
LUX-1201PIC-GO20-G1	0.95	37
LUX-1201PIC-GO20-G2	0.96	36
LUX-1201PIC-GO21	1.01	31
LUX-1201PIC-GO21-G1	1.04	29
LUX-1201PIC-GO21-G2	1.06	28
LUX-1201PIC-GO22	1.45	28
LUX-1201PIC-GO22-G1	1.54	25
LUX-1201PIC-GO22-G2	1.58	23
LUX-1201PIC-GO23	1.19	32
LUX-1201PIC-GO23-G1	1.24	30
LUX-1201PIC-GO23-G2	1.26	29
LUX-1201PIC-GO24	1.19	27
LUX-1201PIC-GO24-G1	1.27	24
LUX-1201PIC-GO24-G2	1.29	23
LUX-1201PIC-GO25	1.16	34
LUX-1201PIC-GO25-G1	1.18	33
LUX-1201PIC-GO25-G2	1.18	32
LUX-1201PIC-GO26	0.84	40
LUX-1201PIC-GO26-G1	0.85	39
LUX-1201PIC-GO26-G2	0.85	38
LUX-1201PIC-GO27	0.97	31
LUX-1201PIC-GO27-G1	0.99	30
LUX-1201PIC-GO27-G2	0.99	30
LUX-1201PIC-GO28	1.22	32
LUX-1201PIC-GO28-G1	1.25	31
LUX-1201PIC-GO28-G2	1.27	30
LUX-1201PIC-GO29	0.94	37
LUX-1201PIC-GO29-G1	0.96	36
LUX-1201PIC-GO29-G2	0.97	35
LUX-1201PIC-GO30	1.03	30
LUX-1201PIC-GO30-G1	1.05	29
LUX-1201PIC-GO30-G2	1.06	28
LUX-1203PIC-GO34	1.58	41
LUX-1203PIC-GO34-G3	1.54	31
LUX-1202PIC-GO35	1.56	39
LUX-1202PIC-GO35-G3	1.55	29
LUX-1202PIC-GO36	1.51	16
LUX-1202PIC-GO36-G3	1.51	13
LUX-1202PIC-GO37	1.26	44
LUX-1202PIC-GO37-G3	1.27	34
LUX-1202PIC-GO38	1.37	39
LUX-1202PIC-GO38-G3	1.41	29
LUX-1202PIC-GO39	1.35	19



LUX-1202PIC-GO39-G3	1.39	15
LUX-1202PIC-GO40	0.87	33
LUX-1202PIC-GO40-G3	0.97	27
LUX-1202PIC-GO41	1.00	37
LUX-1202PIC-GO41-G3	1.03	31

1200 Series Horizontal Sliding Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1200HS-GO1	1.74	20
LUX-1200HS-GO1G3	1.71	14
LUX-1200HS-GO2	1.5	18
LUX-1200HS-GO2G3	1.58	13
LUX-1200HS-GO3	1.78	31
LUX-1200HS-GO3G3	1.75	22
LUX-1200HS-GO4	1.84	28
LUX-1200HS-GO4G3	1.83	19
LUX-1200HS-GO5	1.80	8
LUX-1200HS-GO5G3	1.80	6

1200 Series Vertical Sliding Window:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-1200VS-GO1	1.73	20
LUX-1200VS-GO1G3	1.70	14
LUX-1200VS-GO2	1.48	19
LUX-1200VS-GO2G3	1.56	14
LUX-1200VS-GO3	1.77	31
LUX-1200VS-GO3G3	1.73	22
LUX-1200VS-GO4	1.83	28
LUX-1200VS-GO4G3	1.81	20
LUX-1200VS-GO5	1.79	8
LUX-1200VS-GO5G3	1.78	6

2150 Series Patio Door:

Product Model Code:	U-Value (W/m ² K)	Energy Rating
LUX-2150PD-GO1	2.40	20
LUX-2150PD-GO2	1.59	24
LUX-2150PD-GO3	1.56	24
LUX-2150PD-GO3-G1	1.59	22
LUX-2150PD-GO3-G2	1.60	21
LUX-2150PD-GO4	1.29	24
LUX-2150PD-GO4-G1	1.33	22
LUX-2150PD-GO4-G2	1.34	22
LUX-2150PD-GO5	1.60	23
LUX-2150PD-GO5-G1	1.61	22
LUX-2150PD-GO5-G2	1.61	21

LUX-2150PD-GO6	1.31	23
LUX-2150PD-GO6-G1	1.35	21
LUX-2150PD-GO6-G2	1.35	21

Hybrid PVC Patio Door:

Product Model Code:	U-Value (W/m ² K)
LUX-PVCPD-SLD-3CL-3,068(4)-16,Ar-XL	1.85
LUX-PVCPD-SLD-3CL-3,068(4)-16,Ar-XL-S	2.00
LUX-PVCPD-SLD-6CL-3,068(4)-16,Ar-XL	1.85
LUX-PVCPD-SLD-6CL-3,068(4)-16,Ar-XL-S	2.01
LUX-PVCPD-SLD-3,042(2)- 3CL-16,Ar-XL	1.69
LUX-PVCPD-SLD-3,042(2)- 3CL-16,Ar-XL-S	1.68
LUX-PVCPD-SLD-6,042(2)- 3CL-16,Ar-XL	1.66
LUX-PVCPD-SLD-6,042(2)- 3CL-16,Ar-XL-S	1.66
LUX-PVCPD-SLD-6,SCG-3,042(3)-16,Ar-XL	1.67
LUX-PVCPD-SLD-6,SCG-3,042(3)-16,Ar-XL-S	1.68
LUX-PVCPD-SLD-3,022(2)- 3,149(4)-16,Ar-XL	1.41
LUX-PVCPD-SLD-3,022(2)- 3,0149(4)-16,Ar-XL-S	1.50
LUX-PVCPD-SLD-3CL-3CL -3,068(6)-12,Ar-XL	1.47
LUX-PVCPD-SLD-3CL-3CL -3,068(6)-12,Ar-XL-S	1.61
LUX-PVCPD-SLD-6CL-3CL-3,068(6)-10,Ar-XL	1.51
LUX-PVCPD-SLD-6CL-3CL-3,068(6)-10,Ar-XL-S	1.66
LUX-PVCPD-SLD-3,042(2)- 3CL-3CL-12,Ar-XL	1.38
LUX-PVCPD-SLD-3,042(2)- 3CL-3CL-12,Ar-XL-S	1.40
LUX-PVCPD-SLD-3,042(2)- 3CL-3,068(6)12,Ar-XL	1.20
LUX-PVCPD-SLD-3,042(2)- 3CL-3,068(6)12,Ar-XL-S	1.30
LUX-PVCPD-SLD-3,022(2)-3CL-3,149(6)-12,Ar-XL	1.22
LUX-PVCPD-SLD-3,022(2)-3CL-3,149(6)-12,Ar-XL-S	1.30
LUX-PVCPD-SLD-3,022(2)-3,068(4)3,149(6)-12,Ar-XL	1.06
LUX-PVCPD-SLD-3,022(2)-3,068(4)3,149(6)-12,Ar-XL-S	1.12
LUX-PVCPD-SLD-6,SCG-3CL-3,149(6)-10,Ar-XL	1.41
LUX-PVCPD-SLD-6,SCG-3CL-3,149(6)-10,Ar-XL-S	1.46

Notes: Listed products meet the energy requirements of the standards listed above. Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

Final acceptance of the product in a building is subject to approval by the authority having jurisdiction.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.