

BUILDING PRODUCTS LISTING PROGRAM

Customer: Marco Industries
Class: Roofing Underlayments
Location: Tulsa, OK
Website: www.MarcoIndustries.com

Listing No. B1110-1
Project No. B1110-1
Effective Date: December 8, 2017
Last Revised No Revisions to Date
Date:
Expires: N/A

Standards: ASTM D1970/D1970M, "Standard Specification for Self-Adhering Polymer Modified Bituminous Sheet Materials Used as Steep Roofing Underlayment for Ice Dam Protection".

CSA A123.22, "Self-Adhering Polymer modified Bituminous Sheet Materials Used as Steep Slope Roofing Underlayment for Ice Dam Protection."

Product: HydraShell™ SUPREME SA Self-Adhered Roof Underlayment Products.

Markings: Listed products are identified with a label bearing the following information:

- Product Identification
- Company name, logo, address and phone number
- Product name
- QAI logo with 'c' and 'us' indicators
- QAI file Number: B1110-1
- Information for traceability
- Roll length and width
- QAI logo shown here:



Note: Products for end use in Canada may be required to have marking in both French and English. It is the responsibility of the Applicant to apply bilingual markings as required by the applicable evaluation reports and in accordance with Provincial and Territorial Regulatory Authorities.



Models /
 Ratings:

| MODEL | WIDTH | LENGTH | WEIGHT |
|------------------------------|-------------------|------------------|-------------------------------------------------------|
| HydraShell™ SUPREME SA | 36 inches (0.9 m) | 66.7 ft (20.3 m) | 24 lbs/100 ft ² (140 g/m ²) |

Ratings: The following outlines physical property classification of QAI certified Marco Industries self-adhering synthetic underlayment product:

| PRODUCT | TEST METHOD | CLASSIFICATION |
|---------------------------|----------------------|--------------------|
| HydraShell™ SUPREME SA | ASTM D1970/D1970M | Meets Requirements |
| | CSA A123.22 | Type II |

Notes: The product must be installed in accordance with the code enforced by the authority having jurisdiction. Final acceptance of the product in the final installation is subject to inspection by the authority having jurisdiction.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.