

BUILDING PRODUCTS LISTING PROGRAM

Customer: Memios, LLC
 Class: Fire Doors
 Location: Greensboro, NC
 Website: www.memios-intl.com

Listing No. B1019-1
 Project No. B1019-1 Edition 3

Effective Date: October 19, 2009
 Last Revised Date: May 12, 2017
 Expires: N/A

Standards: UL 10B Fire Tests of Door Assemblies.

Product: 18" x 18" Steel Linen and Trash Door Assembly
 16" x 16" Steel Linen and Trash Door Assembly
 13" x 13" Steel Linen and Trash Door Assembly

Markings: Each panel is marked with a permanent label containing the following information:

- a) Manufacturers name or recognized trademark
- b) Model number or product description
- c) Traceability information: Date of manufacture or serial number
- d) QAI file number: B1019
- e) The wording: Meets UL 10B
- f) QAI logo shown here:



Models / Ratings:

Model	Fire Resistance Rating	Maximum Size
4010-1818	90 Minute, Negative Pressure 250°F Maximum Temperature Rise (30 Minutes)	18 inch x 18 inch
4010-1616		
4010-1313		

Notes: Installation of the product must comply with local building codes and is subject to inspection from the authority having jurisdiction.

The UL 10B standard does not address all possible end use concerns. It is the responsibility of the end user of the product to determine the suitability of the product for the intended application.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
