

RECREATIONAL VEHICLE LISTING PROGRAM

Customer: Newmar Corporation
Class: Recreational Vehicles
Location: Nappanee, Indiana
Listing No. REC563
Effective Date: February 20, 2009
Last Revised Date: January 19, 2017
Expires: N/A

Standards: CSA Z240 RV Series

Product: Recreational Vehicles including: Motor Homes and Tandem Axle Fifth Wheel Trailers

Markings: Products are labelled and marked in a permanent manner where it is readily visible after installation with the following information:

1. RV Specification Nameplate (QAI Label No 1040) Black lettering on White background Size: 8 1/2 inches by 11 inches - includes Manufacturer's Name and Address, Model Designation, Month and Year of Manufacture, Rated Input Voltage, Frequency, Amperes or Volt-Amperes Input, All Factory Installed Appliances, Model and Listing Label Serial Number. The Specifications Nameplate is located in the interior of the kitchen cabinet door.
2. One of the following QAI Round Labels with the 'c' Identifier, label number, and the wording "CSA Z240":
 - White Lettering on Purple (Tandem Axle Trailer) (QAI Label No 1045) Size: 3 1/2 inches in diameter
 - White Lettering on Red (Motor Home) (QAI Label No 1046) Size: 3 1/2 inches in diameter

Note: The QAI Round label is usually posted near the entranceway of the RV.

3. Additional Markings as required by the Z240 standard.
4. QAI Logo Shown here:



Models / Ratings: Class A Motor Homes

Product Lines: All Star, Bay Star, Canyon Star, Dutch Aire, Dutch Star, Essex, Grand Star, King Aire, London Aire, Mountain Aire, Ventana

Model Names: 2622, 2702, 2705, 2707, 2812, 2901, 2902, 2903, 3004, 3009, 3013, 3022, 3103, 3113, 3124, 3201, 3202, 3205, 3208, 3210, 3215, 3220, 3227, 3302, 3304, 3306, 3307, 3308, 3309, 3333, 3401, 3402, 3403, 3404, 3405, 3410, 3411, 3412, 3414, 3424, 3427, 3432, 3430, 3433, 3436, 3437, 3510, 3513, 3516, 3518, 3610, 3612, 3623, 3625, 3630, 3634, 3635, 3636, 3641, 3642, 3647, 3650, 3709, 3710, 3712, 3724, 3725, 3726, 3734, 3736, 3738, 3745, 3750, 3752, 3753, 3754, 3755, 3802, 3810, 3812, 3845, 3847, 3849, 3850, 3855, 3856, 3902, 3903, 3910, 3911, 3913, 3914, 3918, 3919, 3920, 3921, 3922, 3923, 3925, 3933, 3936, 3940, 3941, 3942, 3944, 3953, 3956, 3960, 3961, 4002, 4003, 4010, 4016, 4018, 4020, 4023, 4034, 4036, 4037, 4038, 4039, 4040, 4041, 4042, 4043, 4044, 4054, 4055, 4084, 4085, 4086, 4154, 4156, 4159, 4188, 4308, 4310, 4311, 4312, 4313, 4315, 4316, 4322, 4324, 4326, 4327, 4336, 4353, 4358, 4360, 4361, 4362, 4364, 4366, 4369, 4372, 4373, 4374, 4375, 4377, 4381, 4501, 4503, 4513, 4518, 4519, 4525, 4531, 4533, 4534, 4535, 4536, 4537, 4544, 4552, 4553, 4554, 4557, 4565, 4568, 4584, 4592, 4593, 4594, 4597, 4598, 4599.

Note: Prefixes describing the product line are added to the floor plan designation to indicate the model number.

Tandem Axle Fifth Wheel Trailers

Product Lines: Cypress, Kountry Aire, Torrey Pine, X-Aire

Model Names: 31RLKS, 32CKAH, 32RKSH, 33RBHB, 33RKSH,

33RLSH, 34KSRF, 35KARF, 35KSAH, 35KSLR, 35KSLS, 35KSRL, 35CKRG, 36KSAH, 36LKSH, 36RBDS, 36RLSK, 37KSCS, 37LKSB, 37LSRE, 37RKSK, 37RLCS, 37SKRE, 38LSHS, 38CKTH, 39CKDB, 39QSRL, 39HGSB, 39KSTH, 40CKSH, 41CKEE, 41CKLG

Note: Prefixes describing the product line are added to the floor plan designation to indicate the model number.

Electrical Ratings: 120/240V, 60Hz, 30A/50A max.

Fuel Type: Propane

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.

No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.

Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active.

Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
