

FACTORY BUILT STRUCTURES LISTING PROGRAM

Customer: Northgate Industries Ltd.
Class: Relocatable Commercial Industrial Structures
Location: Edmonton, AB
Website: www.northgateindustries.com

Listing No. REC696
Project No. REC696-2, Edition 3
Effective Date: August 7, 2018
Last Revised February 17, 2022
Date:
Expires: N/A

Standards: CSA A277 "Procedure for certification of prefabricate buildings, modules, and panels",
Alberta Building Code (Parts 9 and 10),
National Plumbing Code of Canada,
CSA C22.1 Canadian Electrical Code, Part 1, and
CSA B149.1 "Natural Gas and Propane Installation Code"

Note: Unless otherwise specified, the Standards/Codes are the most current versions in effect.

Product: Relocatable Commercial Industrial Structures

- Markings:
1. QAI labels with the 'C' identifier (item 1095) – Relocatable Commercial/Industrial Structures CSA A277 compliance label is normally located in close proximity to the electrical panel.
 2. The Specification Nameplate (item 1068, 8-1/2" x 14", white with black lettering) is normally located in close proximity to the electrical panel and includes:
 - Manufacturer's Name and Address,
 - Date of Manufacture,
 - Model Serial Number or Product Code,
 - Foundation Type,
 - Floor Live Load (kPa),
 - Specified Snow Load (1/50),
 - Seismic Response $S_a(0.2)$,
 - Hourly Wind Pressure (1/50),
 - Building Envelope Effective Thermal Resistance,
 - Windows/Doors/Skylights Thermal Characteristics,
 - Outside Design Temperature (Heat Loss/Heat Gain),
 - Factory Installed Appliances,
 - Site Installed Components, Assemblies, and Systems, and

- Electrical System Voltage, Frequency, and Amperage



Models / Ratings: **Structures are:**

Relocatable Commercial Industrial Structures comprised of single or multiple modules in single storey configurations. Structures included in this listing are intended to be used for providing accommodation for an industrial workforce living and working in a temporary location but does not apply to single family dwelling units or other types of prefabricated or manufactured buildings. Structures also may be used for Group D or F3 occupancies for a workforce working in a temporary location. Buildings with sleeping accommodation have a building area not exceeding 600m² and buildings without sleeping accommodation have a building area not exceeding 1200m².

Structural:

Conventional wood-frame Construction designed in Part 4 by a Professional Engineer licensed to practice in the Province of Alberta.

Electrical:

Main Service: 120/240V, 60Hz, 200A max.

Sub-panel: 120/240V, 60Hz, 100A max.

Heating/Ventilation:

Central forced air furnaces. Units may be electric, natural gas or LPG fired. Systems may be equipped with air conditioning.

Plumbing:

Conventional drainage and vent systems to a maximum of 240 hydraulic fixture units.

Gas System:

Units may be equipped with natural gas or LPG fired equipment and appliances.

Notes: The operation of the complete fire suppression system is not included in this report and QAI certification. This report does not include structures for use in hazardous locations.

Structures included in this listing are manufactured at a central facility and transported to site. The modules include provisions for on-site interconnections, connection to municipal water, sewer, gas/LPG, and

electrical services. QAI certification covers the construction of the structures including any factory installed plumbing, natural gas/LPG, and electrical services, equipment, and fixtures. QAI certification is intended to obviate the necessity of further inspection by the local regulatory authorities except for site connections to services, other modules, or site installed features.

Interconnection of modules and connection to services must be finished on site as specified in the plumbing, gas and electrical permits and are subject to inspection from the local authorities having jurisdiction.

Structures shall be installed under permit in accordance with the codes enforced by the authority having jurisdiction.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
