

Directory of Listed Products



WINDOW LISTING PROGRAM

Class: Fenestration Products - Energy Performance

Customer: Oasis Windows Ltd.

Location: Surrey, British Columbia

Listing No.: W410-8

Effective Date: November 8, 2010

Last Revised: April 15, 2015

Expires: N/A

Standards: CSA A440.2 "Fenestration Energy Performance"

Product: Vinyl Windows

Markings: Each product is marked with the following content on a permanent label that is readily visible after installation:

- Manufacturer's Name, Trademark or other recognized symbol of identification
- QAI File number (W410)
- QAI logo with "c" indicator
- "Evaluation for energy performance in accordance with CSA A440.2"
- "Évalué pour la performance d'énergie en accord à la norme CSA A440.2"

Models: Vinyl Window with glazing options as follows:

300 Series Picture Window:

Product Model Code	U-Value (W/m ² *K)	Energy Rating
300FX-3mmLowE(0.04)-13.3Argon-3mmCl	1.55	23
300FX-3mmCl-13.3Argon-3mmLowE(0.11)	1.67	35
300FX-3mmLowE(0.02)-13.3 Argon-3mmCl	1.53	19
300FX-5mmLowE(0.04)-9.8Argon-4mmLowE(0.15)	1.34	26
300FX-4mmLowE(0.04)-11.5Argon-4mmLowE(0.15)	1.29	28
300FX-5mmLowE(0.02)-9.8Argon-4mmLowE(0.15)	1.32	23
300FX-4mmLowE(0.02)-11.5Argon-4mmLowE(0.15)	1.27	24
300FX-4mmLowE(0.04)-11.5Argon-4mmCl	1.52	23
300FX-4mmLowE(0.02)-11.5Argon-4mmCl	1.50	19
300FX-5mmLowE(0.04)-9.8Argon-5mmCl	1.58	21
300FX-5mmLowE(0.02)-9.8Argon-5mmCl	1.55	18
300FX-5mmLowE(0.04)-9.8Argon-5mmLowE(0.15)	1.34	26
300FX-5mmLowE(0.02)-9.8Argon-5mmLowE(0.15)	1.32	23
300FX-5mmLowE(0.04)-11.5Argon-6mmLami	1.53	22
300FX-5mmLowE(0.02)-11.5Argon-6mmLami	1.50	19

300 Series Horizontal Slider:

Product Model Code	U-Value (W/m ² *K)	Energy Rating
300SS-3mmLowE(0.04)-13.3Argon-3mm Cl	1.65	20
300SS-3mmCl-13.3Argon-3mmLowE (0.11)	1.77	31
300SS-3mmLowE(0.02)-13.3Argon-3mm Cl	1.62	16
300SS-5mmLowE(0.04)-9.8Argon-4mmLowE(0.15)	1.46	23
300SS-4mmLowE(0.04)-11.5Argon-4mmLowE(0.15)	1.41	25
300SS-5mmLowE(0.02)-9.8Argon-4mmLowE(0.15)	1.44	20
300SS-4mmLowE(0.02)-11.5Argon-4mmLowE(0.15)	1.39	21
300SS-4mmLowE(0.04)-11.5Argon-4mmCl	1.63	20
300SS-4mmLowE(0.02)-11.5Argon-4mmCl	1.61	17
300SS-5mmLowE(0.04)-9.8Argon-5mmCl	1.69	19
300SS-5mmLowE(0.02)-9.8Argon-5mmCl	1.61	15
300SS-5mmLowE(0.04)-9.8Argon-5mmLowE(0.15)	1.46	23
300SS-5mmLowE(0.02)-9.8Argon-5mmLowE(0.15)	1.44	20
300SS-5mmLowE(0.04)-11.5Argon-6mmLami	1.63	20
300SS-5mmLowE(0.02)-11.5Argon-6mmLami	1.60	17

300 Series Vertical Slider:

Product Model Code	U-Value (W/m ² *K)	Energy Rating
300SH-3mmLowE(0.04)-13.3Argon-3mmCl	1.65	20
300SH-3mmCl-13.3Argon-3mmLowE(0.11)	1.77	31
300SH-3mmLowE(0.02)-13.3Argon-3mmCl	1.63	16
300SH-5mmLowE(0.04)-9.8Argon-4mmLowE(0.15)	1.46	23
300SH-4mmLowE(0.04)-11.5Argon-4mmLowE(0.15)	1.40	25
300SH-5mmLowE(0.02)-9.8Argon-4mmLowE(0.15)	1.44	20
300SH-4mmLowE(0.02)-11.5Argon-4mmLowE(0.15)	1.38	22
300SH-4mmLowE(0.04)-11.5Argon-4mmCl	1.63	20

W410 Oasis Windows Ltd. II

300SH-4mmLowE(0.02)-11.5Argon-4mmCl	1.61	16
300SH-5mmLowE(0.04)-9.8Argon-5mmCl	1.69	19
300SH-5mmLowE(0.02)-9.8Argon-5mmCl	1.67	15
300SH-5mmLowE(0.04)-9.8Argon-5mmLowE(0.15)	1.46	23
300SH-5mmLowE(0.02)-9.8Argon-5mmLowE(0.15)	1.44	20
300SH-5mmLowE(0.04)-11.5Argon-6mmLami	1.63	20
300SH-5mmLowE(0.02)-11.5Argon-6mmLami	1.60	17

Note: Note: Windows are not intended for installation in storefronts, nonoperable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed in this directory have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.

No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.

Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.

Copyright QAI Laboratories, 2011