

WINDOWS & DOORS LISTING PROGRAM

Customer: Supreme Windows (Calgary) Inc.
Class: Fenestration Products – Energy Performance
Location: Calgary, Alberta
Website: www.supremewindows.net

Listing No. W462-1
Project No. W462-1 ED6
Effective Date: November 24, 2009
Last Revised Date: November 25, 2022
Expires: N/A

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W462
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

2532 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	SWC-2532PC-3,SB60(2)-3,CL-13AR90SS	1.49	0.35	28
G02	SWC-2532PC-3,CL-3,SB60(3)-13AR90SS	1.49	0.42	32
G03	SWC-2532PC-3,SB60(2)-3,CS73(4)-13AR90SS	1.23	0.33	32
G04	SWC-2532PC-3,CL-3,CS73(3)-13AR90SS	1.69	0.63	39
G05	SWC-2532PC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS	0.85	0.30	39

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G06	SWC-2532PC-3,SB60(2)-3,CL-3,CL-13AR90SS	1.15	0.32	33
G07	SWC-2532PC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS	0.76	0.27	39
G08	SWC-2532PC-3,CL-3,CL-3,CS73(5)-13AR90SS	1.23	0.56	45
G09	SWC-2532PC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS	1.00	0.49	46
G10	SWC-2532PC-3,SB60(2)-3,CL-13AR90SS-G1<1	1.49	0.32	26
G11	SWC-2532PC-3,CL-3,SB60(3)-13AR90SS-G1<1	1.49	0.38	29
G12	SWC-2532PC-3,SB60(2)-3,CS73(4)-13AR90SS-G1<1	1.23	0.30	30
G13	SWC-2532PC-3,CL-3,CS73(3)-13AR90SS-G1<1	1.69	0.57	36
G14	SWC-2532PC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G1<1	0.85	0.27	37
G15	SWC-2532PC-3,SB60(2)-3,CL-3,CL-13AR90SS-G1<1	1.15	0.29	32
G16	SWC-2532PC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G1<1	0.76	0.24	37
G17	SWC-2532PC-3,CL-3,CL-3,CS73(5)-13AR90SS-G1<1	1.23	0.51	43
G18	SWC-2532PC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G1<1	1.00	0.45	44
G19	SWC-2532PC-3,SB60(2)-3,CL-13AR90SS-G2>1	1.49	0.29	24
G20	SWC-2532PC-3,CL-3,SB60(3)-13AR90SS-G2>1	1.49	0.35	28
G21	SWC-2532PC-3,SB60(2)-3,CS73(4)-13AR90SS-G2>1	1.23	0.27	29
G22	SWC-2532PC-3,CL-3,CS73(3)-13AR90SS-G2>1	1.69	0.51	32
G23	SWC-2532PC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G2>1	0.85	0.25	36
G24	SWC-2532PC-3,SB60(2)-3,CL-3,CL-13AR90SS-G2>1	1.15	0.27	30
G25	SWC-2532PC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G2>1	0.76	0.22	36
G26	SWC-2532PC-3,CL-3,CL-3,CS73(5)-13AR90SS-G2>1	1.23	0.45	39
G27	SWC-2532PC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G2>1	1.00	0.40	41

2632 Series Fixed Casement Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	SWC-2632FC-3,SB60(2)-3,CL-13AR90SS	1.47	0.31	26
G02	SWC-2632FC-3,CL-3,SB60(3)-13AR90SS	1.47	0.38	30
G03	SWC-2632FC-3,SB60(2)-3,CS73(4)-13AR90SS	1.25	0.30	30
G04	SWC-2632FC-3,CL-3,CS73(3)-13AR90SS	1.66	0.56	36
G05	SWC-2632FC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS	0.90	0.27	36
G06	SWC-2632FC-3,SB60(2)-3,CL-3,CL-13AR90SS	1.17	0.29	31
G07	SWC-2632FC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS	0.83	0.24	36
G08	SWC-2632FC-3,CL-3,CL-3,CS73(5)-13AR90SS	1.24	0.50	42
G09	SWC-2632FC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS	1.04	0.44	43
G10	SWC-2632FC-3,SB60(2)-3,CL-13AR90SS-G1<1	1.47	0.28	24
G11	SWC-2632FC-3,CL-3,SB60(3)-13AR90SS-G1<1	1.47	0.34	27
G12	SWC-2632FC-3,SB60(2)-3,CS73(4)-13AR90SS-G1<1	1.25	0.27	28
G13	SWC-2632FC-3,CL-3,CS73(3)-13AR90SS-G1<1	1.66	0.50	33
G14	SWC-2632FC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G1<1	0.90	0.24	34
G15	SWC-2632FC-3,SB60(2)-3,CL-3,CL-13AR90SS-G1<1	1.17	0.26	29
G16	SWC-2632FC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G1<1	0.83	0.22	35
G17	SWC-2632FC-3,CL-3,CL-3,CS73(5)-13AR90SS-G1<1	1.24	0.45	39
G18	SWC-2632FC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G1<1	1.04	0.39	40
G19	SWC-2632FC-3,SB60(2)-3,CL-13AR90SS-G2>1	1.47	0.25	22
G20	SWC-2632FC-3,CL-3,SB60(3)-13AR90SS-G2>1	1.47	0.30	25
G21	SWC-2632FC-3,SB60(2)-3,CS73(4)-13AR90SS-G2>1	1.25	0.24	26
G22	SWC-2632FC-3,CL-3,CS73(3)-13AR90SS-G2>1	1.66	0.45	30
G23	SWC-2632FC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G2>1	0.90	0.22	33

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G24	SWC-2632FC-3,SB60(2)-3,CL-3,CL-13AR90SS-G2>1	1.17	0.23	28
G25	SWC-2632FC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G2>1	0.83	0.19	33
G26	SWC-2632FC-3,CL-3,CL-3,CS73(5)-13AR90SS-G2>1	1.24	0.40	36
G27	SWC-2632FC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G2>1	1.04	0.35	37

2612 Series Casement Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	SWC-2612CA-3,SB60(2)-3,CL-13AR90SS	1.55	0.27	21
G02	SWC-2612CA-3,CL-3,SB60(3)-13AR90SS	1.55	0.32	24
G03	SWC-2612CA-3,SB60(2)-3,CS73(4)-13AR90SS	1.35	0.25	24
G04	SWC-2612CA-3,CL-3,CS73(3)-13AR90SS	1.70	0.48	30
G05	SWC-2612CA-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS	1.04	0.23	30
G06	SWC-2612CA-3,SB60(2)-3,CL-3,CL-13AR90SS	1.26	0.25	26
G07	SWC-2612CA-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS	0.97	0.21	30
G08	SWC-2612CA-3,CL-3,CL-3,CS73(5)-13AR90SS	1.32	0.42	35
G09	SWC-2612CA-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS	1.15	0.37	36
G10	SWC-2612CA-3,SB60(2)-3,CL-13AR90SS-G1<1	1.55	0.24	20
G11	SWC-2612CA-3,CL-3,SB60(3)-13AR90SS-G1<1	1.55	0.29	22
G12	SWC-2612CA-3,SB60(2)-3,CS73(4)-13AR90SS-G1<1	1.35	0.23	23
G13	SWC-2612CA-3,CL-3,CS73(3)-13AR90SS-G1<1	1.70	0.43	27
G14	SWC-2612CA-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G1<1	1.04	0.21	29
G15	SWC-2612CA-3,SB60(2)-3,CL-3,CL-13AR90SS-G1<1	1.26	0.23	25
G16	SWC-2612CA-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G1<1	0.97	0.19	29
G17	SWC-2612CA-3,CL-3,CL-3,CS73(5)-13AR90SS-G1<1	1.32	0.39	33
G18	SWC-2612CA-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G1<1	1.15	0.34	34
G19	SWC-2612CA-3,SB60(2)-3,CL-13AR90SS-G2>1	1.55	0.22	18
G20	SWC-2612CA-3,CL-3,SB60(3)-13AR90SS-G2>1	1.55	0.27	21
G21	SWC-2612CA-3,SB60(2)-3,CS73(4)-13AR90SS-G2>1	1.35	0.21	22
G22	SWC-2612CA-3,CL-3,CS73(3)-13AR90SS-G2>1	1.70	0.39	25
G23	SWC-2612CA-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G2>1	1.04	0.19	28
G24	SWC-2612CA-3,SB60(2)-3,CL-3,CL-13AR90SS-G2>1	1.26	0.21	24
G25	SWC-2612CA-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G2>1	0.97	0.17	28
G26	SWC-2612CA-3,CL-3,CL-3,CS73(5)-13AR90SS-G2>1	1.32	0.35	31
G27	SWC-2612CA-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G2>1	1.15	0.31	32

2612 Series Awning Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	SWC-2612AW-3,SB60(2)-3,CL-13AR90SS	1.56	0.27	21
G02	SWC-2612AW-3,CL-3,SB60(3)-13AR90SS	1.56	0.32	24
G03	SWC-2612AW-3,SB60(2)-3,CS73(4)-13AR90SS	1.38	0.25	24

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G04	SWC-2612AW-3,CL-3,CS73(3)-13AR90SS	1.71	0.48	30
G05	SWC-2612AW-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS	1.04	0.23	31
G06	SWC-2612AW-3,SB60(2)-3,CL-3,CL-13AR90SS	1.27	0.25	27
G07	SWC-2612AW-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS	0.98	0.21	31
G08	SWC-2612AW-3,CL-3,CL-3,CS73(5)-13AR90SS	1.33	0.42	35
G09	SWC-2612AW-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS	1.15	0.37	36
G10	SWC-2612AW-3,SB60(2)-3,CL-13AR90SS-G1<1	1.56	0.24	20
G11	SWC-2612AW-3,CL-3,SB60(3)-13AR90SS-G1<1	1.56	0.29	23
G12	SWC-2612AW-3,SB60(2)-3,CS73(4)-13AR90SS-G1<1	1.38	0.23	23
G13	SWC-2612AW-3,CL-3,CS73(3)-13AR90SS-G1<1	1.71	0.43	27
G14	SWC-2612AW-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G1<1	1.04	0.21	29
G15	SWC-2612AW-3,SB60(2)-3,CL-3,CL-13AR90SS-G1<1	1.27	0.23	25
G16	SWC-2612AW-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G1<1	0.98	0.19	30
G17	SWC-2612AW-3,CL-3,CL-3,CS73(5)-13AR90SS-G1<1	1.33	0.39	33
G18	SWC-2612AW-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G1<1	1.15	0.34	34
G19	SWC-2612AW-3,SB60(2)-3,CL-13AR90SS-G2>1	1.56	0.22	19
G20	SWC-2612AW-3,CL-3,SB60(3)-13AR90SS-G2>1	1.56	0.27	21
G21	SWC-2612AW-3,SB60(2)-3,CS73(4)-13AR90SS-G2>1	1.38	0.21	22
G22	SWC-2612AW-3,CL-3,CS73(3)-13AR90SS-G2>1	1.71	0.39	25
G23	SWC-2612AW-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G2>1	1.04	0.19	28
G24	SWC-2612AW-3,SB60(2)-3,CL-3,CL-13AR90SS-G2>1	1.27	0.21	24
G25	SWC-2612AW-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G2>1	0.98	0.17	28
G26	SWC-2612AW-3,CL-3,CL-3,CS73(5)-13AR90SS-G2>1	1.33	0.35	31
G27	SWC-2612AW-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G2>1	1.15	0.31	33

5600 Series Double Sliding Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	SWC-5600DS-4,SB60(2)-4,CL-13AR90SS	1.54	0.31	23
G02	SWC-5600DS-4,SB60(2)-4,CL-13AR90SS-G3<1	1.57	0.30	22
G03	SWC-5600DS-4,SB60(2)-4,CL-13AR90SS-G4<1	1.59	0.29	21
G04	SWC-5600DS-4,CL-4,SB60(3)-13AR90SS	1.54	0.38	27
G05	SWC-5600DS-4,CL-4,SB60(3)-13AR90SS-G3<1	1.57	0.36	25
G06	SWC-5600DS-4,CL-4,SB60(3)-13AR90SS-G4<1	1.59	0.35	24
G07	SWC-5600DS-4,CL-4,CS73(3)-13AR90SS	1.73	0.56	33
G08	SWC-5600DS-4,CL-4,CS73(3)-13AR90SS-G3<1	1.77	0.53	31
G09	SWC-5600DS-4,CL-4,CS73(3)-13AR90SS-G4<1	1.79	0.51	29
G10	SWC-5600DS-4,SB60(2)-4,CS73(4)-13AR90SS	1.53	0.30	23
G11	SWC-5600DS-4,SB60(2)-4,CS73(4)-13AR90SS-G3<1	1.56	0.29	21
G12	SWC-5600DS-4,SB60(2)-4,CS73(4)-13AR90SS-G4<1	1.58	0.28	20

Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.