

FIRE DOOR LISTING PROGRAM

Customer: Syntegra, LLC
 Class: Hollow Metal Fire Doors
 Location: San Dimas, CA
 Website: www.syntegrausa.com

Listing No. F420-2
 Project No. F420-2 Edition 2

Effective Date: November 10, 2015
 Last Revised: July 25, 2016
 Expires: N/A

Standards: CAN/ULC-S104	<i>Standard Method for Fire Tests of Door Assemblies.</i>
UL 10(b)	<i>Fire Tests of Doors Assemblies.</i>
UL 10(c)	<i>Fire Tests of Doors Assemblies.</i>
NFPA 252	<i>Standard Methods of Fire Tests of Door Assemblies.</i>

Label: See [FD001 - Fire Door Labeling requirements](#)

Models / Ratings: **Fire Doors:**

<u>Manufacturing/Machining Specifications:</u>	<u>Listing No.:</u>	<u>Criteria:</u>
90 minute Fire Rated Steel Stiffened Fire Door	F420-2-1-90	CPL
180 minute Fire Rated Honeycomb Core Fire Door	F420-2-1-180	CPL
180 minute Fire Rated Temperature Rise Fire Door	F420-2-2-180	CPL

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
