

## LISTING PROGRAM

Customer: West Coast Designed Window Ltd.  
 Class: Fenestration  
 Location: Delta BC  
 Product: <https://www.westcoastwindows.ca/>  
 Site:  
 Listing No. W484-1  
 Project W484-1 ED5  
 No.  
 Effective May 28, 2012  
 Date:  
 Last August 19, 2019  
 Revised  
 Date:  
 Expires: <N/A>

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer’s name or trademark
- b) QAI file Number: W484
- c) QAI logo shown here:



- a) “Evaluation for energy performance in accordance with CSA A440.2” and “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models /  
 Ratings: Casement Series Classic Plus Casement Window

Glass Option	Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
1	WCW-CPCA-4,366(2)-4,180(4)-4,CL-11AR90S1	1.00	27
2	WCW-CPCA-4,366(2)-4,CL-4,CL-11AR90S1	1.17	24
3	WCW-CPCA-4,366(2)-4,180(4)-4,i89(6)-11AR90S1	0.93	28
4	WCW-CPCA-4,366(2)-4,CL-6,CLLM-11AR90S1	0.99	27
5	WCW-CPCA-4,366(2)-4,180(4)-4,CL-11AR90S1-G<1	1.00	26



Glass Option	Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
6	WCW-CPCA-4,366(2)-4,CL-4,CL-11AR90S1-G<1	1.17	23
7	WCW-CPCA-4,366(2)-4,180(4)-4,i89(6)-11AR90S1-G<1	0.93	28
8	WCW-CPCA-4,366(2)-4,CL-6,CLLM-11AR90S1-G<1	0.99	26
9	WCW-CPCA-4,366(2)-4,180(4)-4,CL-11AR90S1-G≥1	1.00	25
10	WCW-CPCA-4,366(2)-4,CL-4,CL-11AR90S1-G≥1	1.17	22
11	WCW-CPCA-4,366(2)-4,180(4)-4,i89(6)-11AR90S1-G≥1	0.93	27
12	WCW-CPCA-4,366(2)-4,CL-6,CLLM-11AR90S1-G≥1	0.99	26

### Casement Series Classic Plus Awning Window

Glass Option	Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
1	WCW-CPAW-4,366(2)-4,180(4)-4,CL-11AR90S1	1.00	27
2	WCW-CPAW-4,366(2)-4,CL-4,CL-11AR90S1	1.18	24
3	WCW-CPAW-4,366(2)-4,180(4)-4,i89(6)-11AR90S1	0.94	28
4	WCW-CPAW-4,366(2)-4,CL-6,CLLM-11AR90S1	1.00	27
5	WCW-CPAW-4,366(2)-4,180(4)-4,CL-11AR90S1-G<1	1.00	26
6	WCW-CPAW-4,366(2)-4,CL-4,CL-11AR90S1-G<1	1.18	23
7	WCW-CPAW-4,366(2)-4,180(4)-4,i89(6)-11AR90S1-G<1	0.94	28
8	WCW-CPAW-4,366(2)-4,CL-6,CLLM-11AR90S1-G<1	1.00	26
9	WCW-CPAW-4,366(2)-4,180(4)-4,CL-11AR90S1-G≥1	1.00	26
10	WCW-CPAW-4,366(2)-4,CL-4,CL-11AR90S1-G≥1	1.18	22
11	WCW-CPAW-4,366(2)-4,180(4)-4,i89(6)-11AR90S1-G≥1	0.94	27
12	WCW-CPAW-4,366(2)-4,CL-6,CLLM-11AR90S1-G≥1	1.00	26

### Casement Series Classic Plus Fixed Casement Window

Glass Option	Model Code	U-Value (W/m <sup>2</sup> K)	Energy Rating
1	WCW-CPFC-4,366(2)-4,180(4)-4,CL-11AR90S1	0.92	31
2	WCW-CPFC-4,366(2)-4,CL-4,CL-11AR90S1	1.13	26
3	WCW-CPFC-4,366(2)-4,180(4)-4,i89(6)-11AR90S1	0.84	32
4	WCW-CPFC-4,366(2)-4,CL-6,CLLM-11AR90S1	0.92	31
5	WCW-CPFC-4,366(2)-4,180(4)-4,CL-11AR90S1-G<1	0.92	20
6	WCW-CPFC-4,366(2)-4,CL-4,CL-11AR90S1-G<1	1.13	16
7	WCW-CPFC-4,366(2)-4,180(4)-4,i89(6)-11AR90S1-G<1	0.84	22
8	WCW-CPFC-4,366(2)-4,CL-6,CLLM-11AR90S1-G<1	0.92	20
9	WCW-CPFC-4,366(2)-4,180(4)-4,CL-11AR90S1-G≥1	0.92	29
10	WCW-CPFC-4,366(2)-4,CL-4,CL-11AR90S1-G≥1	1.13	24
11	WCW-CPFC-4,366(2)-4,180(4)-4,i89(6)-11AR90S1-G≥1	0.84	30
12	WCW-CPFC-4,366(2)-4,CL-6,CLLM-11AR90S1-G≥1	0.92	29

Notes: Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.

\*\*\*