



WINDOWS & DOORS LISTING PROGRAM

Customer: Cossins Windows Ltd.
Class: Fenestration Products – Energy Performance
Location: Calgary, Alberta
Website: www.cossinswindowsanddoors.com

Listing No. W451-2
Project No. W451-2 ED5 A1
Effective Date: November 30, 2010
Last Revised Date: November 6, 2024
Expires: N/A

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Wood Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W451
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

900 Series Awning Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	COSS-900AW-4,7036(2)-4,CL-11AR90SS	1.59	0.26	20
G02	COSS-900AW-4,7036(2)-4,CL-11AR90SS-G1<1	1.63	0.24	18
G03	COSS-900AW-4,7036(2)-4,CL-11AR90SS-G2>1	1.59	0.23	18
G04	COSS-900AW-4,7036(2)-4,CL-11AR90SS-G3>1	1.54	0.20	18
G05	COSS-900AW-3,7036(2)-3,CL-3,7036(5)-11AR90SS	1.14	0.23	28



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G06	COSS-900AW-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G1<1	1.14	0.21	27
G07	COSS-900AW-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G2>1	1.13	0.20	27
G08	COSS-900AW-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G3>1	1.10	0.17	26
G09	COSS-900AW-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.38	0.24	24
G10	COSS-900AW-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.40	0.23	23
G11	COSS-900AW-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.37	0.22	23
G12	COSS-900AW-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.33	0.19	22
G13	COSS-900AW-3,SB60(2)-3,CL-14AR90SS	1.63	0.28	20
G14	COSS-900AW-3,SB60(2)-3,CL-14AR90SS-G1<1	1.63	0.25	19
G15	COSS-900AW-3,SB60(2)-3,CL-14AR90SS-G2>1	1.63	0.25	19
G16	COSS-900AW-3,SB60(2)-3,CL-14AR90SS-G3>1	1.63	0.23	18
G17	COSS-900AW-4,SB60(2)-4,CL-11AR90SS	1.62	0.28	21
G18	COSS-900AW-4,SB60(2)-4,CL-11AR90SS-G1<1	1.67	0.25	18
G19	COSS-900AW-4,SB60(2)-4,CL-11AR90SS-G2>1	1.62	0.25	19
G20	COSS-900AW-4,SB60(2)-4,CL-11AR90SS-G3>1	1.62	0.23	18
G21	COSS-900AW-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.39	0.26	25
G22	COSS-900AW-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.42	0.24	23
G23	COSS-900AW-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.39	0.24	23
G24	COSS-900AW-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.39	0.22	22
G25	COSS-900AW-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS	1.14	0.24	29
G26	COSS-900AW-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G1<1	1.15	0.22	28
G27	COSS-900AW-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G2>1	1.14	0.22	28
G28	COSS-900AW-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G3>1	1.14	0.20	27
G29	COSS-900AW-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS	1.44	0.26	23
G30	COSS-900AW-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G1<1	1.48	0.23	21
G31	COSS-900AW-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G2>1	1.44	0.23	22
G32	COSS-900AW-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G3>1	1.44	0.21	21
G33	COSS-900AW-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS	1.21	0.24	27
G34	COSS-900AW-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G1<1	1.22	0.22	26
G35	COSS-900AW-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G2>1	1.21	0.22	26
G36	COSS-900AW-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G3>1	1.21	0.20	25

900 Series Casement Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	COSS-900CA-4,7036(2)-4,CL-11AR90SS	1.59	0.26	20
G02	COSS-900CA-4,7036(2)-4,CL-11AR90SS-G1<1	1.64	0.24	18
G03	COSS-900CA-4,7036(2)-4,CL-11AR90SS-G2>1	1.61	0.23	18
G04	COSS-900CA-4,7036(2)-4,CL-11AR90SS-G3>1	1.57	0.20	17
G05	COSS-900CA-3,7036(2)-3,CL-3,7036(5)-11AR90SS	1.15	0.23	28
G06	COSS-900CA-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G1<1	1.16	0.21	26
G07	COSS-900CA-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G2>1	1.15	0.20	26
G08	COSS-900CA-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G3>1	1.13	0.17	25
G09	COSS-900CA-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.38	0.24	23
G10	COSS-900CA-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.40	0.23	22
G11	COSS-900CA-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.38	0.21	22
G12	COSS-900CA-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.35	0.19	21
G13	COSS-900CA-3,SB60(2)-3,CL-14AR90SS	1.62	0.28	20
G14	COSS-900CA-3,SB60(2)-3,CL-14AR90SS-G1<1	1.62	0.25	19



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G15	COSS-900CA-3,SB60(2)-3,CL-14AR90SS-G2>1	1.62	0.25	19
G16	COSS-900CA-3,SB60(2)-3,CL-14AR90SS-G3>1	1.62	0.23	17
G17	COSS-900CA-4,SB60(2)-4,CL-11AR90SS	1.61	0.28	21
G18	COSS-900CA-4,SB60(2)-4,CL-11AR90SS-G1<1	1.68	0.25	17
G19	COSS-900CA-4,SB60(2)-4,CL-11AR90SS-G2>1	1.61	0.25	19
G20	COSS-900CA-4,SB60(2)-4,CL-11AR90SS-G3>1	1.61	0.23	18
G21	COSS-900CA-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.39	0.26	24
G22	COSS-900CA-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.42	0.24	22
G23	COSS-900CA-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.39	0.24	23
G24	COSS-900CA-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.39	0.22	22
G25	COSS-900CA-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS	1.15	0.24	28
G26	COSS-900CA-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G1<1	1.17	0.22	27
G27	COSS-900CA-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G2>1	1.15	0.22	27
G28	COSS-900CA-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G3>1	1.15	0.20	26
G29	COSS-900CA-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS	1.44	0.25	23
G30	COSS-900CA-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G1<1	1.49	0.23	20
G31	COSS-900CA-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G2>1	1.44	0.23	21
G32	COSS-900CA-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G3>1	1.44	0.21	20
G33	COSS-900CA-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS	1.21	0.24	27
G34	COSS-900CA-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G1<1	1.23	0.22	25
G35	COSS-900CA-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G2>1	1.21	0.22	26
G36	COSS-900CA-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G3>1	1.21	0.20	25

900 Series Fixed Sash Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	COSS-900FC-4,7036(2)-4,CL-11AR90SS	1.53	0.30	24
G02	COSS-900FC-4,7036(2)-4,CL-11AR90SS-G1<1	1.60	0.28	21
G03	COSS-900FC-4,7036(2)-4,CL-11AR90SS-G2>1	1.56	0.26	21
G04	COSS-900FC-4,7036(2)-4,CL-11AR90SS-G3>1	1.50	0.22	20
G05	COSS-900FC-3,7036(2)-3,CL-3,7036(5)-11AR90SS	1.02	0.26	33
G06	COSS-900FC-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G1<1	1.03	0.24	31
G07	COSS-900FC-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G2>1	1.02	0.23	31
G08	COSS-900FC-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G3>1	1.00	0.19	29
G09	COSS-900FC-4,7036(2)-4,CL-4,7036(5)-10AR90SS	1.06	0.26	32
G10	COSS-900FC-4,7036(2)-4,CL-4,7036(5)-10AR90SS-G1<1	1.08	0.24	30
G11	COSS-900FC-4,7036(2)-4,CL-4,7036(5)-10AR90SS-G2>1	1.07	0.23	30
G12	COSS-900FC-4,7036(2)-4,CL-4,7036(5)-10AR90SS-G3>1	1.04	0.19	28
G13	COSS-900FC-5,7036(2)-5,CL-5,7036(5)-8AR90SS	1.18	0.26	29
G14	COSS-900FC-5,7036(2)-5,CL-5,7036(5)-8AR90SS-G1<1	1.21	0.24	27
G15	COSS-900FC-5,7036(2)-5,CL-5,7036(5)-8AR90SS-G2>1	1.19	0.22	27
G16	COSS-900FC-5,7036(2)-5,CL-5,7036(5)-8AR90SS-G3>1	1.16	0.19	26
G17	COSS-900FC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.30	0.28	28
G18	COSS-900FC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.33	0.26	26
G19	COSS-900FC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.30	0.24	25
G20	COSS-900FC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.27	0.21	24
G21	COSS-900FC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS	1.33	0.28	27
G22	COSS-900FC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS-G1<1	1.38	0.26	25
G23	COSS-900FC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS-G2>1	1.35	0.24	24



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G24	COSS-900FC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS-G3>1	1.30	0.21	24
G25	COSS-900FC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS	1.45	0.28	24
G26	COSS-900FC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS-G1<1	1.52	0.26	22
G27	COSS-900FC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS-G2>1	1.48	0.24	21
G28	COSS-900FC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS-G3>1	1.43	0.21	21
G29	COSS-900FC-3,SB60(2)-3,CL-14AR90SS	1.56	0.32	24
G30	COSS-900FC-3,SB60(2)-3,CL-14AR90SS-G1<1	1.56	0.29	23
G31	COSS-900FC-3,SB60(2)-3,CL-14AR90SS-G2>1	1.56	0.29	23
G32	COSS-900FC-3,SB60(2)-3,CL-14AR90SS-G3>1	1.56	0.26	21
G33	COSS-900FC-4,SB60(2)-4,CL-11AR90SS	1.55	0.32	25
G34	COSS-900FC-4,SB60(2)-4,CL-11AR90SS-G1<1	1.64	0.29	21
G35	COSS-900FC-4,SB60(2)-4,CL-11AR90SS-G2>1	1.55	0.29	23
G36	COSS-900FC-4,SB60(2)-4,CL-11AR90SS-G3>1	1.55	0.26	21
G37	COSS-900FC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.29	0.30	29
G38	COSS-900FC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.36	0.27	26
G39	COSS-900FC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.29	0.27	27
G40	COSS-900FC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.29	0.24	26
G41	COSS-900FC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS	1.02	0.28	34
G42	COSS-900FC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G1<1	1.04	0.25	32
G43	COSS-900FC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G2>1	1.02	0.25	32
G44	COSS-900FC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G3>1	1.02	0.22	30
G45	COSS-900FC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS	1.35	0.29	27
G46	COSS-900FC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G1<1	1.42	0.26	24
G47	COSS-900FC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G2>1	1.35	0.26	25
G48	COSS-900FC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G3>1	1.35	0.24	24
G49	COSS-900FC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS	1.08	0.27	32
G50	COSS-900FC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G1<1	1.11	0.25	30
G51	COSS-900FC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G2>1	1.08	0.25	31
G52	COSS-900FC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G3>1	1.08	0.22	29
G53	COSS-900FC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS	1.45	0.29	25
G54	COSS-900FC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS-G1<1	1.55	0.26	21
G55	COSS-900FC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS-G2>1	1.45	0.26	23
G56	COSS-900FC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS-G3>1	1.45	0.24	22
G57	COSS-900FC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS	1.18	0.27	30
G58	COSS-900FC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS-G1<1	1.23	0.24	27
G59	COSS-900FC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS-G2>1	1.18	0.24	28
G60	COSS-900FC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS-G3>1	1.18	0.22	27

900 Series Picture Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	COSS-900PC-6,7036(2)-6,CL-19AR90SS	1.52	0.33	26
G02	COSS-900PC-6,7036(2)-6,CL-19AR90SS-G1<1	1.56	0.31	24
G03	COSS-900PC-6,7036(2)-6,CL-19AR90SS-G2>1	1.52	0.29	23
G04	COSS-900PC-6,7036(2)-6,CL-19AR90SS-G3>1	1.47	0.25	22
G05	COSS-900PC-4,7036(2)-4,CL-11AR90SS	1.50	0.34	27
G06	COSS-900PC-4,7036(2)-4,CL-11AR90SS-G1<1	1.57	0.31	24
G07	COSS-900PC-4,7036(2)-4,CL-11AR90SS-G2>1	1.53	0.30	24
G08	COSS-900PC-4,7036(2)-4,CL-11AR90SS-G3>1	1.47	0.26	23



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G09	COSS-900PC-3,7036(2)-3,CL-3,7036(5)-11AR90SS	0.88	0.29	37
G10	COSS-900PC-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G1<1	0.90	0.27	36
G11	COSS-900PC-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G2>1	0.88	0.26	36
G12	COSS-900PC-3,7036(2)-3,CL-3,7036(5)-11AR90SS-G3>1	0.86	0.22	34
G13	COSS-900PC-4,7036(2)-4,CL-4,7036(5)-10AR90SS	0.93	0.29	36
G14	COSS-900PC-4,7036(2)-4,CL-4,7036(5)-10AR90SS-G1<1	0.95	0.27	35
G15	COSS-900PC-4,7036(2)-4,CL-4,7036(5)-10AR90SS-G2>1	0.94	0.25	34
G16	COSS-900PC-4,7036(2)-4,CL-4,7036(5)-10AR90SS-G3>1	0.91	0.22	33
G17	COSS-900PC-5,7036(2)-5,CL-5,7036(5)-8AR90SS	1.06	0.29	34
G18	COSS-900PC-5,7036(2)-5,CL-5,7036(5)-8AR90SS-G1<1	1.10	0.27	32
G19	COSS-900PC-5,7036(2)-5,CL-5,7036(5)-8AR90SS-G2>1	1.08	0.25	31
G20	COSS-900PC-5,7036(2)-5,CL-5,7036(5)-8AR90SS-G3>1	1.05	0.22	30
G21	COSS-900PC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.19	0.32	32
G22	COSS-900PC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.23	0.29	30
G23	COSS-900PC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.20	0.28	30
G24	COSS-900PC-3,7036(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.16	0.24	28
G25	COSS-900PC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS	1.24	0.31	31
G26	COSS-900PC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS-G1<1	1.29	0.29	28
G27	COSS-900PC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS-G2>1	1.25	0.27	28
G28	COSS-900PC-4,7036(2)-4,CL-4,CL-10AR90SS-10AIRSS-G3>1	1.21	0.24	27
G29	COSS-900PC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS	1.37	0.31	28
G30	COSS-900PC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS-G1<1	1.45	0.29	25
G31	COSS-900PC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS-G2>1	1.41	0.27	25
G32	COSS-900PC-5,7036(2)-5,CL-5,CL-8AR90SS-8AIRSS-G3>1	1.36	0.24	24
G33	COSS-900PC-3,SB60(2)-3,CL-14AR90SS	1.53	0.36	27
G34	COSS-900PC-3,SB60(2)-3,CL-14AR90SS-G1<1	1.53	0.32	25
G35	COSS-900PC-3,SB60(2)-3,CL-14AR90SS-G2>1	1.53	0.32	25
G36	COSS-900PC-3,SB60(2)-3,CL-14AR90SS-G3>1	1.53	0.29	23
G37	COSS-900PC-4,SB60(2)-4,CL-11AR90SS	1.52	0.35	27
G38	COSS-900PC-4,SB60(2)-4,CL-11AR90SS-G1<1	1.62	0.32	23
G39	COSS-900PC-4,SB60(2)-4,CL-11AR90SS-G2>1	1.52	0.32	25
G40	COSS-900PC-4,SB60(2)-4,CL-11AR90SS-G3>1	1.52	0.29	23
G41	COSS-900PC-5,SB60(2)-5,CL-11AR90SS	1.36	0.35	30
G42	COSS-900PC-5,SB60(2)-5,CL-11AR90SS-G1<1	1.46	0.32	27
G43	COSS-900PC-5,SB60(2)-5,CL-11AR90SS-G2>1	1.36	0.32	29
G44	COSS-900PC-5,SB60(2)-5,CL-11AR90SS-G3>1	1.36	0.29	27
G45	COSS-900PC-6,SB60(2)-6,CL-19AR90SS	1.53	0.35	27
G46	COSS-900PC-6,SB60(2)-6,CL-19AR90SS-G1<1	1.53	0.31	24
G47	COSS-900PC-6,SB60(2)-6,CL-19AR90SS-G2>1	1.53	0.31	24
G48	COSS-900PC-6,SB60(2)-6,CL-19AR90SS-G3>1	1.53	0.28	23
G49	COSS-900PC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS	1.20	0.33	33
G50	COSS-900PC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G1<1	1.27	0.30	30
G51	COSS-900PC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G2>1	1.20	0.30	31
G52	COSS-900PC-3,SB60(2)-3,CL-3,CL-11AR90SS-11AIRSS-G3>1	1.20	0.27	29
G53	COSS-900PC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS	0.88	0.31	39
G54	COSS-900PC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G1<1	0.91	0.28	36
G55	COSS-900PC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G2>1	0.88	0.28	37
G56	COSS-900PC-3,SB60(2)-3,CL-3,SB60(5)-11AR90SS-G3>1	0.88	0.25	35
G57	COSS-900PC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS	1.27	0.33	31
G58	COSS-900PC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G1<1	1.34	0.30	28
G59	COSS-900PC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G2>1	1.27	0.30	30
G60	COSS-900PC-4,SB60(2)-4,CL-4,CL-10AR90SS-10AIRSS-G3>1	1.27	0.27	28
G61	COSS-900PC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS	0.96	0.30	36
G62	COSS-900PC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G1<1	0.99	0.28	34
G63	COSS-900PC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G2>1	0.96	0.28	35
G64	COSS-900PC-4,SB60(2)-4,CL-4,SB60(5)-10AR90SS-G3>1	0.96	0.25	33



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G65	COSS-900PC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS	1.38	0.32	28
G66	COSS-900PC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS-G1<1	1.49	0.29	24
G67	COSS-900PC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS-G2>1	1.38	0.29	27
G68	COSS-900PC-5,SB60(2)-5,CL-5,CL-8AR90SS-8AIRSS-G3>1	1.38	0.27	25
G69	COSS-900PC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS	1.07	0.30	34
G70	COSS-900PC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS-G1<1	1.12	0.27	31
G71	COSS-900PC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS-G2>1	1.07	0.27	32
G72	COSS-900PC-5,SB60(2)-5,CL-5,SB60(5)-8AR90SS-G3>1	1.07	0.25	31
G73	COSS-900PC-6,SB60(2)-6,CL-6,CL-8AR90SS-8AIRSS	1.39	0.32	28
G74	COSS-900PC-6,SB60(2)-6,CL-6,CL-8AR90SS-8AIRSS-G1<1	1.50	0.29	24
G75	COSS-900PC-6,SB60(2)-6,CL-6,CL-8AR90SS-8AIRSS-G2>1	1.39	0.29	26
G76	COSS-900PC-6,SB60(2)-6,CL-6,CL-8AR90SS-8AIRSS-G3>1	1.39	0.26	25
G77	COSS-900PC-6,SB60(2)-6,CL-6,SB60(5)-8AR90SS	1.08	0.30	34
G78	COSS-900PC-6,SB60(2)-6,CL-6,SB60(5)-8AR90SS-G1<1	1.13	0.27	31
G79	COSS-900PC-6,SB60(2)-6,CL-6,SB60(5)-8AR90SS-G2>1	1.08	0.27	32
G80	COSS-900PC-6,SB60(2)-6,CL-6,SB60(5)-8AR90SS-G3>1	1.08	0.24	30

Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.