

## WINDOWS LISTING PROGRAM

Customer: Sunlight Windows Mfg Ltd.  
 Class: Fenestration Products – Energy Performance  
 Location: Richmond, BC  
 Listing No. W458-1  
 Effective Date: November 23, 2009  
 Last Revised Date: April 11, 2016  
 Expires: N/A

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Each product is marked with the following content on a permanent label that is readily visible after installation:

- Manufacturer’s name, Trademark or other recognized symbol or identification
- QAI file number (W458)
- QAI logo with “c” indicator
- Statement: “Evaluation for energy performance to CSA A440.2”, “Evaluation pour le performance d’énergie a CSA A440.2”

Models / Ratings: WF Picture Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
WF_GO1	1.79	13
WF_GO2	1.59	17
WF_GO3	1.80	12
WF_GO4	1.59	17
WF_GO5	1.35	28
WF_GO6	1.54	19
WF_GO7	1.37	27
WF_GO8	1.87	32

WP Awning Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
WP_GO1	1.76	13
WP_GO2	1.60	16
WP_GO3	1.77	12
WP_GO4	1.61	15
WP_GO5	1.43	22
WP_GO6	1.56	15
WP_GO7	1.45	21
WP_GO8	1.82	25



WPF Fixed Awning Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
WPF_GO1	1.84	15
WPF_GO2	1.63	19
WPF_GO3	1.84	14
WPF_GO4	1.64	18
WPF_GO5	1.39	27
WPF_GO6	1.58	18
WPF_GO7	1.41	26
WPF_GO8	1.91	32

WS Horizontal Sliding Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
WS_GO1	1.90	10
WS_GO2	1.70	14
WS_GO3	1.91	9
WS_GO4	1.70	14
WS_GO5	1.44	25
WS_GO6	1.62	17
WS_GO7	1.46	20
WS_GO8	1.94	29

New Construction Picture Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
NC_PIC_GO1	1.78	16
NC_PIC_GO2	1.57	20
NC_PIC_GO3	1.78	15
NC_PIC_GO4	1.57	19
NC_PIC_GO5	1.33	28
NC_PIC_GO6	1.52	20
NC_PIC_GO7	1.35	28
NC_PIC_GO8	1.85	33

New Construction Horizontal Sliding Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
NC_HS_GO1	1.86	13
NC_HS_GO2	1.66	17
NC_HS_GO3	1.86	12
NC_HS_GO4	1.67	16
NC_HS_GO5	1.43	25
NC_HS_GO6	1.61	17
NC_HS_GO7	1.45	24
NC_HS_GO8	1.93	29



Sliding Door:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
SD_GO1	1.86	16
SD_GO2	1.65	21
SD_GO3	1.86	16
SD_GO4	1.64	20
SD_GO5	1.38	27
SD_GO6	1.57	18
SD_GO7	1.40	26
SD_GO8	1.91	32

Casement Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
CAS-G01	1.50	18
CAS-G02	1.52	23
CAS-G03	1.50	21
CAS-G04	1.79	28
CAS-G05	1.55	21

FD Series Horizontal Slider:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
FDHS-G01	1.67	22
FDHS-G02	1.63	17
FDHS-G03	1.47	26
FDHS-G04	1.93	31
FDHS-G05	1.63	22
FDHS-G06	1.40	26
FDHS-G07	1.38	22

FD Series Fixed Window:

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
FDFix-G01	1.52	28
FDFix-G02	1.48	22
FDFix-G03	1.31	31
FDFix-G04	1.82	37
FDFix-G05	1.49	27
FDFix-G06	1.22	32
FDFix-G07	1.20	28



**FDN Series Picture Window:**

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
FDNPic-G01	1.52	27
FDNPic-G02	1.48	21
FDNPic-G03	1.32	30
FDNPic-G04	1.80	36
FDNPic-G05	1.49	27

**Flat Glass Skylight:**

Model Code	Window U-Value (W/m2K)	Energy Rating (ER)
FGSky_GO1	2.62	N/A
FGSky_GO2	2.61	N/A
FGSKY_GO3	2.34	N/A
FGSKY_GO4	2.32	N/A

Notes: Windows are not intended for installation in storefronts, nonoperable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, and sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.

\*\*\*