

WINDOWS LISTING PROGRAM

Customer: Dufferin Windows Ltd.
 Class: Fenestration
 Location: Shelburne, ON
 Website: <https://www.dufferinwindows.ca/>
 Listing No. W518-1
 Effective Date March 10, 2014
 Last Revised Date June 26, 2019
 Expires: N/A
 Standards: CSA A440.2 Fenestration Energy Performance

Product: Vinyl Windows
 Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:
 a) Manufacturer’s name, Trademark or other recognized symbol or identification.
 b) QAI file Number: W518
 c) QAI logo shown here:



d) “Evaluation for energy performance in accordance with CSA A440.2” and “Evaluation for physical performance in accordance with AAMA/WDMA/CSA 101/I.S.2/A440 and CSA A440S1”
 “Évalué pour la performance d’énergie en accord à la norme CSA A440.2” and “Évalué pour la performance de physique en accord à la norme AAMA/WDMA/CSA 101/I.S.2/A440 et CSA A440S1”

Models / Ratings: Classic Vinyl Casement Window

Model Code	U-Value (W/m ² K)
DUFW-VCA-3,7036(2)-13AR90-3,CL	1.47
DUFW-VCA-3,7036(2)-13AR90-3,CL-G1<1	1.47
DUFW-VCA-3,7036(2)-13AR90-3,CL-G2<1	1.47
DUFW-VCA-3,7036(2)-13AR90-3,CL-G3<1	1.47
DUFW-VCA-3,7036(2)-13AR90-3,CL-G4<1	1.53
DUFW-VCA-3,7036(2)-13AR90-3,CL-G5>1	1.50



Model Code	U-Value (W/m ² K)
DUFW-VCA-3,CL-13AR90-3,8070(3)	1.55
DUFW-VCA-3,CL-13AR90-3,8070(3)-G1<1	1.55
DUFW-VCA-3,CL-13AR90-3,8070(3)-G2<1	1.55
DUFW-VCA-3,CL-13AR90-3,8070(3)-G3<1	1.55
DUFW-VCA-3,CL-13AR90-3,8070(3)-G4<1	1.60
DUFW-VCA-3,CL-13AR90-3,8070(3)-G5>1	1.58

Classic Vinyl Awning Window

Model Code	U-Value (W/m ² K)
DUFW-VAW-3,7036(2)-13AR90-3,CL	1.49
DUFW-VAW-3,7036(2)-13AR90-3,CL-G1<1	1.49
DUFW-VAW-3,7036(2)-13AR90-3,CL-G2<1	1.49
DUFW-VAW-3,7036(2)-13AR90-3,CL-G3<1	1.49
DUFW-VAW-3,7036(2)-13AR90-3,CL-G4<1	1.53
DUFW-VAW-3,7036(2)-13AR90-3,CL-G5>1	1.51
DUFW-VAW-3,CL-13AR90-3,8070(3)	1.57
DUFW-VAW-3,CL-13AR90-3,8070(3)-G1<1	1.57
DUFW-VAW-3,CL-13AR90-3,8070(3)-G2<1	1.57
DUFW-VAW-3,CL-13AR90-3,8070(3)-G3<1	1.57
DUFW-VAW-3,CL-13AR90-3,8070(3)-G4<1	1.61
DUFW-VAW-3,CL-13AR90-3,8070(3)-G5>1	1.59

Classic Vinyl Picture Window

Model Code	U-Value (W/m ² K)
DUFW-VPC-3,7036(2)-13AR90-3,CL	1.46
DUFW-VPC-3,7036(2)-13AR90-3,CL-G1<1	1.46
DUFW-VPC-3,7036(2)-13AR90-3,CL-G2<1	1.46
DUFW-VPC-3,7036(2)-13AR90-3,CL-G3<1	1.46
DUFW-VPC-3,7036(2)-13AR90-3,CL-G4<1	1.54
DUFW-VPC-3,7036(2)-13AR90-3,CL-G5>1	1.50
DUFW-VPC-3,CL-13AR90-3,8070(3)	1.57
DUFW-VPC-3,CL-13AR90-3,8070(3)-G1<1	1.57
DUFW-VPC-3,CL-13AR90-3,8070(3)-G2<1	1.57
DUFW-VPC-3,CL-13AR90-3,8070(3)-G3<1	1.57
DUFW-VPC-3,CL-13AR90-3,8070(3)-G4<1	1.64
DUFW-VPC-3,CL-13AR90-3,8070(3)-G5>1	1.61
DUFW-VPC-5,7036(2)-16AR90-5,CL	1.49



Model Code	U-Value (W/m ² K)
DUFW-VPC-5,7036(2)-16AR90-5,CL-G1<1	1.49
DUFW-VPC-5,7036(2)-16AR90-5,CL-G2<1	1.49
DUFW-VPC-5,7036(2)-16AR90-5,CL-G3<1	1.49
DUFW-VPC-5,7036(2)-16AR90-5,CL-G4<1	1.49
DUFW-VPC-5,7036(2)-16AR90-5,CL-G5>1	1.49
DUFW-VPC-5,7036(2)-16AR90-5,CL-G6>1	1.49
DUFW-VPC-5,7036(2)-16AR90-5,CL-G7>1	1.49
DUFW-VPC-5,CL-16AR90-3,8070(3)	1.59
DUFW-VPC-5,CL-16AR90-5,8070(3)-G1<1	1.59
DUFW-VPC-5,CL-16AR90-5,8070(3)-G2<1	1.59
DUFW-VPC-5,CL-16AR90-5,8070(3)-G3<1	1.59
DUFW-VPC-5,CL-16AR90-5,8070(3)-G4<1	1.59
DUFW-VPC-5,CL-16AR90-5,8070(3)-G5>1	1.59
DUFW-VPC-5,CL-16AR90-5,8070(3)-G6>1	1.59
DUFW-VPC-5,CL-16AR90-5,8070(3)-G7>1	1.59
DUFW-VPC-5,7036(2)-5,CL-5,7036(5)-12AR90	0.86
DUFW-VPC-5,7036(2)-5,CL-5,7036(5)-12AR90-G1<1	0.86
DUFW-VPC-5,7036(2)-5,CL-5,7036(5)-12AR90-G2<1	0.87
DUFW-VPC-5,7036(2)-5,CL-5,7036(5)-12AR90-G5>1	0.88
DUFW-VPC-58070(2)-5,CL-58070(5)-12AR90	0.94
DUFW-VPC-58070(2)-5,CL-58070(5)-12AR90-G1<1	0.94
DUFW-VPC-58070(2)-5,CL-58070(5)-12AR90-G2<1	0.95
DUFW-VPC-58070(2)-5,CL-58070(5)-12AR90-G5>1	0.96

Classic Vinyl Fixed Casement Window

Model Code	U-Value (W/m ² K)
DUFW-VFC-3,7036(2)-13AR90-3,CL	1.46
DUFW-VFC-3,7036(2)-13AR90-3,CL-G1<1	1.46
DUFW-VFC-3,7036(2)-13AR90-3,CL-G2<1	1.46
DUFW-VFC-3,7036(2)-13AR90-3,CL-G3<1	1.46
DUFW-VFC-3,7036(2)-13AR90-3,CL-G4<1	1.54
DUFW-VFC-3,7036(2)-13AR90-3,CL-G5>1	1.50
DUFW-VFC-3,CL-13AR90-3,8070(3)	1.57
DUFW-VFC-3,CL-13AR90-3,8070(3)-G1<1	1.57
DUFW-VFC-3,CL-13AR90-3,8070(3)-G2<1	1.57
DUFW-VFC-3,CL-13AR90-3,8070(3)-G3<1	1.57
DUFW-VFC-3,CL-13AR90-3,8070(3)-G4<1	1.64
DUFW-VFC-3,CL-13AR90-3,8070(3)-G5>1	1.61



Model Code	U-Value (W/m ² K)
DUFW-VFC-5,7036(2)-16AR90-5,CL	1.49
DUFW-VFC-5,7036(2)-16AR90-5,CL-G1<1	1.49
DUFW-VFC-5,7036(2)-16AR90-5,CL-G2<1	1.49
DUFW-VFC-5,7036(2)-16AR90-5,CL-G3<1	1.49
DUFW-VFC-5,7036(2)-16AR90-5,CL-G4<1	1.49
DUFW-VFC-5,7036(2)-16AR90-5,CL-G5>1	1.49
DUFW-VFC-5,7036(2)-16AR90-5,CL-G6>1	1.49
DUFW-VFC-5,7036(2)-16AR90-5,CL-G7>1	1.49
DUFW-VFC-5,CL-16AR90-3,8070(3)	1.59
DUFW-VFC-5,CL-16AR90-5,8070(3)-G1<1	1.59
DUFW-VFC-5,CL-16AR90-5,8070(3)-G2<1	1.59
DUFW-VFC-5,CL-16AR90-5,8070(3)-G3<1	1.59
DUFW-VFC-5,CL-16AR90-5,8070(3)-G4<1	1.59
DUFW-VFC-5,CL-16AR90-5,8070(3)-G5>1	1.59
DUFW-VFC-5,CL-16AR90-5,8070(3)-G6>1	1.59
DUFW-VFC-5,CL-16AR90-5,8070(3)-G7>1	1.59

Classic Vinyl Double Slider Window

Model Code	U-Value (W/m ² K)
DUFW-VDS-3,7036(2)-16AR90-3,CL	1.60
DUFW-VDS-3,7036(2)-16AR90-3,CL-G1<1	1.60
DUFW-VDS-3,7036(2)-16AR90-3,CL-G2<1	1.60
DUFW-VDS-3,7036(2)-16AR90-3,CL-G3<1	1.60
DUFW-VDS-3,7036(2)-16AR90-3,CL-G4<1	1.60
DUFW-VDS-3,7036(2)-16AR90-3,CL-G5>1	1.60
DUFW-VDS-3,CL-16AR90-3,8070(3)	1.70
DUFW-VDS-3,CL-16AR90-3,8070(3)-G1<1	1.70
DUFW-VDS-3,CL-16AR90-3,8070(3)-G2<1	1.70
DUFW-VDS-3,CL-16AR90-3,8070(3)-G3<1	1.70
DUFW-VDS-3,CL-16AR90-3,8070(3)-G4<1	1.70
DUFW-VDS-3,CL-16AR90-3,8070(3)-G5>1	1.70

Classic Vinyl Double Hung Window

Model Code	U-Value (W/m ² K)
DUFW-VDH-3,7036(2)-16AR90-3,CL	1.60
DUFW-VDH-3,7036(2)-16AR90-3,CL-G1<1	1.60
DUFW-VDH-3,7036(2)-16AR90-3,CL-G2<1	1.60
DUFW-VDH-3,7036(2)-16AR90-3,CL-G3<1	1.60
DUFW-VDH-3,7036(2)-16AR90-3,CL-G4<1	1.60
DUFW-VDH-3,7036(2)-16AR90-3,CL-G5>1	1.60
DUFW-VDH-3,CL-16AR90-3,8070(3)	1.69
DUFW-VDH-3,CL-16AR90-3,8070(3)-G1<1	1.69
DUFW-VDH-3,CL-16AR90-3,8070(3)-G2<1	1.69
DUFW-VDH-3,CL-16AR90-3,8070(3)-G3<1	1.69
DUFW-VDH-3,CL-16AR90-3,8070(3)-G4<1	1.69
DUFW-VDH-3,CL-16AR90-3,8070(3)-G5>1	1.69

Flex Casement Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FCA-3,7036(2)-16AR90-3,CL	1.50	21
DUFW-FCA-3,7036(2)-16AR90-3,CL-G1<1	1.50	20
DUFW-FCA-3,7036(2)-16AR90-3,CL-G2<1	1.50	20
DUFW-FCA-3,7036(2)-16AR90-3,CL-G3<1	1.50	20
DUFW-FCA-3,7036(2)-16AR90-3,CL-G4<1	1.50	20
DUFW-FCA-3,7036(2)-16AR90-3,CL-G5>1	1.50	19
DUFW-FCA-3,CL-16AR90-3,8070(3)	1.58	32
DUFW-FCA-3,CL-16AR90-3,8070(3)-G1<1	1.58	30
DUFW-FCA-3,CL-16AR90-3,8070(3)-G2<1	1.58	30
DUFW-FCA-3,CL-16AR90-3,8070(3)-G3<1	1.58	30
DUFW-FCA-3,CL-16AR90-3,8070(3)-G4<1	1.58	30
DUFW-FCA-3,CL-16AR90-3,8070(3)-G5>1	1.58	28
DUFW-FCA-3,6227(2)-16AR90-3,CL	1.50	17
DUFW-FCA-3,6227(2)-16AR90-3,CL-G1<1	1.50	17
DUFW-FCA-3,6227(2)-16AR90-3,CL-G2<1	1.50	17
DUFW-FCA-3,6227(2)-16AR90-3,CL-G3<1	1.50	17
DUFW-FCA-3,6227(2)-16AR90-3,CL-G4<1	1.50	17
DUFW-FCA-3,6227(2)-16AR90-3,CL-G5>1	1.50	16
DUFW-FCA-3,7036(2)-3CL-3,7036(5)-12AR90	1.03	30
DUFW-FCA-3,7036(2)-3CL-3,7036(5)-12AR90-G1<1	1.04	29
DUFW-FCA-3,7036(2)-3CL-3,7036(5)-12AR90-G2<1	1.04	29
DUFW-FCA-3,7036(2)-3CL-3,7036(5)-12AR90-G3<1	1.04	29
DUFW-FCA-3,7036(2)-3CL-3,7036(5)-12AR90-G4<1	1.04	29
DUFW-FCA-3,8070(2)-3CL-3,8070(5)-12AR90	1.09	38
DUFW-FCA-3,8070(2)-3CL-3,8070(5)-12AR90-G1<1	1.10	36
DUFW-FCA-3,8070(2)-3CL-3,8070(5)-12AR90-G2<1	1.10	36
DUFW-FCA-3,8070(2)-3CL-3,8070(5)-12AR90-G3<1	1.10	36
DUFW-FCA-3,8070(2)-3CL-3,8070(5)-12AR90-G4<1	1.10	36

Flex Awning Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FAW-3,7036(2)-16AR90-3,CL	1.52	21
DUFW-FAW-3,7036(2)-16AR90-3,CL-G1<1	1.52	19
DUFW-FAW-3,7036(2)-16AR90-3,CL-G2<1	1.52	19
DUFW-FAW-3,7036(2)-16AR90-3,CL-G3<1	1.52	19
DUFW-FAW-3,7036(2)-16AR90-3,CL-G4<1	1.52	19
DUFW-FAW-3,7036(2)-16AR90-3,CL-G5>1	1.52	18
DUFW-FAW-3,CL-16AR90-3,8070(3)	1.60	32
DUFW-FAW-3,CL-16AR90-3,8070(3)-G1<1	1.60	29
DUFW-FAW-3,CL-16AR90-3,8070(3)-G2<1	1.60	29
DUFW-FAW-3,CL-16AR90-3,8070(3)-G3<1	1.60	29
DUFW-FAW-3,CL-16AR90-3,8070(3)-G4<1	1.60	29
DUFW-FAW-3,CL-16AR90-3,8070(3)-G5>1	1.60	27
DUFW-FAW-3,6227(2)-16AR90-3,CL	1.51	17
DUFW-FAW-3,6227(2)-16AR90-3,CL-G1<1	1.51	16
DUFW-FAW-3,6227(2)-16AR90-3,CL-G2<1	1.51	16
DUFW-FAW-3,6227(2)-16AR90-3,CL-G3<1	1.51	16
DUFW-FAW-3,6227(2)-16AR90-3,CL-G4<1	1.51	16
DUFW-FAW-3,6227(2)-16AR90-3,CL-G5>1	1.51	15
DUFW-FAW-3,7036(2)-3CL-3,7036(5)-12AR90	1.04	29
DUFW-FAW-3,7036(2)-3CL-3,7036(5)-12AR90-G1<1	1.04	28
DUFW-FAW-3,7036(2)-3CL-3,7036(5)-12AR90-G2<1	1.04	28
DUFW-FAW-3,7036(2)-3CL-3,7036(5)-12AR90-G3<1	1.04	28
DUFW-FAW-3,7036(2)-3CL-3,7036(5)-12AR90-G4<1	1.04	28
DUFW-FAW-3,8070(2)-3CL-3,8070(5)-12AR90	1.10	38
DUFW-FAW-3,8070(2)-3CL-3,8070(5)-12AR90-G1<1	1.10	36
DUFW-FAW-3,8070(2)-3CL-3,8070(5)-12AR90-G2<1	1.10	36
DUFW-FAW-3,8070(2)-3CL-3,8070(5)-12AR90-G3<1	1.10	36
DUFW-FAW-3,8070(2)-3CL-3,8070(5)-12AR90-G4<1	1.10	36



Flex Picture Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FPC-3,7036(2)-16AR90-3,CL	1.55	25
DUFW-FPC-3,7036(2)-16AR90-3,CL-G1<1	1.55	23
DUFW-FPC-3,7036(2)-16AR90-3,CL-G2<1	1.55	23
DUFW-FPC-3,7036(2)-16AR90-3,CL-G3<1	1.55	23
DUFW-FPC-3,7036(2)-16AR90-3,CL-G4<1	1.55	23
DUFW-FPC-3,7036(2)-16AR90-3,CL-G5>1	1.55	21
DUFW-FPC-5,7036(2)-13AR90-5,CL	1.52	25
DUFW-FPC-5,7036(2)-13AR90-5,CL-G1<1	1.59	22
DUFW-FPC-5,7036(2)-13AR90-5,CL-G2<1	1.59	22
DUFW-FPC-5,7036(2)-13AR90-5,CL-G3<1	1.59	22
DUFW-FPC-5,7036(2)-13AR90-5,CL-G4<1	1.59	22
DUFW-FPC-5,7036(2)-13AR90-5,CL-G5>1	1.74	17
DUFW-FPC-5,7036(2)-16AR90-5,CL	1.54	25
DUFW-FPC-5,7036(2)-16AR90-5,CL-G1<1	1.54	23
DUFW-FPC-5,7036(2)-16AR90-5,CL-G2<1	1.54	23
DUFW-FPC-5,7036(2)-16AR90-5,CL-G3<1	1.54	23
DUFW-FPC-5,7036(2)-16AR90-5,CL-G4<1	1.54	23
DUFW-FPC-5,7036(2)-16AR90-5,CL-G5>1	1.54	21
DUFW-FPC-3,CL-16AR90-3,8070(3)	1.65	39
DUFW-FPC-3,CL-16AR90-3,8070(3)-G1<1	1.65	35
DUFW-FPC-3,CL-16AR90-3,8070(3)-G2<1	1.65	35
DUFW-FPC-3,CL-16AR90-3,8070(3)-G3<1	1.65	35
DUFW-FPC-3,CL-16AR90-3,8070(3)-G4<1	1.65	35
DUFW-FPC-3,CL-16AR90-3,8070(3)-G5>1	1.65	32
DUFW-FPC-5,CL-13AR90-3,8070(3)	1.62	37
DUFW-FPC-5,CL-13AR90-5,8070(3)-G1<1	1.62	33
DUFW-FPC-5,CL-13AR90-5,8070(3)-G2<1	1.62	33
DUFW-FPC-5,CL-13AR90-5,8070(3)-G3<1	1.62	33
DUFW-FPC-5,CL-13AR90-5,8070(3)-G4<1	1.62	33
DUFW-FPC-5,CL-13AR90-5,8070(3)-G5>1	1.80	31
DUFW-FPC-5,CL-16AR90-3,8070(3)	1.64	37
DUFW-FPC-5,CL-16AR90-5,8070(3)-G1<1	1.64	34
DUFW-FPC-5,CL-16AR90-5,8070(3)-G2<1	1.64	34
DUFW-FPC-5,CL-16AR90-5,8070(3)-G3<1	1.64	34
DUFW-FPC-5,CL-16AR90-5,8070(3)-G4<1	1.64	34
DUFW-FPC-5,CL-16AR90-5,8070(3)-G5>1	1.64	31
DUFW-FPC-3,6227(2)-16AR90-3,CL	1.54	20
DUFW-FPC-3,6227(2)-16AR90-3,CL-G1<1	1.54	18
DUFW-FPC-3,6227(2)-16AR90-3,CL-G2<1	1.54	18



Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FPC-3,6227(2)-16AR90-3,CL-G3<1	1.54	18
DUFW-FPC-3,6227(2)-16AR90-3,CL-G4<1	1.54	18
DUFW-FPC-3,6227(2)-16AR90-3,CL-G5>1	1.54	17
DUFW-FPC-5,6227(2)-13AR90-5,CL	1.51	21
DUFW-FPC-5,6227(2)-13AR90-5,CL-G1<1	1.51	18
DUFW-FPC-5,6227(2)-13AR90-5,CL-G2<1	1.51	18
DUFW-FPC-5,6227(2)-13AR90-5,CL-G3<1	1.51	18
DUFW-FPC-5,6227(2)-13AR90-5,CL-G4<1	1.51	18
DUFW-FPC-5,6227(2)-13AR90-5,CL-G5>1	1.73	13
DUFW-FPC-5,6227(2)-16AR90-5,CL	1.53	20
DUFW-FPC-5,6227(2)-16AR90-5,CL-G1<1	1.53	19
DUFW-FPC-5,6227(2)-16AR90-5,CL-G2<1	1.53	19
DUFW-FPC-5,6227(2)-16AR90-5,CL-G3<1	1.53	19
DUFW-FPC-5,6227(2)-16AR90-5,CL-G4<1	1.53	19
DUFW-FPC-5,6227(2)-16AR90-5,CL-G5>1	1.53	17
DUFW-FPC-3,7036(2)-3CL-3,7036(5)-11AR90	0.95	35
DUFW-FPC-3,7036(2)-3CL-3,7036(5)-11AR90-G1<1	0.96	33
DUFW-FPC-3,7036(2)-3CL-3,7036(5)-11AR90-G2<1	0.96	33
DUFW-FPC-3,7036(2)-3CL-3,7036(5)-11AR90-G3<1	0.96	33
DUFW-FPC-3,7036(2)-3CL-3,7036(5)-11AR90-G4<1	0.96	33
DUFW-FPC-3,8070(2)-3CL-3,8070(5)-11AR90	1.03	46
DUFW-FPC-3,8070(2)-3CL-3,8070(5)-11AR90-G1<1	1.04	43
DUFW-FPC-3,8070(2)-3CL-3,8070(5)-11AR90-G2<1	1.04	43
DUFW-FPC-3,8070(2)-3CL-3,8070(5)-11AR90-G3<1	1.04	43
DUFW-FPC-3,8070(2)-3CL-3,8070(5)-11AR90-G4<1	1.04	43
DUFW-FPC-5,7036(2)-5CL-5,7036(5)-9AR90	1.09	32
DUFW-FPC-5,8070(2)-5CL-5,8070(5)-9AR90	1.16	42

Flex Fixed Casement Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FFC-3,7036(2)-16AR90-3,CL	1.54	24
DUFW-FFC-3,7036(2)-16AR90-3,CL-G1<1	1.54	22
DUFW-FFC-3,7036(2)-16AR90-3,CL-G2<1	1.54	22
DUFW-FFC-3,7036(2)-16AR90-3,CL-G3<1	1.54	22
DUFW-FFC-3,7036(2)-16AR90-3,CL-G4<1	1.54	22
DUFW-FFC-3,7036(2)-16AR90-3,CL-G5>1	1.54	20
DUFW-FFC-5,7036(2)-13AR90-5,CL	1.51	24



Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FFC-5,7036(2)-13AR90-5,CL-G1<1	1.58	21
DUFW-FFC-5,7036(2)-13AR90-5,CL-G2<1	1.58	21
DUFW-FFC-5,7036(2)-13AR90-5,CL-G3<1	1.58	21
DUFW-FFC-5,7036(2)-13AR90-5,CL-G4<1	1.58	21
DUFW-FFC-5,7036(2)-13AR90-5,CL-G5>1	1.72	16
DUFW-FFC-5,7036(2)-16AR90-5,CL	1.54	24
DUFW-FFC-5,7036(2)-16AR90-5,CL-G1<1	1.54	22
DUFW-FFC-5,7036(2)-16AR90-5,CL-G2<1	1.54	22
DUFW-FFC-5,7036(2)-16AR90-5,CL-G3<1	1.54	22
DUFW-FFC-5,7036(2)-16AR90-5,CL-G4<1	1.54	22
DUFW-FFC-5,7036(2)-16AR90-5,CL-G5>1	1.54	20
DUFW-FFC-3,CL-16AR90-3,8070(3)	1.64	36
DUFW-FFC-3,CL-16AR90-3,8070(3)-G1<1	1.64	33
DUFW-FFC-3,CL-16AR90-3,8070(3)-G2<1	1.64	33
DUFW-FFC-3,CL-16AR90-3,8070(3)-G3<1	1.64	33
DUFW-FFC-3,CL-16AR90-3,8070(3)-G4<1	1.64	33
DUFW-FFC-3,CL-16AR90-3,8070(3)-G5>1	1.64	30
DUFW-FFC-5,CL-13AR90-3,8070(3)	1.64	35
DUFW-FFC-5,CL-13AR90-5,8070(3)-G1<1	1.67	31
DUFW-FFC-5,CL-13AR90-5,8070(3)-G2<1	1.67	31
DUFW-FFC-5,CL-13AR90-5,8070(3)-G3<1	1.67	31
DUFW-FFC-5,CL-13AR90-5,8070(3)-G4<1	1.67	31
DUFW-FFC-5,CL-13AR90-5,8070(3)-G5>1	1.78	29
DUFW-FFC-5,CL-16AR90-3,8070(3)	1.63	35
DUFW-FFC-5,CL-16AR90-5,8070(3)-G1<1	1.63	32
DUFW-FFC-5,CL-16AR90-5,8070(3)-G2<1	1.63	32
DUFW-FFC-5,CL-16AR90-5,8070(3)-G3<1	1.63	32
DUFW-FFC-5,CL-16AR90-5,8070(3)-G4<1	1.63	32
DUFW-FFC-5,CL-16AR90-5,8070(3)-G5>1	1.63	29
DUFW-FFC-3,6227(2)-16AR90-3,CL	1.53	19
DUFW-FFC-3,6227(2)-16AR90-3,CL-G1<1	1.53	18
DUFW-FFC-3,6227(2)-16AR90-3,CL-G2<1	1.53	18
DUFW-FFC-3,6227(2)-16AR90-3,CL-G3<1	1.53	18
DUFW-FFC-3,6227(2)-16AR90-3,CL-G4<1	1.53	18
DUFW-FFC-3,6227(2)-16AR90-3,CL-G5>1	1.53	17
DUFW-FFC-5,6227(2)-13AR90-5,CL	1.50	20
DUFW-FFC-5,6227(2)-13AR90-5,CL-G1<1	1.57	17
DUFW-FFC-5,6227(2)-13AR90-5,CL-G2<1	1.57	17
DUFW-FFC-5,6227(2)-13AR90-5,CL-G3<1	1.57	17
DUFW-FFC-5,6227(2)-13AR90-5,CL-G4<1	1.57	17



Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FFC-5,6227(2)-13AR90-5,CL-G5>1	1.72	13
DUFW-FFC-5,6227(2)-16AR90-5,CL	1.53	19
DUFW-FFC-5,6227(2)-16AR90-5,CL-G1<1	1.53	18
DUFW-FFC-5,6227(2)-16AR90-5,CL-G2<1	1.53	18
DUFW-FFC-5,6227(2)-16AR90-5,CL-G3<1	1.53	18
DUFW-FFC-5,6227(2)-16AR90-5,CL-G4<1	1.53	18
DUFW-FFC-5,6227(2)-16AR90-5,CL-G5>1	1.53	17
DUFW-FFC-3,7036(2)-3CL-3,7036(5)-11AR90	0.99	33
DUFW-FFC-3,7036(2)-3CL-3,7036(5)-11AR90-G1<1	1.00	31
DUFW-FFC-3,7036(2)-3CL-3,7036(5)-11AR90-G2<1	1.00	31
DUFW-FFC-3,7036(2)-3CL-3,7036(5)-11AR90-G3<1	1.00	31
DUFW-FFC-3,7036(2)-3CL-3,7036(5)-11AR90-G4<1	1.00	31
DUFW-FFC-3,8070(2)-3CL-3,8070(5)-11AR90	1.06	43
DUFW-FFC-3,8070(2)-3CL-3,8070(5)-11AR90-G1<1	1.07	40
DUFW-FFC-3,8070(2)-3CL-3,8070(5)-11AR90-G2<1	1.07	40
DUFW-FFC-3,8070(2)-3CL-3,8070(5)-11AR90-G3<1	1.07	40
DUFW-FFC-3,8070(2)-3CL-3,8070(5)-11AR90-G4<1	1.07	40
DUFW-FFC-5,7036(2)-5CL-5,7036(5)-9AR90	1.12	30
DUFW-FFC-5,8070(2)-5CL-5,8070(5)-9AR90	1.18	42

Flex Single Slider Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FSS-3,7036(2)-16AR90-3,CL	1.60	21
DUFW-FSS-3,7036(2)-16AR90-3,CL-G1<1	1.60	19
DUFW-FSS-3,7036(2)-16AR90-3,CL-G2<1	1.60	19
DUFW-FSS-3,7036(2)-16AR90-3,CL-G3<1	1.60	19
DUFW-FSS-3,7036(2)-16AR90-3,CL-G4<1	1.60	19
DUFW-FSS-3,CL-16AR90-3,8070(3)	1.69	33
DUFW-FSS-3,CL-16AR90-3,8070(3)-G1<1	1.69	30
DUFW-FSS-3,CL-16AR90-3,8070(3)-G2<1	1.69	30
DUFW-FSS-3,CL-16AR90-3,8070(3)-G3<1	1.69	30
DUFW-FSS-3,CL-16AR90-3,8070(3)-G4<1	1.69	30
DUFW-FSS-3,6227(2)-16AR90-3,CL	1.59	16
DUFW-FSS-3,6227(2)-16AR90-3,CL-G1<1	1.59	15
DUFW-FSS-3,6227(2)-16AR90-3,CL-G2<1	1.59	15
DUFW-FSS-3,6227(2)-16AR90-3,CL-G3<1	1.59	15
DUFW-FSS-3,6227(2)-16AR90-3,CL-G4<1	1.59	15



Flex Single Hung Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FSH-3,7036(2)-16AR90-3,CL	1.60	21
DUFW-FSH-3,7036(2)-16AR90-3,CL-G1<1	1.60	19
DUFW-FSH-3,7036(2)-16AR90-3,CL-G2<1	1.60	19
DUFW-FSH-3,7036(2)-16AR90-3,CL-G3<1	1.60	19
DUFW-FSH-3,7036(2)-16AR90-3,CL-G4<1	1.60	19
DUFW-FSH-3,7036(2)-16AR90-3,CL-G5>1	1.60	18
DUFW-FSH-3,CL-16AR90-3,8070(3)	1.69	34
DUFW-FSH-3,CL-16AR90-3,8070(3)-G1<1	1.69	30
DUFW-FSH-3,CL-16AR90-3,8070(3)-G2<1	1.69	30
DUFW-FSH-3,CL-16AR90-3,8070(3)-G3<1	1.69	30
DUFW-FSH-3,CL-16AR90-3,8070(3)-G4<1	1.69	30
DUFW-FSH-3,CL-16AR90-3,8070(3)-G5<1	1.69	28
DUFW-FSH-3,6227(2)-16AR90-3,CL	1.59	16
DUFW-FSH-3,6227(2)-16AR90-3,CL-G1<1	1.59	15
DUFW-FSH-3,6227(2)-16AR90-3,CL-G2<1	1.59	15
DUFW-FSH-3,6227(2)-16AR90-3,CL-G3<1	1.59	15
DUFW-FSH-3,6227(2)-16AR90-3,CL-G4<1	1.59	15
DUFW-FSH-3,6227(2)-16AR90-3,CL-G5<1	1.59	14

Flex Double Slider Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FDS-3,7036(2)-16AR90-3,CL	1.60	20
DUFW-FDS-3,7036(2)-16AR90-3,CL-G1<1	1.60	18
DUFW-FDS-3,7036(2)-16AR90-3,CL-G2<1	1.60	18
DUFW-FDS-3,7036(2)-16AR90-3,CL-G3<1	1.60	18
DUFW-FDS-3,7036(2)-16AR90-3,CL-G4<1	1.60	18
DUFW-FDS-3,CL-16AR90-3,8070(3)	1.69	33
DUFW-FDS-3,CL-16AR90-3,8070(3)-G1<1	1.69	29
DUFW-FDS-3,CL-16AR90-3,8070(3)-G2<1	1.69	29
DUFW-FDS-3,CL-16AR90-3,8070(3)-G3<1	1.69	29
DUFW-FDS-3,CL-16AR90-3,8070(3)-G4<1	1.69	29
DUFW-FDS-3,6227(2)-16AR90-3,CL	1.59	16
DUFW-FDS-3,6227(2)-16AR90-3,CL-G1<1	1.59	15
DUFW-FDS-3,6227(2)-16AR90-3,CL-G2<1	1.59	15
DUFW-FDS-3,6227(2)-16AR90-3,CL-G3<1	1.59	15
DUFW-FDS-3,6227(2)-16AR90-3,CL-G4<1	1.59	15

Flex Double Hung Window

Model Code	U-Value (W/m ² K)	Energy Rating
DUFW-FDH-3,7036(2)-16AR90-3,CL	1.61	20
DUFW-FDH-3,7036(2)-16AR90-3,CL-G1<1	1.61	18
DUFW-FDH-3,7036(2)-16AR90-3,CL-G2<1	1.61	18
DUFW-FDH-3,7036(2)-16AR90-3,CL-G3<1	1.61	18
DUFW-FDH-3,7036(2)-16AR90-3,CL-G4<1	1.61	18
DUFW-FDH-3,7036(2)-16AR90-3,CL-G5>1	1.61	17
DUFW-FDH-3,CL-16AR90-3,8070(3)	1.70	32
DUFW-FDH-3,CL-16AR90-3,8070(3)-G1<1	1.70	29
DUFW-FDH-3,CL-16AR90-3,8070(3)-G2<1	1.70	29
DUFW-FDH-3,CL-16AR90-3,8070(3)-G3<1	1.70	29
DUFW-FDH-3,CL-16AR90-3,8070(3)-G4<1	1.70	29
DUFW-FDH-3,CL-16AR90-3,8070(3)-G5<1	1.70	26
DUFW-FDH-3,6227(2)-16AR90-3,CL	1.60	16
DUFW-FDH-3,6227(2)-16AR90-3,CL-G1<1	1.60	15
DUFW-FDH-3,6227(2)-16AR90-3,CL-G2<1	1.60	15
DUFW-FDH-3,6227(2)-16AR90-3,CL-G3<1	1.60	15
DUFW-FDH-3,6227(2)-16AR90-3,CL-G4<1	1.60	15
DUFW-FDH-3,6227(2)-16AR90-3,CL-G5<1	1.60	14

Notes: Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
