

TRAILER RUNNING GEAR LISTING PROGRAM

Customer: TRP International, LLC.
Class: Trailer Running Gear

Location: Elkhart, IN

Website: https://www.trpintl.com/

Listing No. REC625-1

Report No. REC625-1, Edition 8

Effective Date: May 26, 2015

Last Revised Date: February 18, 2022

Expires: <N/A>

Standards: CAN3-D313-M85 (R2012) "Trailer Running Gear"

Product: Trailer Running Gear for Use with Recreational Vehicles

Markings: 1. Trailer Running Gear: Products are marked in a legible and

permanent manner on each axle, or on a label firmly attached to the axle, with the following information in a location where readily

accessible for review after assembly:

- The name of the company that assembled the running gear
- b) The month and year during which work on the running gear was completed at the place of main assembly, or the serial number, in which case records shall be kept to permit determination of the month and year of manufacture
- c) The model or type designation
- d) Maximum load-carrying capacity (GAWR)
- e) Static loaded radius of the tires
- f) The wording "Tires, rims, and wheels shall comply with CMVTSS 109 and CMVSS 110; or CMVTSS 119 and CMVSS 120."
- g) The wording "Trailer running gear shall be equipped with tires having a static loaded radius that does not exceed by more than 10% the static loaded radius shown in the tire manufacturer's published data for the actual tire tested."
- h) Axle voltage rating
- i) Axle current rating
- j) The QAI logo with the 'C' identifier
- k) The QAI listing number: REC625-1
- I) The applicable standard: CAN3-D313
- m) The assembler's location (city, state)
- n) The following information shall be labelled on the brake assembly backing plate: a) Brake manufacturer's identification; b) Brake model designation; c) Lining



VANCOUVER, BC: LOS ANGELES, CA: TULSA, OK: TORONTO, ON WEBSITE: 877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 WWW.QAI.ORG

material friction code as stipulated in SAE recommended practice J866a or equivalent information to allow the fitting of correct replacement lining; d) Date code or serial number for traceability to date of manufacture; e) The wording "Recognized as a component for assembly with the complete running gear as described in QAI listing REC625-1"; and f) the QAI-Component logo with 'C' identifier.

Trailer Running Gear Plant Locations:

1	2703 College Avenue, Goshen, Indiana, 46516
2	1323 11th Avenue North, Nampa, Idaho, 83687
3	101 Mushroom Road, Waxahachie, Texas 75165

Models / Ratings:

Running Gear Model Name	Axle Capacity (Lbs)	Brake Size	Brake Lining Code(s)	Axle Type
LCI70-SB	7000	12x2	LCI-12-GG LCI-12-GGA	Sprung Axle
CURT70-SB	. 000	. = / \=	TRP-12-GGA	Sprang/and
LCI70-TB			LCI-12-GG	
CURT70-TB	7000	12x2	LCI-12-GGA	Torsion Axle
			TRP-12-GGA LCI-12-GG	
LCI60-SB	6000	12x2	LCI-12-GGA	Sprung Axle
CURT60-SB	0000	IZAZ	TRP-12-GGA	Opraing 7 tale
LCI60-TB			LCI-12-GG	
CURT60-TB	6000	12x2	LCI-12-GGA	Torsion Axle
OUNTED TE			TRP-12-GGA	
LCI52-SB	5000	40.0	LCI-12-GG	
CURT52-SB	5200	12x2	LCI-12-GGA	Sprung Axle
			TRP-12-GGA LCI-12-GG	
LCI52-TB	5200	12x2	LCI-12-GG LCI-12-GGA	Torsion Axle
CURT52-TB	3200	1212	TRP-12-GGA	TOISION AXIE
1 CI44 CD			LCI-10-GG	
LCI44-SB CURT44-SB	4400	10x2	LCI-10-GGA	Sprung Axle
CUN144-3B			TRP-10-GGA	
LCI44-TB			LCI-10-GG	
CURT44-TB	4400	10x2	LCI-10-GGA	Torsion Axle
001111112			TRP-10-GGA	
LCI35-SB	2500	400	LCI-10-GG	On
CURT35-SB	3500	10x2	LCI-10-GGA TRP-10-GGA	Sprung Axle
			LCI-10-GGA	
LCI35-TB	3500	10x2	LCI-10-GGA	Torsion Axle
CURT35-TB	0000	10/12	TRP-10-GGA	1 3131311 7 1010

Notes:

Trailer Running Gear are to be installed in accordance with the manufacturer's instructions. Suitability of the product in the intended application is to be determined by the recreational vehicle certifier or authority having jurisdiction.



VANCOUVER, BC: LOS ANGELES, CA: TULSA, OK: TORONTO, ON WEBSITE: 877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 WWW.QAI.ORG

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
