

## WINDOWS & DOORS LISTING PROGRAM

**Customer:** Century Glass (85) Ltd.  
**Class:** Fenestration Products – Energy Performance  
**Location:** Kamloops, British Columbia  
**Website:** [www.centuryglass.ca](http://www.centuryglass.ca)

**Listing No.** W418-10  
**Project No.** W418-10 ED8  
**Effective Date:** November 16, 2007  
**Last Revised Date:** August 12, 2022  
**Expires:** N/A

**Standards:** CSA A440.2-14 “Fenestration Energy Performance”

**Product:** Vinyl Windows

**Markings:** Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W418
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

### Models / Ratings:

#### 1648 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	CG-1648-PC-3,7036(2)-3,CL-13AR90SS	1.51	0.34	26
G02	CG-1648-PC-3,7036(2)-3,CL-13AR90SS-G1>1	1.59	0.33	24
G03	CG-1648-PC-3,7036(2)-3,IS20(4)-13AR90SS	1.27	0.33	31
G04	CG-1648-PC-3,7036(2)-3,IS20(4)-13AR90SS-G1>1	1.35	0.29	27
G05	CG-1648-PC-3,7036(2)-3,IS20(4)-13AR90SS-G2<1	1.33	0.31	29

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G06	CG-1648-PC-3,7036(2)-3,IS20(4)-13AR90SS-G3<1	1.31	0.35	31
G07	CG-1648-PC-3,7036(2)-3,7036(3)-13AR90SS	1.47	0.32	26
G08	CG-1648-PC-3,366(2)-3,CL-13AR90SS	1.48	0.24	21
G09	CG-1648-PC-3,366(2)-3,CL-13AR90SS-G1>1	1.57	0.21	18
G10	CG-1648-PC-3,366(2)-3,CL-13AR90SS-G2<1	1.54	0.22	19
G11	CG-1648-PC-3,366(2)-3,CL-13AR90SS-G3<1	1.52	0.23	20
G12	CG-1648-PC-3,7036(2)-3,CL-3,IS20(6)-8AR90SS	1.21	0.31	31
G13	CG-1648-PC-3,7036(2)-3,CL-3,7036(5)-8AR90SS	1.12	0.29	33
G14	CG-1648-PC-3,7036(2)-3,CL-3,CL-8AR90SS	1.39	0.32	28

### S3200 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	CG-S3200-PC-3,CL-3,CL-13AIREE	2.56	0.66	22
G02	CG-S3200-PC-3,7036(2)-3,CL-13AR90EE	1.44	0.33	28
G03	CG-S3200-PC-3,7036(2)-3,IS20(4)-13AR90EE	1.22	0.32	32
G04	CG-S3200-PC-3,7036(2)-3,7036(3)-13AR90EE	1.41	0.31	27
G05	CG-S3200-PC-3,366(2)-3,CL-13AR90EE	1.42	0.24	23
G06	CG-S3200-PC-3,366(2)-3,i89(4)-13AR90EE	1.17	0.23	28
G07	CG-S3200-PC-3,7036(2)-3,CL-13AR90EE-G1>1	1.44	0.27	24
G08	CG-S3200-PC-3,7036(2)-3,IS20-13AR90EE-G1>1	1.22	0.27	29
G09	CG-S3200-PC-3,366(2)-3,CL-13AR90EE-G1>1	1.42	0.20	20
G10	CG-S3200-PC-3,7036(2)-3,CL-3,IS20(6)-11AR90EE	1.00	0.30	35
G11	CG-S3200-PC-3,7036(2)-3,CL-3,7036(5)-11AR90EE	0.86	0.29	38
G12	CG-S3200-PC-3,7036(2)-3,CL-3,CL-11AR90EE	1.14	0.31	33
G13	CG-S3200-PC-3,7568(2)-3,CL-3,7036(5)-11AR90EE	0.90	0.37	42
G14	CG-S3200-PC-3,7036(2)-3,CL-3,7036(5)-6AR90EE	1.21	0.29	30
G15	CG-S3200-PC-4,7036(2)-4,CL-13AR90EE	1.45	0.33	27
G16	CG-S3200-PC-4,7036(2)-4,IS20(4)-13AR90EE	1.22	0.32	32
G17	CG-S3200-PC-4,7036(2)-4,7036(3)-13AR90EE	1.41	0.31	27
G18	CG-S3200-PC-4,366(2)-4,CL-13AR90EE	1.42	0.24	23
G19	CG-S3200-PC-4,366(2)-4,i89(4)-13AR90EE	1.18	0.23	27
G20	CG-S3200-PC-4,7036(2)-4,CL-13AR90EE-G1>1	1.45	0.27	24
G21	CG-S3200-PC-4,7036(2)-4,IS20-13AR90EE-G1>1	1.22	0.26	28
G22	CG-S3200-PC-4,366(2)-4,CL-13AR90EE-G1>1	1.42	0.20	20
G23	CG-S3200-PC-4,7036(2)-4,CL-4,IS20(6)-11AR90EE	1.00	0.30	35
G24	CG-S3200-PC-4,7036(2)-4,CL-4,7036(5)-11AR90EE	0.86	0.28	37
G25	CG-S3200-PC-4,7036(2)-4,CL-4,CL-11AR90EE	1.14	0.31	33
G26	CG-S3200-PC-3,270(2)-3,CL-13AR90EE	1.44	0.32	27
G27	CG-S3200-PC-3,270(2)-3,i89(4)-13AR90EE	1.19	0.31	32
G28	CG-S3200-PC-3,270(2)-3,CL-13AR90EE-G1>1	1.44	0.26	23
G29	CG-S3200-PC-3,270(2)-3,i89(4)-13AR90EE-G1>1	1.19	0.26	29
G30	CG-S3200-PC-3,366(2)-3,i89(4)-13AR90EE-G1>1	1.17	0.19	25
G31	CG-S3200-PC-3,270(2)-3,CL-3,CL-6AR90EE	1.47	0.30	25
G32	CG-S3200-PC-3,366(2)-3,CL-3,CL-6AR90EE	1.46	0.22	21
G33	CG-S3200-PC-3,270(2)-3,CL-3,i89(6)-6AR90EE	1.24	0.29	30
G34	CG-S3200-PC-3,366(2)-3,CL-3,i89(6)-6AR90EE	1.23	0.22	26
G35	CG-S3200-PC-3,270(2)-3,CL-3,270(5)-6AR90EE	1.21	0.27	29
G36	CG-S3200-PC-4,270(2)-4,CL-14AR90EE	1.46	0.32	26

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G37	CG-S3200-PC-4,270(2)-4,i89(4)-14AR90EE	1.20	0.31	32
G38	CG-S3200-PC-4,270(2)-4,CL-14AR90EE-G1>1	1.46	0.26	23
G39	CG-S3200-PC-4,270(2)-4,i89(4)-14AR90EE-G1>1	1.20	0.25	28
G40	CG-S3200-PC-4,366(2)-4,i89(4)-14AR90EE-G1>1	1.18	0.19	25
G41	CG-S3200-PC-4,270(2)-4,CL-4,CL-5AR90EE	1.68	0.30	21
G42	CG-S3200-PC-4,366(2)-4,CL-4,CL-5AR90EE	1.67	0.23	17
G43	CG-S3200-PC-4,270(2)-4,CL-4,i89(6)-5AR90EE	1.39	0.29	26
G44	CG-S3200-PC-4,366(2)-4,CL-4,i89(6)-5AR90EE	1.38	0.22	22
G45	CG-S3200-PC-4,270(2)-4,CL-4,270(5)-5AR90EE	1.43	0.27	24
G46	CG-S3200-PC-5,270(2)-5,CL-13AR90EE	1.44	0.31	26
G47	CG-S3200-PC-5,366(2)-5,CL-13AR90EE	1.42	0.24	23
G48	CG-S3200-PC-5,270(2)-5,i89(4)-13AR90EE	1.20	0.31	32
G49	CG-S3200-PC-5,366(2)-5,i89(4)-13AR90EE	1.17	0.23	28
G50	CG-S3200-PC-5,270(2)-5,CL-13AR90EE-G1>1	1.44	0.26	23
G51	CG-S3200-PC-5,366(2)-5,CL-13AR90EE-G1>1	1.42	0.20	20
G52	CG-S3200-PC-5,270(2)-5,i89(4)-13AR90EE-G1>1	1.20	0.25	28
G53	CG-S3200-PC-5,366(2)-5,i89(4)-13AR90EE-G1>1	1.17	0.19	25

### S3800 Series Casement Window

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	CG-S3800-CA-3,CL-3,CL-13AIREE	2.23	0.48	19
G02	CG-S3800-CA-3,7036(2)-3,CL-13AR90EE	1.43	0.25	23
G03	CG-S3800-CA-3,7036(2)-3,IS20(4)-13AR90EE	1.27	0.24	26
G04	CG-S3800-CA-3,7036(2)-3,7036(3)-13AR90EE	1.41	0.23	22
G05	CG-S3800-CA-3,366(2)-3,CL-13AR90EE	1.41	0.18	19
G06	CG-S3800-CA-3,366(2)-3,i89(4)-13AR90EE	1.24	0.17	22
G07	CG-S3800-CA-3,7036(2)-3,CL-13AR90EE-G1>1	1.43	0.20	20
G08	CG-S3800-CA-3,7036(2)-3,IS20-13AR90EE-G1>1	1.27	0.20	24
G09	CG-S3800-CA-3,366(2)-3,CL-13AR90EE-G1>1	1.41	0.15	18
G10	CG-S3800-CA-3,7036(2)-3,CL-3,IS20(6)-11AR90EE	1.10	0.22	28
G11	CG-S3800-CA-3,7036(2)-3,CL-3,7036(5)-11AR90EE	1.00	0.21	30
G12	CG-S3800-CA-3,7036(2)-3,CL-3,CL-11AR90EE	1.20	0.23	27
G13	CG-S3800-CA-3,7568(2)-3,CL-3,7036(5)-11AR90EE	1.03	0.27	33
G14	CG-S3800-CA-3,7036(2)-3,CL-3,7036(5)-6AR90EE	1.27	0.21	24
G15	CG-S3800-CA-4,7036(2)-4,CL-13AR90EE	1.44	0.24	22
G16	CG-S3800-CA-4,7036(2)-4,IS20(4)-13AR90EE	1.28	0.24	26
G17	CG-S3800-CA-4,7036(2)-4,7036(3)-13AR90EE	1.41	0.23	22
G18	CG-S3800-CA-4,366(2)-4,CL-13AR90EE	1.42	0.18	19
G19	CG-S3800-CA-4,366(2)-4,i89(4)-13AR90EE	1.24	0.17	22
G20	CG-S3800-CA-4,7036(2)-4,CL-13AR90EE-G1>1	1.44	0.20	20
G21	CG-S3800-CA-4,7036(2)-4,IS20-13AR90EE-G1>1	1.28	0.20	23
G22	CG-S3800-CA-4,366(2)-4,CL-13AR90EE-G1>1	1.42	0.15	17
G23	CG-S3800-CA-4,7036(2)-4,CL-4,IS20(6)-11AR90EE	1.10	0.22	28
G24	CG-S3800-CA-4,7036(2)-4,CL-4,7036(5)-11AR90EE	1.01	0.21	30
G25	CG-S3800-CA-4,7036(2)-4,CL-4,CL-11AR90EE	1.20	0.23	27
G26	CG-S3800-CA-3,270(2)-3,CL-13AR90EE	1.43	0.24	22
G27	CG-S3800-CA-3,270(2)-3,i89(4)-13AR90EE	1.26	0.23	25
G28	CG-S3800-CA-3,270(2)-3,CL-13AR90EE-G1>1	1.43	0.21	21

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G29	CG-S3800-CA-3,270(2)-3,i89(4)-13AR90EE-G1>1	1.26	0.21	24
G30	CG-S3800-CA-3,366(2)-3,i89(4)-13AR90EE-G1>1	1.24	0.16	22
G31	CG-S3800-CA-3,270(2)-3,CL-3,CL-6AR90EE	1.46	0.22	21
G32	CG-S3800-CA-3,366(2)-3,CL-3,CL-6AR90EE	1.45	0.17	18
G33	CG-S3800-CA-3,270(2)-3,CL-3,i89(6)-6AR90EE	1.29	0.21	24
G34	CG-S3800-CA-3,366(2)-3,CL-3,i89(6)-6AR90EE	1.28	0.16	21
G35	CG-S3800-CA-3,270(2)-3,CL-3,270(5)-6AR90EE	1.27	0.20	24
G36	CG-S3800-CA-4,270(2)-4,CL-14AR90EE	1.46	0.23	21
G37	CG-S3800-CA-4,270(2)-4,i89(4)-14AR90EE	1.27	0.23	25
G38	CG-S3800-CA-4,270(2)-4,CL-14AR90EE-G1>1	1.46	0.21	20
G39	CG-S3800-CA-4,270(2)-4,i89(4)-14AR90EE-G1>1	1.27	0.21	24
G40	CG-S3800-CA-4,366(2)-4,i89(4)-14AR90EE-G1>1	1.25	0.16	22
G41	CG-S3800-CA-4,270(2)-4,CL-4,CL-5AR90EE	1.62	0.22	17
G42	CG-S3800-CA-4,366(2)-4,CL-4,CL-5AR90EE	1.61	0.17	14
G43	CG-S3800-CA-4,270(2)-4,CL-4,i89(6)-5AR90EE	1.41	0.21	21
G44	CG-S3800-CA-4,366(2)-4,CL-4,i89(6)-5AR90EE	1.40	0.16	18
G45	CG-S3800-CA-4,270(2)-4,CL-4,270(5)-5AR90EE	1.44	0.20	20
G46	CG-S3800-CA-5,270(2)-5,CL-13AR90EE	1.45	0.23	21
G47	CG-S3800-CA-5,366(2)-5,CL-13AR90EE	1.43	0.18	19
G48	CG-S3800-CA-5,270(2)-5,i89(4)-13AR90EE	1.27	0.23	25
G49	CG-S3800-CA-5,366(2)-5,i89(4)-13AR90EE	1.25	0.17	22
G50	CG-S3800-CA-5,270(2)-5,CL-13AR90EE-G1>1	1.45	0.21	20
G51	CG-S3800-CA-5,366(2)-5,CL-13AR90EE-G1>1	1.43	0.16	18
G52	CG-S3800-CA-5,270(2)-5,i89(4)-13AR90EE-G1>1	1.27	0.21	24
G53	CG-S3800-CA-5,366(2)-5,i89(4)-13AR90EE-G1>1	1.25	0.16	22

### S3800 Series Awning Window

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	CG-S3800-AW-3,CL-3,CL-13AIREE	2.27	0.48	18
G02	CG-S3800-AW-3,7036(2)-3,CL-13AR90EE	1.44	0.25	23
G03	CG-S3800-AW-3,7036(2)-3,IS20(4)-13AR90EE	1.30	0.24	25
G04	CG-S3800-AW-3,7036(2)-3,7036(3)-13AR90EE	1.42	0.23	22
G05	CG-S3800-AW-3,366(2)-3,CL-13AR90EE	1.43	0.18	19
G06	CG-S3800-AW-3,366(2)-3,i89(4)-13AR90EE	1.27	0.17	22
G07	CG-S3800-AW-3,7036(2)-3,CL-13AR90EE-G1>1	1.45	0.20	20
G08	CG-S3800-AW-3,7036(2)-3,IS20-13AR90EE-G1>1	1.30	0.20	23
G09	CG-S3800-AW-3,366(2)-3,CL-13AR90EE-G1>1	1.43	0.15	17
G10	CG-S3800-AW-3,7036(2)-3,CL-3,IS20(6)-11AR90EE	1.12	0.22	28
G11	CG-S3800-AW-3,7036(2)-3,CL-3,7036(5)-11AR90EE	1.01	0.21	30
G12	CG-S3800-AW-3,7036(2)-3,CL-3,CL-11AR90EE	1.22	0.23	26
G13	CG-S3800-AW-3,7568(2)-3,CL-3,7036(5)-11AR90EE	1.04	0.28	33
G14	CG-S3800-AW-3,7036(2)-3,CL-3,7036(5)-6AR90EE	1.28	0.21	24
G15	CG-S3800-AW-4,7036(2)-4,CL-13AR90EE	1.45	0.24	22
G16	CG-S3800-AW-4,7036(2)-4,IS20(4)-13AR90EE	1.31	0.24	25
G17	CG-S3800-AW-4,7036(2)-4,7036(3)-13AR90EE	1.43	0.23	22
G18	CG-S3800-AW-4,366(2)-4,CL-13AR90EE	1.43	0.18	19
G19	CG-S3800-AW-4,366(2)-4,i89(4)-13AR90EE	1.28	0.17	22
G20	CG-S3800-AW-4,7036(2)-4,CL-13AR90EE-G1>1	1.45	0.20	20

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G21	CG-S3800-AW-4,7036(2)-4,IS20-13AR90EE-G1>1	1.31	0.20	23
G22	CG-S3800-AW-4,366(2)-4,CL-13AR90EE-G1>1	1.43	0.15	17
G23	CG-S3800-AW-4,7036(2)-4,CL-4,IS20(6)-11AR90EE	1.12	0.22	28
G24	CG-S3800-AW-4,7036(2)-4,CL-4,7036(5)-11AR90EE	1.01	0.21	30
G25	CG-S3800-AW-4,7036(2)-4,CL-4,CL-11AR90EE	1.22	0.23	26
G26	CG-S3800-AW-3,270(2)-3,CL-13AR90EE	1.45	0.24	22
G27	CG-S3800-AW-3,270(2)-3,i89(4)-13AR90EE	1.29	0.23	25
G28	CG-S3800-AW-3,270(2)-3,CL-13AR90EE-G1>1	1.45	0.22	21
G29	CG-S3800-AW-3,270(2)-3,i89(4)-13AR90EE-G1>1	1.29	0.21	24
G30	CG-S3800-AW-3,366(2)-3,i89(4)-13AR90EE-G1>1	1.27	0.16	21
G31	CG-S3800-AW-3,270(2)-3,CL-3,CL-6AR90EE	1.47	0.22	20
G32	CG-S3800-AW-3,366(2)-3,CL-3,CL-6AR90EE	1.46	0.17	18
G33	CG-S3800-AW-3,270(2)-3,CL-3,i89(6)-6AR90EE	1.32	0.22	24
G34	CG-S3800-AW-3,366(2)-3,CL-3,i89(6)-6AR90EE	1.31	0.16	20
G35	CG-S3800-AW-3,270(2)-3,CL-3,270(5)-6AR90EE	1.28	0.20	23
G36	CG-S3800-AW-4,270(2)-4,CL-14AR90EE	1.47	0.23	21
G37	CG-S3800-AW-4,270(2)-4,i89(4)-14AR90EE	1.30	0.23	25
G38	CG-S3800-AW-4,270(2)-4,CL-14AR90EE-G1>1	1.47	0.21	20
G39	CG-S3800-AW-4,270(2)-4,i89(4)-14AR90EE-G1>1	1.30	0.21	24
G40	CG-S3800-AW-4,366(2)-4,i89(4)-14AR90EE-G1>1	1.28	0.16	21
G41	CG-S3800-AW-4,270(2)-4,CL-4,CL-5AR90EE	1.63	0.22	17
G42	CG-S3800-AW-4,366(2)-4,CL-4,CL-5AR90EE	1.63	0.17	14
G43	CG-S3800-AW-4,270(2)-4,CL-4,i89(6)-5AR90EE	1.44	0.21	20
G44	CG-S3800-AW-4,366(2)-4,CL-4,i89(6)-5AR90EE	1.44	0.16	18
G45	CG-S3800-AW-4,270(2)-4,CL-4,270(5)-5AR90EE	1.45	0.20	20
G46	CG-S3800-AW-5,270(2)-5,CL-13AR90EE	1.46	0.23	21
G47	CG-S3800-AW-5,366(2)-5,CL-13AR90EE	1.44	0.18	19
G48	CG-S3800-AW-5,270(2)-5,i89(4)-13AR90EE	1.30	0.23	25
G49	CG-S3800-AW-5,366(2)-5,i89(4)-13AR90EE	1.28	0.17	22
G50	CG-S3800-AW-5,270(2)-5,CL-13AR90EE-G1>1	1.46	0.21	20
G51	CG-S3800-AW-5,366(2)-5,CL-13AR90EE-G1>1	1.44	0.16	18
G52	CG-S3800-AW-5,270(2)-5,i89(4)-13AR90EE-G1>1	1.30	0.21	24
G53	CG-S3800-AW-5,366(2)-5,i89(4)-13AR90EE-G1>1	1.28	0.16	21

### **S3700 Series Single Sliding Window**

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	CG-S3700-SS-3,CL-3,CL-13AIREE	2.55	0.58	17
G02	CG-S3700-SS-3,7036(2)-3,CL-13AR90EE	1.57	0.29	22
G03	CG-S3700-SS-3,7036(2)-3,IS20(4)-13AR90EE	1.38	0.29	26
G04	CG-S3700-SS-3,7036(2)-3,7036(3)-13AR90EE	1.54	0.28	22
G05	CG-S3700-SS-3,366(2)-3,CL-13AR90EE	1.54	0.21	18
G06	CG-S3700-SS-3,366(2)-3,i89(4)-13AR90EE	1.34	0.21	22
G07	CG-S3700-SS-3,7036(2)-3,CL-13AR90EE-G1>1	1.57	0.24	19
G08	CG-S3700-SS-3,7036(2)-3,IS20-13AR90EE-G1>1	1.38	0.23	23
G09	CG-S3700-SS-3,366(2)-3,CL-13AR90EE-G1>1	1.55	0.17	15
G10	CG-S3700-SS-3,7036(2)-3,CL-3,7036(5)-6AR90EE	1.36	0.25	24
G11	CG-S3700-SS-4,7036(2)-4,CL-13AR90EE	1.58	0.29	22
G12	CG-S3700-SS-4,7036(2)-4,IS20(4)-13AR90EE	1.39	0.28	25



Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G13	CG-S3700-SS-4,7036(2)-4,7036(3)-13AR90EE	1.55	0.27	21
G14	CG-S3700-SS-4,366(2)-4,CL-13AR90EE	1.55	0.21	18
G15	CG-S3700-SS-4,366(2)-4,i89(4)-13AR90EE	1.35	0.21	22
G16	CG-S3700-SS-4,7036(2)-4,CL-13AR90EE-G1>1	1.58	0.24	19
G17	CG-S3700-SS-4,7036(2)-4,IS20-13AR90EE-G1>1	1.39	0.23	22
G18	CG-S3700-SS-4,366(2)-4,CL-13AR90EE-G1>1	1.55	0.27	15
G19	CG-S3700-SS-3,7036(2)-3,CL-3,IS20(6)-6AR90EE	1.42	0.21	21
G20	CG-S3700-SS-3,7036(2)-3,CL-3,CL-6AR90EE	1.59	0.22	17
G21	CG-S3700-SS-3,7568(2)-3,CL-3,7036(5)-6AR90EE	1.40	0.20	25
G22	CG-S3700-SS-4,7036(2)-4,CL-4,IS20(6)-6AR90EE	1.42	0.21	21
G23	CG-S3700-SS-4,7036(2)-4,CL-4,7036(5)-6AR90EE	1.37	0.20	21
G24	CG-S3700-SS-4,7036(2)-4,CL-4,CL-6AR90EE	1.60	0.22	17
G25	CG-S3700-SS-3,270(2)-3,CL-13AR90EE	1.57	0.28	21
G26	CG-S3700-SS-3,270(2)-3,i89(4)-13AR90EE	1.36	0.28	26
G27	CG-S3700-SS-3,270(2)-3,CL-13AR90EE-G1>1	1.57	0.25	20
G28	CG-S3700-SS-3,270(2)-3,i89(4)-13AR90EE-G1>1	1.36	0.25	24
G29	CG-S3700-SS-3,366(2)-3,i89(4)-13AR90EE-G1>1	1.34	0.19	21
G30	CG-S3700-SS-3,270(2)-3,CL-3,CL-6AR90EE	1.60	0.26	20
G31	CG-S3700-SS-3,366(2)-3,CL-3,CL-6AR90EE	1.58	0.20	17
G32	CG-S3700-SS-3,270(2)-3,CL-3,i89(6)-6AR90EE	1.40	0.26	24
G33	CG-S3700-SS-3,366(2)-3,CL-3,i89(6)-6AR90EE	1.39	0.19	20
G34	CG-S3700-SS-3,270(2)-3,CL-3,270(5)-6AR90EE	1.37	0.24	23
G35	CG-S3700-SS-4,270(2)-4,CL-14AR90EE	1.59	0.28	21
G36	CG-S3700-SS-4,270(2)-4,i89(4)-14AR90EE	1.37	0.27	25
G37	CG-S3700-SS-4,270(2)-4,CL-14AR90EE-G1>1	1.59	0.25	19
G38	CG-S3700-SS-4,270(2)-4,i89(4)-14AR90EE-G1>1	1.37	0.25	24
G39	CG-S3700-SS-4,366(2)-4,i89(4)-14AR90EE-G1>1	1.35	0.19	21
G40	CG-S3700-SS-4,270(2)-4,CL-4,CL-5AR90EE	1.79	0.26	15
G41	CG-S3700-SS-4,366(2)-4,CL-4,CL-5AR90EE	1.78	0.20	12
G42	CG-S3700-SS-4,270(2)-4,CL-4,i89(6)-5AR90EE	1.54	0.25	20
G43	CG-S3700-SS-4,366(2)-4,CL-4,i89(6)-5AR90EE	1.53	0.19	17
G44	CG-S3700-SS-4,270(2)-4,CL-4,270(5)-5AR90EE	1.57	0.19	16
G45	CG-S3700-SS-5,270(2)-5,CL-13AR90EE	1.58	0.24	19
G46	CG-S3700-SS-5,366(2)-5,CL-13AR90EE	1.55	0.28	22
G47	CG-S3700-SS-5,270(2)-5,i89(4)-13AR90EE	1.37	0.21	22
G48	CG-S3700-SS-5,366(2)-5,i89(4)-13AR90EE	1.35	0.27	26
G49	CG-S3700-SS-5,270(2)-5,CL-13AR90EE-G1>1	1.58	0.21	17
G50	CG-S3700-SS-5,366(2)-5,CL-13AR90EE-G1>1	1.55	0.25	20
G51	CG-S3700-SS-5,270(2)-5,i89(4)-13AR90EE-G1>1	1.37	0.19	21
G52	CG-S3700-SS-5,366(2)-5,i89(4)-13AR90EE-G1>1	1.35	0.19	21

### S3700 Series Single Hung Window

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	CG-S3700-SH-3,CL-3,CL-13AIREE	2.55	0.58	17
G02	CG-S3700-SH-3,7036(2)-3,CL-13AR90EE	1.58	0.29	21
G03	CG-S3700-SH-3,7036(2)-3,IS20(4)-13AR90EE	1.38	0.29	26
G04	CG-S3700-SH-3,7036(2)-3,7036(3)-13AR90EE	1.55	0.28	22
G05	CG-S3700-SH-3,366(2)-3,CL-13AR90EE	1.56	0.21	17

Glass / Grille Option #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G06	CG-S3700-SH-3,366(2)-3,i89(4)-13AR90EE	1.34	0.21	22
G07	CG-S3700-SH-3,7036(2)-3,CL-13AR90EE-G1>1	1.58	0.24	19
G08	CG-S3700-SH-3,7036(2)-3,IS20-13AR90EE-G1>1	1.38	0.23	22
G09	CG-S3700-SH-3,366(2)-3,CL-13AR90EE-G1>1	1.56	0.17	15
G10	CG-S3700-SH-3,7036(2)-3,CL-3,7036(5)-6AR90EE	1.37	0.25	24
G11	CG-S3700-SH-4,7036(2)-4,CL-13AR90EE	1.58	0.29	21
G12	CG-S3700-SH-4,7036(2)-4,IS20(4)-13AR90EE	1.39	0.28	25
G13	CG-S3700-SH-4,7036(2)-4,7036(3)-13AR90EE	1.55	0.27	21
G14	CG-S3700-SH-4,366(2)-4,CL-13AR90EE	1.56	0.21	17
G15	CG-S3700-SH-4,366(2)-4,i89(4)-13AR90EE	1.35	0.21	22
G16	CG-S3700-SH-4,7036(2)-4,CL-13AR90EE-G1>1	1.58	0.24	19
G17	CG-S3700-SH-4,7036(2)-4,IS20-13AR90EE-G1>1	1.39	0.23	22
G18	CG-S3700-SH-4,366(2)-4,CL-13AR90EE-G1>1	1.56	0.17	15
G19	CG-S3700-SH-3,7036(2)-3,CL-3,IS20(6)-6AR90EE	1.41	0.21	21
G20	CG-S3700-SH-3,7036(2)-3,CL-3,CL-6AR90EE	1.59	0.22	17
G21	CG-S3700-SH-3,7568(2)-3,CL-3,7036(5)-6AR90EE	1.36	0.27	25
G22	CG-S3700-SH-4,7036(2)-4,CL-4,IS20(6)-6AR90EE	1.41	0.21	21
G23	CG-S3700-SH-4,7036(2)-4,CL-4,7036(5)-6AR90EE	1.37	0.20	21
G24	CG-S3700-SH-4,7036(2)-4,CL-4,CL-6AR90EE	1.59	0.22	17
G25	CG-S3700-SH-3,270(2)-3,CL-13AR90EE	1.58	0.28	21
G26	CG-S3700-SH-3,270(2)-3,i89(4)-13AR90EE	1.37	0.28	26
G27	CG-S3700-SH-3,270(2)-3,CL-13AR90EE-G1>1	1.58	0.25	19
G28	CG-S3700-SH-3,270(2)-3,i89(4)-13AR90EE-G1>1	1.37	0.25	24
G29	CG-S3700-SH-3,366(2)-3,i89(4)-13AR90EE-G1>1	1.35	0.19	21
G30	CG-S3700-SH-3,270(2)-3,CL-3,CL-6AR90EE	1.61	0.26	19
G31	CG-S3700-SH-3,366(2)-3,CL-3,CL-6AR90EE	1.59	0.20	16
G32	CG-S3700-SH-3,270(2)-3,CL-3,i89(6)-6AR90EE	1.40	0.26	24
G33	CG-S3700-SH-3,366(2)-3,CL-3,i89(6)-6AR90EE	1.40	0.19	20
G34	CG-S3700-SH-3,270(2)-3,CL-3,270(5)-6AR90EE	1.38	0.24	23
G35	CG-S3700-SH-4,270(2)-4,CL-14AR90EE	1.60	0.28	20
G36	CG-S3700-SH-4,270(2)-4,i89(4)-14AR90EE	1.37	0.27	25
G37	CG-S3700-SH-4,270(2)-4,CL-14AR90EE-G1>1	1.60	0.25	19
G38	CG-S3700-SH-4,270(2)-4,i89(4)-14AR90EE-G1>1	1.37	0.25	24
G39	CG-S3700-SH-4,366(2)-4,i89(4)-14AR90EE-G1>1	1.36	0.19	21
G40	CG-S3700-SH-4,270(2)-4,CL-4,CL-5AR90EE	1.80	0.26	15
G41	CG-S3700-SH-4,366(2)-4,CL-4,CL-5AR90EE	1.79	0.20	12
G42	CG-S3700-SH-4,270(2)-4,CL-4,i89(6)-5AR90EE	1.54	0.25	20
G43	CG-S3700-SH-4,366(2)-4,CL-4,i89(6)-5AR90EE	1.53	0.19	17
G44	CG-S3700-SH-4,270(2)-4,CL-4,270(5)-5AR90EE	1.58	0.24	19
G45	CG-S3700-SH-5,270(2)-5,CL-13AR90EE	1.59	0.28	21
G46	CG-S3700-SH-5,366(2)-5,CL-13AR90EE	1.56	0.21	17
G47	CG-S3700-SH-5,270(2)-5,i89(4)-13AR90EE	1.37	0.27	25
G48	CG-S3700-SH-5,366(2)-5,i89(4)-13AR90EE	1.35	0.21	22
G49	CG-S3700-SH-5,270(2)-5,CL-13AR90EE-G1>1	1.59	0.25	19
G50	CG-S3700-SH-5,366(2)-5,CL-13AR90EE-G1>1	1.56	0.19	16
G51	CG-S3700-SH-5,270(2)-5,i89(4)-13AR90EE-G1>1	1.37	0.24	23
G52	CG-S3700-SH-5,366(2)-5,i89(4)-13AR90EE-G1>1	1.35	0.19	21

**Notes:**

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.