

WINDOWS & DOORS LISTING PROGRAM

Customer: Berdick Manufacturing Pacific Ltd.
Class: Fenestration Products – Energy Performance
Location: Penticton, British Columbia
Website: www.berdickwindows.com

Listing No. W440-11
Project No. W440-11 ED13
Effective Date: April 9, 2009
Last Revised Date: October 15, 2022
Expires: N/A

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W440
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

2545 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-2545PC-3,272(2)-3,CL-3,272(5)-13AR90SE	0.83	0.31	40
G02	BRDK-2545PC-3,272(2)-3,CL-3,272(5)-13AR90SE-G1<1	0.83	0.28	38
G03	BRDK-2545PC-3,272(2)-3,CL-3,272(5)-13AR90SE-G2>1	0.83	0.25	36
G04	BRDK-2545PC-4,272(2)-4,CL-4,272(5)-12AR90SE	0.87	0.30	38
G05	BRDK-2545PC-4,272(2)-4,CL-4,272(5)-12AR90SE-G1<1	0.88	0.28	37

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G06	BRDK-2545PC-4,272(2)-4,CL-4,272(5)-12AR90SE-G2>1	0.89	0.25	35
G07	BRDK-2545PC-5,272(2)-5,272(3)-12AR90SE	1.43	0.33	28
G08	BRDK-2545PC-5,272(2)-5,272(3)-12AR90SE-G1<1	1.43	0.30	26
G09	BRDK-2545PC-5,272(2)-5,272(3)-12AR90SE-G2>1	1.43	0.27	24
G10	BRDK-2545PC-5,272(2)-5,i89(4)-12AR90SE	1.21	0.35	34
G11	BRDK-2545PC-5,272(2)-5,i89(4)-12AR90SE-G1<1	1.21	0.32	32
G12	BRDK-2545PC-5,272(2)-5,i89(4)-12AR90SE-G2>1	1.21	0.29	30
G13	BRDK-2545PC-5,272(2)-5,CL-5,272(5)-10AR90SE	0.94	0.30	37
G14	BRDK-2545PC-5,272(2)-5,CL-5,272(5)-10AR90SE-G1<1	1.01	0.27	33
G15	BRDK-2545PC-5,272(2)-5,CL-5,272(5)-10AR90SE-G2>1	1.03	0.25	32
G16	BRDK-2545PC-3,7036(2)-3,CL-13AR90DL	1.45	0.34	28
G17	BRDK-2545PC-3,7036(2)-3,CL-13AR90DL-G1<1	1.45	0.31	26
G18	BRDK-2545PC-3,7036(2)-3,CL-13AR90DL-G2>1	1.45	0.28	24
G19	BRDK-2545PC-3,7036(2)-3,CL-13AR90DS	1.50	0.34	27
G20	BRDK-2545PC-3,7036(2)-3,CL-13AR90DS-G1<1	1.50	0.31	25
G21	BRDK-2545PC-3,7036(2)-3,CL-13AR90DS-G2>1	1.50	0.28	23
G22	BRDK-2545PC-3,7036(2)-3,i89(4)-13AR90DL	1.19	0.33	33
G23	BRDK-2545PC-3,7036(2)-3,i89(4)-13AR90DL-G1<1	1.19	0.30	31
G24	BRDK-2545PC-3,7036(2)-3,i89(4)-13AR90DL-G2>1	1.19	0.27	30
G25	BRDK-2545PC-3,7036(2)-3,i89(4)-13AR90DS	1.23	0.33	32
G26	BRDK-2545PC-3,7036(2)-3,i89(4)-13AR90DS-G1<1	1.23	0.30	30
G27	BRDK-2545PC-3,7036(2)-3,i89(4)-13AR90DS-G2>1	1.23	0.27	29
G28	BRDK-2545PC-4,7036(2)-4,CL-14AR90DL	1.46	0.33	27
G29	BRDK-2545PC-4,7036(2)-4,CL-14AR90DL-G1<1	1.46	0.30	25
G30	BRDK-2545PC-4,7036(2)-4,CL-14AR90DL-G2>1	1.46	0.27	24
G31	BRDK-2545PC-4,7036(2)-4,CL-14AR90DS	1.51	0.33	26
G32	BRDK-2545PC-4,7036(2)-4,CL-14AR90DS-G1<1	1.51	0.30	24
G33	BRDK-2545PC-4,7036(2)-4,CL-14AR90DS-G2>1	1.51	0.27	23
G34	BRDK-2545PC-4,7036(2)-4,i89(4)-13AR90DL	1.20	0.33	33
G35	BRDK-2545PC-4,7036(2)-4,i89(4)-13AR90DL-G1<1	1.20	0.30	31
G36	BRDK-2545PC-4,7036(2)-4,i89(4)-13AR90DL-G2>1	1.20	0.27	29
G37	BRDK-2545PC-4,7036(2)-4,i89(4)-13AR90DS	1.25	0.33	32
G38	BRDK-2545PC-4,7036(2)-4,i89(4)-13AR90DS-G1<1	1.25	0.30	30
G39	BRDK-2545PC-4,7036(2)-4,i89(4)-13AR90DS-G2>1	1.25	0.27	28
G40	BRDK-2545PC-3,272(2)-3,CL-3,272(5)-13AR90TG	0.90	0.31	38
G41	BRDK-2545PC-3,272(2)-3,CL-3,272(5)-13AR90TG-G1<1	0.90	0.28	36
G42	BRDK-2545PC-3,272(2)-3,CL-3,272(5)-13AR90TG-G2>1	0.90	0.25	35
G43	BRDK-2545PC-4,272(2)-4,CL-4,272(5)-13AR90TG	0.91	0.30	37
G44	BRDK-2545PC-4,272(2)-4,CL-4,272(5)-13AR90TG-G1<1	0.91	0.28	36
G45	BRDK-2545PC-4,272(2)-4,CL-4,272(5)-13AR90TG-G2>1	0.91	0.25	35
G46	BRDK-2545PC-5,272(2)-5,CL-5,272(5)-10AR90TG	1.03	0.30	35
G47	BRDK-2545PC-5,272(2)-5,CL-5,272(5)-10AR90TG-G1<1	1.05	0.27	33
G48	BRDK-2545PC-5,272(2)-5,CL-5,272(5)-10AR90TG-G2>1	1.06	0.25	31
G49	BRDK-2545PC-3,272(2)-3,i89(4)-13AR90TG	1.26	0.36	33
G50	BRDK-2545PC-3,272(2)-3,i89(4)-13AR90TG-G1<1	1.26	0.32	31
G51	BRDK-2545PC-3,272(2)-3,i89(4)-13AR90TG-G2>1	1.26	0.29	29
G52	BRDK-2545PC-5,272(2)-5,i89(4)-13AR90TG	1.26	0.35	33
G53	BRDK-2545PC-5,272(2)-5,i89(4)-13AR90TG-G1<1	1.26	0.32	31
G54	BRDK-2545PC-5,272(2)-5,i89(4)-13AR90TG-G2>1	1.26	0.29	29
G55	BRDK-2545PC-3,272(2)-3,CL-13AR90DL	1.48	0.37	29
G56	BRDK-2545PC-3,272(2)-3,CL-13AR90DL-G1<1	1.48	0.33	27
G57	BRDK-2545PC-3,272(2)-3,CL-13AR90DL-G2>1	1.48	0.30	25
G58	BRDK-2545PC-3,272(2)-3,i89(4)-13AR90DL	1.22	0.36	34
G59	BRDK-2545PC-3,272(2)-3,i89(4)-13AR90DL-G1<1	1.22	0.32	32
G60	BRDK-2545PC-3,272(2)-3,i89(4)-13AR90DL-G2>1	1.22	0.29	30
G61	BRDK-2545PC-4,272(2)-4,CL-13AR90DL	1.48	0.36	28

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G62	BRDK-2545PC-4,272(2)-4,CL-13AR90DL-G1<1	1.48	0.33	27
G63	BRDK-2545PC-4,272(2)-4,CL-13AR90DL-G2>1	1.48	0.29	24
G64	BRDK-2545PC-4,272(2)-5,i89(4)-13AR90DL	1.22	0.35	33
G65	BRDK-2545PC-4,272(2)-5,i89(4)-13AR90DL-G1<1	1.22	0.32	32
G66	BRDK-2545PC-4,272(2)-5,i89(4)-13AR90DL-G2>1	1.22	0.29	30

2600 Series Casement Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-2600CA-3,272(2)-3,CL-3,272(5)-13AR90SE	0.92	0.24	34
G02	BRDK-2600CA-3,272(2)-3,CL-3,272(5)-13AR90SE-G1<1	0.92	0.22	32
G03	BRDK-2600CA-3,272(2)-3,CL-3,272(5)-13AR90SE-G2>1	0.92	0.20	31
G04	BRDK-2600CA-4,272(2)-4,CL-4,272(5)-12AR90SE	0.96	0.23	32
G05	BRDK-2600CA-4,272(2)-4,CL-4,272(5)-12AR90SE-G1<1	0.97	0.21	31
G06	BRDK-2600CA-4,272(2)-4,CL-4,272(5)-12AR90SE-G2>1	0.97	0.19	30
G07	BRDK-2600CA-3,7036(2)-3,CL-13AR90DL	1.40	0.26	24
G08	BRDK-2600CA-3,7036(2)-3,CL-13AR90DL-G1<1	1.40	0.23	22
G09	BRDK-2600CA-3,7036(2)-3,CL-13AR90DL-G2>1	1.40	0.21	21
G10	BRDK-2600CA-3,7036(2)-3,CL-13AR90DS	1.47	0.26	23
G11	BRDK-2600CA-3,7036(2)-3,CL-13AR90DS-G1<1	1.47	0.23	21
G12	BRDK-2600CA-3,7036(2)-3,CL-13AR90DS-G2>1	1.47	0.21	20
G13	BRDK-2600CA-3,7036(2)-3,i89(4)-13AR90DL	1.21	0.25	28
G14	BRDK-2600CA-3,7036(2)-3,i89(4)-13AR90DL-G1<1	1.21	0.23	27
G15	BRDK-2600CA-3,7036(2)-3,i89(4)-13AR90DL-G2>1	1.21	0.21	25
G16	BRDK-2600CA-3,7036(2)-3,i89(4)-13AR90DS	1.27	0.25	26
G17	BRDK-2600CA-3,7036(2)-3,i89(4)-13AR90DS-G1<1	1.27	0.23	25
G18	BRDK-2600CA-3,7036(2)-3,i89(4)-13AR90DS-G2>1	1.27	0.21	24
G19	BRDK-2600CA-4,7036(2)-4,CL-14AR90DL	1.40	0.25	24
G20	BRDK-2600CA-4,7036(2)-4,CL-14AR90DL-G1<1	1.40	0.23	22
G21	BRDK-2600CA-4,7036(2)-4,CL-14AR90DL-G2>1	1.40	0.21	21
G22	BRDK-2600CA-4,7036(2)-4,CL-14AR90DS	1.48	0.25	22
G23	BRDK-2600CA-4,7036(2)-4,CL-14AR90DS-G1<1	1.48	0.23	21
G24	BRDK-2600CA-4,7036(2)-4,CL-14AR90DS-G2>1	1.48	0.21	20
G25	BRDK-2600CA-4,7036(2)-4,i89(4)-14AR90DL	1.21	0.25	28
G26	BRDK-2600CA-4,7036(2)-4,i89(4)-14AR90DL-G1<1	1.21	0.23	27
G27	BRDK-2600CA-4,7036(2)-4,i89(4)-14AR90DL-G2>1	1.21	0.21	25
G28	BRDK-2600CA-4,7036(2)-4,i89(4)-14AR90DS	1.28	0.25	26
G29	BRDK-2600CA-4,7036(2)-4,i89(4)-14AR90DS-G1<1	1.28	0.23	25
G30	BRDK-2600CA-4,7036(2)-4,i89(4)-14AR90DS-G2>1	1.28	0.21	24
G31	BRDK-2600CA-3,272(2)-3,CL-3,272(5)-13AR90TG	1.03	0.24	31
G32	BRDK-2600CA-3,272(2)-3,CL-3,272(5)-13AR90TG-G1<1	1.03	0.22	30
G33	BRDK-2600CA-3,272(2)-3,CL-3,272(5)-13AR90TG-G2>1	1.03	0.20	29
G34	BRDK-2600CA-4,272(2)-4,CL-4,272(5)-13AR90TG	1.05	0.23	30
G35	BRDK-2600CA-4,272(2)-4,CL-4,272(5)-13AR90TG-G1<1	1.05	0.21	29
G36	BRDK-2600CA-4,272(2)-4,CL-4,272(5)-13AR90TG-G2>1	1.05	0.19	28
G37	BRDK-2600CA-4,272(2)-5,i89(4)-13AR90TG	1.31	0.27	27
G38	BRDK-2600CA-4,272(2)-5,i89(4)-13AR90TG-G1<1	1.31	0.25	26
G39	BRDK-2600CA-4,272(2)-5,i89(4)-13AR90TG-G2>1	1.31	0.22	24
G40	BRDK-2600CA-3,272(2)-3,i89(4)-13AR90TG	1.32	0.27	26

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G41	BRDK-2600CA-3,272(2)-3,i89(4)-13AR90TG-G1<1	1.32	0.25	25
G42	BRDK-2600CA-3,272(2)-3,i89(4)-13AR90TG-G2>1	1.32	0.23	24
G43	BRDK-2600CA-3,272(2)-3,CL-13AR90DL	1.46	0.28	24
G44	BRDK-2600CA-3,272(2)-3,CL-13AR90DL-G1<1	1.46	0.25	22
G45	BRDK-2600CA-3,272(2)-3,CL-13AR90DL-G2>1	1.46	0.23	21
G46	BRDK-2600CA-3,272(2)-3,i89(4)-13AR90DL	1.26	0.27	28
G47	BRDK-2600CA-3,272(2)-3,i89(4)-13AR90DL-G1<1	1.26	0.25	27
G48	BRDK-2600CA-3,272(2)-3,i89(4)-13AR90DL-G2>1	1.26	0.23	25
G49	BRDK-2600CA-4,272(2)-4,CL-13AR90DL	1.45	0.27	24
G50	BRDK-2600CA-4,272(2)-4,CL-13AR90DL-G1<1	1.45	0.25	22
G51	BRDK-2600CA-4,272(2)-4,CL-13AR90DL-G2>1	1.45	0.23	21
G52	BRDK-2600CA-4,272(2)-5,i89(4)-13AR90DL	1.26	0.27	28
G53	BRDK-2600CA-4,272(2)-5,i89(4)-13AR90DL-G1<1	1.26	0.25	27
G54	BRDK-2600CA-4,272(2)-5,i89(4)-13AR90DL-G2>1	1.26	0.22	25

2600 Series Awning Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-2600AW-3,272(2)-3,CL-3,272(5)-13AR90SE	0.93	0.24	33
G02	BRDK-2600AW-3,272(2)-3,CL-3,272(5)-13AR90SE-G1<1	0.93	0.22	32
G03	BRDK-2600AW-3,272(2)-3,CL-3,272(5)-13AR90SE-G2>1	0.93	0.20	31
G04	BRDK-2600AW-4,272(2)-4,CL-4,272(5)-12AR90SE	0.96	0.23	32
G05	BRDK-2600AW-4,272(2)-4,CL-4,272(5)-12AR90SE-G1<1	0.97	0.21	31
G06	BRDK-2600AW-4,272(2)-4,CL-4,272(5)-12AR90SE-G2>1	0.97	0.19	30
G07	BRDK-2600AW-3,7036(2)-3,CL-13AR90DL	1.41	0.26	24
G08	BRDK-2600AW-3,7036(2)-3,CL-13AR90DL-G1<1	1.41	0.23	22
G09	BRDK-2600AW-3,7036(2)-3,CL-13AR90DL-G2>1	1.41	0.21	21
G10	BRDK-2600AW-3,7036(2)-3,CL-13AR90DS	1.48	0.26	22
G11	BRDK-2600AW-3,7036(2)-3,CL-13AR90DS-G1<1	1.48	0.23	21
G12	BRDK-2600AW-3,7036(2)-3,CL-13AR90DS-G2>1	1.48	0.21	20
G13	BRDK-2600AW-3,7036(2)-3,i89(4)-13AR90DL	1.24	0.25	27
G14	BRDK-2600AW-3,7036(2)-3,i89(4)-13AR90DL-G1<1	1.24	0.23	26
G15	BRDK-2600AW-3,7036(2)-3,i89(4)-13AR90DL-G2>1	1.24	0.21	25
G16	BRDK-2600AW-3,7036(2)-3,i89(4)-13AR90DS	1.30	0.25	26
G17	BRDK-2600AW-3,7036(2)-3,i89(4)-13AR90DS-G1<1	1.30	0.23	25
G18	BRDK-2600AW-3,7036(2)-3,i89(4)-13AR90DS-G2>1	1.30	0.21	23
G19	BRDK-2600AW-4,7036(2)-4,CL-14AR90DL	1.41	0.25	23
G20	BRDK-2600AW-4,7036(2)-4,CL-14AR90DL-G1<1	1.41	0.23	22
G21	BRDK-2600AW-4,7036(2)-4,CL-14AR90DL-G2>1	1.41	0.21	21
G22	BRDK-2600AW-4,7036(2)-4,CL-14AR90DS	1.49	0.25	22
G23	BRDK-2600AW-4,7036(2)-4,CL-14AR90DS-G1<1	1.49	0.23	20
G24	BRDK-2600AW-4,7036(2)-4,CL-14AR90DS-G2>1	1.49	0.21	19
G25	BRDK-2600AW-4,7036(2)-4,i89(4)-14AR90DL	1.24	0.25	27
G26	BRDK-2600AW-4,7036(2)-4,i89(4)-14AR90DL-G1<1	1.24	0.23	26
G27	BRDK-2600AW-4,7036(2)-4,i89(4)-14AR90DL-G2>1	1.24	0.21	25
G28	BRDK-2600AW-4,7036(2)-4,i89(4)-14AR90DS	1.31	0.25	26
G29	BRDK-2600AW-4,7036(2)-4,i89(4)-14AR90DS-G1<1	1.31	0.23	24
G30	BRDK-2600AW-4,7036(2)-4,i89(4)-14AR90DS-G2>1	1.31	0.21	23
G31	BRDK-2600AW-3,272(2)-3,CL-3,272(5)-13AR90TG	1.03	0.24	31

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G32	BRDK-2600AW-3,272(2)-3,CL-3,272(5)-13AR90TG-G1<1	1.03	0.22	30
G33	BRDK-2600AW-3,272(2)-3,CL-3,272(5)-13AR90TG-G2>1	1.03	0.20	29
G34	BRDK-2600AW-4,272(2)-4,CL-4,272(5)-13AR90TG	1.05	0.23	30
G35	BRDK-2600AW-4,272(2)-4,CL-4,272(5)-13AR90TG-G1<1	1.05	0.21	29
G36	BRDK-2600AW-4,272(2)-4,CL-4,272(5)-13AR90TG-G2>1	1.05	0.19	28
G37	BRDK-2600AW-4,272(2)-5,i89(4)-13AR90TG	1.34	0.27	26
G38	BRDK-2600AW-4,272(2)-5,i89(4)-13AR90TG-G1<1	1.34	0.25	25
G39	BRDK-2600AW-4,272(2)-5,i89(4)-13AR90TG-G2>1	1.34	0.22	23
G40	BRDK-2600AW-3,272(2)-3,i89(4)-13AR90TG	1.35	0.27	26
G41	BRDK-2600AW-3,272(2)-3,i89(4)-13AR90TG-G1<1	1.35	0.25	25
G42	BRDK-2600AW-3,272(2)-3,i89(4)-13AR90TG-G2>1	1.35	0.23	24
G43	BRDK-2600AW-3,272(2)-3,CL-13AR90DL	1.46	0.28	24
G44	BRDK-2600AW-3,272(2)-3,CL-13AR90DL-G1<1	1.46	0.25	22
G45	BRDK-2600AW-3,272(2)-3,CL-13AR90DL-G2>1	1.46	0.23	21
G46	BRDK-2600AW-3,272(2)-3,i89(4)-13AR90DL	1.29	0.27	27
G47	BRDK-2600AW-3,272(2)-3,i89(4)-13AR90DL-G1<1	1.29	0.25	26
G48	BRDK-2600AW-3,272(2)-3,i89(4)-13AR90DL-G2>1	1.29	0.23	25
G49	BRDK-2600AW-4,272(2)-4,CL-13AR90DL	1.46	0.27	23
G50	BRDK-2600AW-4,272(2)-4,CL-13AR90DL-G1<1	1.46	0.25	22
G51	BRDK-2600AW-4,272(2)-4,CL-13AR90DL-G2>1	1.46	0.23	21
G52	BRDK-2600AW-4,272(2)-5,i89(4)-13AR90DL	1.28	0.27	27
G53	BRDK-2600AW-4,272(2)-5,i89(4)-13AR90DL-G1<1	1.28	0.25	26
G54	BRDK-2600AW-4,272(2)-5,i89(4)-13AR90DL-G2>1	1.28	0.22	24

2630 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-2630PC-3,272(2)-3,CL-3,272(5)-13AR90SE	0.88	0.28	37
G02	BRDK-2630PC-3,272(2)-3,CL-3,272(5)-13AR90SE-G1<1	0.88	0.25	35
G03	BRDK-2630PC-3,272(2)-3,CL-3,272(5)-13AR90SE-G2>1	0.88	0.22	33
G04	BRDK-2630PC-4,272(2)-4,CL-4,272(5)-12AR90SE	0.92	0.27	35
G05	BRDK-2630PC-4,272(2)-4,CL-4,272(5)-12AR90SE-G1<1	0.93	0.25	34
G06	BRDK-2630PC-4,272(2)-4,CL-4,272(5)-12AR90SE-G2>1	0.94	0.22	32
G07	BRDK-2630PC-3,7036(2)-3,CL-13AR90DL	1.44	0.30	26
G08	BRDK-2630PC-3,7036(2)-3,CL-13AR90DL-G1<1	1.44	0.27	24
G09	BRDK-2630PC-3,7036(2)-3,CL-13AR90DL-G2>1	1.44	0.24	22
G10	BRDK-2630PC-3,7036(2)-3,CL-13AR90DS	1.48	0.30	25
G11	BRDK-2630PC-3,7036(2)-3,CL-13AR90DS-G1<1	1.48	0.27	23
G12	BRDK-2630PC-3,7036(2)-3,CL-13AR90DS-G2>1	1.48	0.24	21
G13	BRDK-2630PC-3,7036(2)-3,i89(4)-13AR90DL	1.21	0.30	31
G14	BRDK-2630PC-3,7036(2)-3,i89(4)-13AR90DL-G1<1	1.21	0.27	29
G15	BRDK-2630PC-3,7036(2)-3,i89(4)-13AR90DL-G2>1	1.21	0.24	27
G16	BRDK-2630PC-3,7036(2)-3,i89(4)-13AR90DS	1.25	0.30	30
G17	BRDK-2630PC-3,7036(2)-3,i89(4)-13AR90DS-G1<1	1.25	0.27	28
G18	BRDK-2630PC-3,7036(2)-3,i89(4)-13AR90DS-G2>1	1.25	0.24	26
G19	BRDK-2630PC-4,7036(2)-4,CL-14AR90DL	1.44	0.30	26
G20	BRDK-2630PC-4,7036(2)-4,CL-14AR90DL-G1<1	1.44	0.27	24
G21	BRDK-2630PC-4,7036(2)-4,CL-14AR90DL-G2>1	1.44	0.24	22
G22	BRDK-2630PC-4,7036(2)-4,CL-14AR90DS	1.49	0.30	25

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G23	BRDK-2630PC-4,7036(2)-4,CL-14AR90DS-G1<1	1.49	0.27	23
G24	BRDK-2630PC-4,7036(2)-4,CL-14AR90DS-G2>1	1.49	0.24	21
G25	BRDK-2630PC-4,7036(2)-4,i89(4)-14AR90DL	1.21	0.29	30
G26	BRDK-2630PC-4,7036(2)-4,i89(4)-14AR90DL-G1<1	1.21	0.26	29
G27	BRDK-2630PC-4,7036(2)-4,i89(4)-14AR90DL-G2>1	1.21	0.24	27
G28	BRDK-2630PC-4,7036(2)-4,i89(4)-14AR90DS	1.25	0.29	29
G29	BRDK-2630PC-4,7036(2)-4,i89(4)-14AR90DS-G1<1	1.25	0.26	28
G30	BRDK-2630PC-4,7036(2)-4,i89(4)-14AR90DS-G2>1	1.25	0.24	26
G31	BRDK-2630PC-3,272(2)-3,CL-3,272(5)-13AR90TG	0.94	0.28	36
G32	BRDK-2630PC-3,272(2)-3,CL-3,272(5)-13AR90TG-G1<1	0.94	0.25	34
G33	BRDK-2630PC-3,272(2)-3,CL-3,272(5)-13AR90TG-G2>1	0.94	0.22	32
G34	BRDK-2630PC-4,272(2)-4,CL-4,272(5)-13AR90TG	0.95	0.27	35
G35	BRDK-2630PC-4,272(2)-4,CL-4,272(5)-13AR90TG-G1<1	0.95	0.25	34
G36	BRDK-2630PC-4,272(2)-4,CL-4,272(5)-13AR90TG-G2>1	0.95	0.22	32
G37	BRDK-2630PC-4,272(2)-5,i89(4)-13AR90TG	1.27	0.31	30
G38	BRDK-2630PC-4,272(2)-5,i89(4)-13AR90TG-G1<1	1.27	0.28	28
G39	BRDK-2630PC-4,272(2)-5,i89(4)-13AR90TG-G2>1	1.27	0.25	27
G40	BRDK-2630PC-3,272(2)-3,i89(4)-13AR90TG	1.27	0.32	31
G41	BRDK-2630PC-3,272(2)-3,i89(4)-13AR90TG-G1<1	1.27	0.29	29
G42	BRDK-2630PC-3,272(2)-3,i89(4)-13AR90TG-G2>1	1.27	0.26	27
G43	BRDK-2630PC-3,272(2)-3,CL-13AR90DL	1.47	0.32	26
G44	BRDK-2630PC-3,272(2)-3,CL-13AR90DL-G1<1	1.47	0.29	25
G45	BRDK-2630PC-3,272(2)-3,CL-13AR90DL-G2>1	1.47	0.26	23
G46	BRDK-2630PC-3,272(2)-3,i89(4)-13AR90DL	1.24	0.32	31
G47	BRDK-2630PC-3,272(2)-3,i89(4)-13AR90DL-G1<1	1.24	0.29	30
G48	BRDK-2630PC-3,272(2)-3,i89(4)-13AR90DL-G2>1	1.24	0.26	28
G49	BRDK-2630PC-4,272(2)-4,CL-13AR90DL	1.46	0.32	27
G50	BRDK-2630PC-4,272(2)-4,CL-13AR90DL-G1<1	1.46	0.29	25
G51	BRDK-2630PC-4,272(2)-4,CL-13AR90DL-G2>1	1.46	0.26	23
G52	BRDK-2630PC-4,272(2)-5,i89(4)-13AR90DL	1.23	0.31	31
G53	BRDK-2630PC-4,272(2)-5,i89(4)-13AR90DL-G1<1	1.23	0.28	29
G54	BRDK-2630PC-4,272(2)-5,i89(4)-13AR90DL-G2>1	1.23	0.25	28

6100 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-6100PC-3,272(2)-3,CL-3,272(5)-8AR90SE	1.20	0.30	31
G02	BRDK-6100PC-4,272(2)-4,CL-4,272(5)-7AR90SE	1.33	0.29	28
G03	BRDK-6100PC-3,7036(2)-3,CL-13AR90DL	1.57	0.32	24
G04	BRDK-6100PC-3,7036(2)-3,CL-13AR90DL-G1<1	1.57	0.29	22
G05	BRDK-6100PC-3,7036(2)-3,CL-13AR90DL-G2>1	1.57	0.26	21
G06	BRDK-6100PC-3,7036(2)-3,CL-13AR90DS	1.57	0.32	24
G07	BRDK-6100PC-3,7036(2)-3,CL-13AR90DS-G1<1	1.57	0.29	22
G08	BRDK-6100PC-3,7036(2)-3,CL-13AR90DS-G2>1	1.57	0.26	21
G09	BRDK-6100PC-3,7036(2)-3,i89(4)-13AR90DL	1.39	0.32	28
G10	BRDK-6100PC-3,7036(2)-3,i89(4)-13AR90DL-G1<1	1.39	0.29	26
G11	BRDK-6100PC-3,7036(2)-3,i89(4)-13AR90DL-G2>1	1.39	0.26	25
G12	BRDK-6100PC-3,7036(2)-3,i89(4)-13AR90DS	1.38	0.32	28
G13	BRDK-6100PC-3,7036(2)-3,i89(4)-13AR90DS-G1<1	1.38	0.29	27

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G14	BRDK-6100PC-3,7036(2)-3,i89(4)-13AR90DS-G2>1	1.38	0.26	25
G15	BRDK-6100PC-4,7036(2)-4,CL-14AR90DL	1.58	0.32	24
G16	BRDK-6100PC-4,7036(2)-4,CL-14AR90DL-G1<1	1.58	0.29	22
G17	BRDK-6100PC-4,7036(2)-4,CL-14AR90DL-G2>1	1.58	0.26	20
G18	BRDK-6100PC-4,7036(2)-4,CL-14AR90DS	1.58	0.32	24
G19	BRDK-6100PC-4,7036(2)-4,CL-14AR90DS-G1<1	1.58	0.29	22
G20	BRDK-6100PC-4,7036(2)-4,CL-14AR90DS-G2>1	1.58	0.26	20
G21	BRDK-6100PC-4,7036(2)-4,i89(4)-14AR90DL	1.40	0.31	27
G22	BRDK-6100PC-4,7036(2)-4,i89(4)-14AR90DL-G1<1	1.40	0.29	26
G23	BRDK-6100PC-4,7036(2)-4,i89(4)-14AR90DL-G2>1	1.40	0.26	24
G24	BRDK-6100PC-4,7036(2)-4,i89(4)-14AR90DS	1.39	0.31	27
G25	BRDK-6100PC-4,7036(2)-4,i89(4)-14AR90DS-G1<1	1.39	0.29	26
G26	BRDK-6100PC-4,7036(2)-4,i89(4)-14AR90DS-G2>1	1.39	0.26	25
G27	BRDK-6100PC-4,272(2)-5,i89(4)-13AR90TG	1.41	0.34	29
G28	BRDK-6100PC-4,272(2)-5,i89(4)-13AR90TG-G1<1	1.41	0.30	26
G29	BRDK-6100PC-4,272(2)-5,i89(4)-13AR90TG-G2>1	1.41	0.27	25
G30	BRDK-6100PC-3,272(2)-3,i89(4)-13AR90TG	1.40	0.34	29
G31	BRDK-6100PC-3,272(2)-3,i89(4)-13AR90TG-G1<1	1.40	0.31	27
G32	BRDK-6100PC-3,272(2)-3,i89(4)-13AR90TG-G2>1	1.40	0.28	26
G33	BRDK-6100PC-3,272(2)-3,CL-13AR90DL	1.60	0.35	25
G34	BRDK-6100PC-3,272(2)-3,CL-13AR90DL-G1<1	1.60	0.31	23
G35	BRDK-6100PC-3,272(2)-3,CL-13AR90DL-G2>1	1.60	0.28	21
G36	BRDK-6100PC-3,272(2)-3,i89(4)-13AR90DL	1.36	0.34	30
G37	BRDK-6100PC-3,272(2)-3,i89(4)-13AR90DL-G1<1	1.36	0.31	28
G38	BRDK-6100PC-3,272(2)-3,i89(4)-13AR90DL-G2>1	1.36	0.28	26
G39	BRDK-6100PC-4,272(2)-4,CL-13AR90DL	1.61	0.34	24
G40	BRDK-6100PC-4,272(2)-4,CL-13AR90DL-G1<1	1.61	0.31	23
G41	BRDK-6100PC-4,272(2)-4,CL-13AR90DL-G2>1	1.61	0.28	21
G42	BRDK-6100PC-4,272(2)-5,i89(4)-13AR90DL	1.36	0.34	30
G43	BRDK-6100PC-4,272(2)-5,i89(4)-13AR90DL-G1<1	1.36	0.30	28
G44	BRDK-6100PC-4,272(2)-5,i89(4)-13AR90DL-G2>1	1.36	0.27	26

6100 Series Single Hung Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-6100SH-3,272(2)-3,CL-3,272(5)-8AR90SE-R	1.33	0.28	26
G02	BRDK-6100SH-4,272(2)-4,CL-4,272(5)-7AR90SE-R	1.46	0.27	23
G03	BRDK-6100SH-3,7036(2)-3,CL-13AR90DL-R	1.67	0.30	20
G04	BRDK-6100SH-3,7036(2)-3,CL-13AR90DL-R-G1<1	1.67	0.27	18
G05	BRDK-6100SH-3,7036(2)-3,CL-13AR90DL-R-G2>1	1.67	0.24	17
G06	BRDK-6100SH-3,7036(2)-3,CL-13AR90DS-R	1.75	0.30	18
G07	BRDK-6100SH-3,7036(2)-3,CL-13AR90DS-R-G1<1	1.75	0.27	17
G08	BRDK-6100SH-3,7036(2)-3,CL-13AR90DS-R-G2>1	1.75	0.24	15
G09	BRDK-6100SH-3,7036(2)-3,i89(4)-13AR90DL-R	1.44	0.30	25
G10	BRDK-6100SH-3,7036(2)-3,i89(4)-13AR90DL-R-G1<1	1.44	0.27	23
G11	BRDK-6100SH-3,7036(2)-3,i89(4)-13AR90DL-R-G2>1	1.44	0.24	22
G12	BRDK-6100SH-3,7036(2)-3,i89(4)-13AR90DS-R	1.51	0.30	24
G13	BRDK-6100SH-3,7036(2)-3,i89(4)-13AR90DS-R-G1<1	1.51	0.27	22
G14	BRDK-6100SH-3,7036(2)-3,i89(4)-13AR90DS-R-G2>1	1.51	0.24	20

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G15	BRDK-6100SH-4,7036(2)-4,CL-14AR90DL-R	1.66	0.30	20
G16	BRDK-6100SH-4,7036(2)-4,CL-14AR90DL-R-G1<1	1.66	0.27	19
G17	BRDK-6100SH-4,7036(2)-4,CL-14AR90DL-R-G2>1	1.66	0.24	17
G18	BRDK-6100SH-4,7036(2)-4,CL-14AR90DS-R	1.76	0.30	18
G19	BRDK-6100SH-4,7036(2)-4,CL-14AR90DS-R-G1<1	1.76	0.27	16
G20	BRDK-6100SH-4,7036(2)-4,CL-14AR90DS-R-G2>1	1.76	0.24	15
G21	BRDK-6100SH-4,7036(2)-4,i89(4)-14AR90DL-R	1.43	0.29	25
G22	BRDK-6100SH-4,7036(2)-4,i89(4)-14AR90DL-R-G1<1	1.43	0.26	23
G23	BRDK-6100SH-4,7036(2)-4,i89(4)-14AR90DL-R-G2>1	1.43	0.24	22
G24	BRDK-6100SH-4,7036(2)-4,i89(4)-14AR90DS-R	1.51	0.29	23
G25	BRDK-6100SH-4,7036(2)-4,i89(4)-14AR90DS-R-G1<1	1.51	0.26	21
G26	BRDK-6100SH-4,7036(2)-4,i89(4)-14AR90DS-R-G2>1	1.51	0.24	20
G27	BRDK-6100SH-4,272(2)-5,i89(4)-13AR90TG-R	1.55	0.31	23
G28	BRDK-6100SH-4,272(2)-5,i89(4)-13AR90TG-R-G1<1	1.55	0.28	22
G29	BRDK-6100SH-4,272(2)-5,i89(4)-13AR90TG-R-G2>1	1.55	0.25	20
G30	BRDK-6100SH-3,272(2)-3,i89(4)-13AR90TG-R	1.55	0.32	24
G31	BRDK-6100SH-3,272(2)-3,i89(4)-13AR90TG-R-G1<1	1.55	0.29	22
G32	BRDK-6100SH-3,272(2)-3,i89(4)-13AR90TG-R-G2>1	1.55	0.26	20
G33	BRDK-6100SH-3,272(2)-3,CL-13AR90DL-R	1.71	0.32	20
G34	BRDK-6100SH-3,272(2)-3,CL-13AR90DL-R-G1<1	1.71	0.29	19
G35	BRDK-6100SH-3,272(2)-3,CL-13AR90DL-R-G2>1	1.71	0.26	17
G36	BRDK-6100SH-3,272(2)-3,i89(4)-13AR90DL-R	1.48	0.32	25
G37	BRDK-6100SH-3,272(2)-3,i89(4)-13AR90DL-R-G1<1	1.48	0.29	24
G38	BRDK-6100SH-3,272(2)-3,i89(4)-13AR90DL-R-G2>1	1.48	0.26	22
G39	BRDK-6100SH-4,272(2)-4,CL-13AR90DL-R	1.71	0.32	20
G40	BRDK-6100SH-4,272(2)-4,CL-13AR90DL-R-G1<1	1.71	0.29	19
G41	BRDK-6100SH-4,272(2)-4,CL-13AR90DL-R-G2>1	1.71	0.26	17
G42	BRDK-6100SH-4,272(2)-5,i89(4)-13AR90DL-R	1.48	0.31	25
G43	BRDK-6100SH-4,272(2)-5,i89(4)-13AR90DL-R-G1<1	1.48	0.28	23
G44	BRDK-6100SH-4,272(2)-5,i89(4)-13AR90DL-R-G2>1	1.48	0.25	21

6100 Series Single Sliding Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-6100SS-3,272(2)-3,CL-3,272(5)-8AR90SE-R	1.32	0.28	27
G02	BRDK-6100SS-4,272(2)-4,CL-4,272(5)-7AR90SE-R	1.45	0.27	23
G03	BRDK-6100SS-3,7036(2)-3,CL-13AR90DL-R	1.66	0.30	21
G04	BRDK-6100SS-3,7036(2)-3,CL-13AR90DL-R-G1<1	1.66	0.27	19
G05	BRDK-6100SS-3,7036(2)-3,CL-13AR90DL-R-G2>1	1.66	0.24	17
G06	BRDK-6100SS-3,7036(2)-3,CL-13AR90DS-R	1.74	0.30	19
G07	BRDK-6100SS-3,7036(2)-3,CL-13AR90DS-R-G1<1	1.74	0.27	17
G08	BRDK-6100SS-3,7036(2)-3,CL-13AR90DS-R-G2>1	1.74	0.24	15
G09	BRDK-6100SS-3,7036(2)-3,i89(4)-13AR90DL-R	1.44	0.30	25
G10	BRDK-6100SS-3,7036(2)-3,i89(4)-13AR90DL-R-G1<1	1.44	0.27	24
G11	BRDK-6100SS-3,7036(2)-3,i89(4)-13AR90DL-R-G2>1	1.44	0.24	22
G12	BRDK-6100SS-3,7036(2)-3,i89(4)-13AR90DS-R	1.51	0.30	24
G13	BRDK-6100SS-3,7036(2)-3,i89(4)-13AR90DS-R-G1<1	1.51	0.27	22
G14	BRDK-6100SS-3,7036(2)-3,i89(4)-13AR90DS-R-G2>1	1.51	0.24	20
G15	BRDK-6100SS-4,7036(2)-4,CL-14AR90DL-R	1.67	0.30	20



Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G16	BRDK-6100SS-4,7036(2)-4,CL-14AR90DL-R-G1<1	1.67	0.27	19
G17	BRDK-6100SS-4,7036(2)-4,CL-14AR90DL-R-G2>1	1.67	0.24	17
G18	BRDK-6100SS-4,7036(2)-4,CL-14AR90DS-R	1.76	0.30	18
G19	BRDK-6100SS-4,7036(2)-4,CL-14AR90DS-R-G1<1	1.76	0.27	17
G20	BRDK-6100SS-4,7036(2)-4,CL-14AR90DS-R-G2>1	1.76	0.24	15
G21	BRDK-6100SS-4,7036(2)-4,i89(4)-14AR90DL-R	1.44	0.29	25
G22	BRDK-6100SS-4,7036(2)-4,i89(4)-14AR90DL-R-G1<1	1.44	0.26	23
G23	BRDK-6100SS-4,7036(2)-4,i89(4)-14AR90DL-R-G2>1	1.44	0.24	22
G24	BRDK-6100SS-4,7036(2)-4,i89(4)-14AR90DS-R	1.52	0.29	23
G25	BRDK-6100SS-4,7036(2)-4,i89(4)-14AR90DS-R-G1<1	1.52	0.26	21
G26	BRDK-6100SS-4,7036(2)-4,i89(4)-14AR90DS-R-G2>1	1.52	0.24	20
G27	BRDK-6100SS-4,272(2)-5,i89(4)-13AR90TG-R	1.55	0.31	24
G28	BRDK-6100SS-4,272(2)-5,i89(4)-13AR90TG-R-G1<1	1.55	0.28	22
G29	BRDK-6100SS-4,272(2)-5,i89(4)-13AR90TG-R-G2>1	1.55	0.25	20
G30	BRDK-6100SS-3,272(2)-3,i89(4)-13AR90TG-R	1.54	0.32	24
G31	BRDK-6100SS-3,272(2)-3,i89(4)-13AR90TG-R-G1<1	1.54	0.28	22
G32	BRDK-6100SS-3,272(2)-3,i89(4)-13AR90TG-R-G2>1	1.54	0.26	21
G33	BRDK-6100SS-3,272(2)-3,CL-13AR90DL-R	1.70	0.32	21
G34	BRDK-6100SS-3,272(2)-3,CL-13AR90DL-R-G1<1	1.70	0.29	19
G35	BRDK-6100SS-3,272(2)-3,CL-13AR90DL-R-G2>1	1.70	0.26	17
G36	BRDK-6100SS-3,272(2)-3,i89(4)-13AR90DL-R	1.47	0.32	26
G37	BRDK-6100SS-3,272(2)-3,i89(4)-13AR90DL-R-G1<1	1.47	0.28	24
G38	BRDK-6100SS-3,272(2)-3,i89(4)-13AR90DL-R-G2>1	1.47	0.26	22
G39	BRDK-6100SS-4,272(2)-4,CL-13AR90DL-R	1.70	0.32	21
G40	BRDK-6100SS-4,272(2)-4,CL-13AR90DL-R-G1<1	1.70	0.29	19
G41	BRDK-6100SS-4,272(2)-4,CL-13AR90DL-R-G2>1	1.70	0.26	17
G42	BRDK-6100SS-4,272(2)-5,i89(4)-13AR90DL-R	1.48	0.31	25
G43	BRDK-6100SS-4,272(2)-5,i89(4)-13AR90DL-R-G1<1	1.48	0.28	23
G44	BRDK-6100SS-4,272(2)-5,i89(4)-13AR90DL-R-G2>1	1.48	0.25	22

9000 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-9000PC-3,272(2)-3,CL-3,272(5)-8AR90SE	1.13	0.29	32
G02	BRDK-9000PC-4,272(2)-4,CL-4,272(5)-7AR90SE	1.26	0.29	29
G03	BRDK-9000PC-3,7036(2)-3,CL-13AR90DL	1.51	0.32	25
G04	BRDK-9000PC-3,7036(2)-3,CL-13AR90DL-G1<1	1.51	0.29	24
G05	BRDK-9000PC-3,7036(2)-3,CL-13AR90DL-G2>1	1.51	0.26	22
G06	BRDK-9000PC-3,7036(2)-3,CL-13AR90DS	1.57	0.32	24
G07	BRDK-9000PC-3,7036(2)-3,CL-13AR90DS-G1<1	1.57	0.29	22
G08	BRDK-9000PC-3,7036(2)-3,CL-13AR90DS-G2>1	1.57	0.26	21
G09	BRDK-9000PC-3,7036(2)-3,i89(4)-13AR90DL	1.26	0.31	30
G10	BRDK-9000PC-3,7036(2)-3,i89(4)-13AR90DL-G1<1	1.26	0.28	29
G11	BRDK-9000PC-3,7036(2)-3,i89(4)-13AR90DL-G2>1	1.26	0.26	27
G12	BRDK-9000PC-3,7036(2)-3,i89(4)-13AR90DS	1.31	0.31	29
G13	BRDK-9000PC-3,7036(2)-3,i89(4)-13AR90DS-G1<1	1.31	0.28	27
G14	BRDK-9000PC-3,7036(2)-3,i89(4)-13AR90DS-G2>1	1.31	0.26	26
G15	BRDK-9000PC-4,7036(2)-4,CL-14AR90DL	1.51	0.32	25
G16	BRDK-9000PC-4,7036(2)-4,CL-14AR90DL-G1<1	1.51	0.29	24

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G17	BRDK-9000PC-4,7036(2)-4,CL-14AR90DL-G2>1	1.51	0.26	22
G18	BRDK-9000PC-4,7036(2)-4,CL-14AR90DS	1.58	0.32	24
G19	BRDK-9000PC-4,7036(2)-4,CL-14AR90DS-G1<1	1.58	0.29	22
G20	BRDK-9000PC-4,7036(2)-4,CL-14AR90DS-G2>1	1.58	0.26	20
G21	BRDK-9000PC-4,7036(2)-4,i89(4)-14AR90DL	1.26	0.31	30
G22	BRDK-9000PC-4,7036(2)-4,i89(4)-14AR90DL-G1<1	1.26	0.28	29
G23	BRDK-9000PC-4,7036(2)-4,i89(4)-14AR90DL-G2>1	1.26	0.25	27
G24	BRDK-9000PC-4,7036(2)-4,i89(4)-14AR90DS	1.32	0.31	29
G25	BRDK-9000PC-4,7036(2)-4,i89(4)-14AR90DS-G1<1	1.32	0.28	27
G26	BRDK-9000PC-4,7036(2)-4,i89(4)-14AR90DS-G2>1	1.32	0.25	26
G27	BRDK-9000PC-4,272(2)-5,i89(4)-13AR90TG	1.34	0.33	30
G28	BRDK-9000PC-4,272(2)-5,i89(4)-13AR90TG-G1<1	1.34	0.30	28
G29	BRDK-9000PC-4,272(2)-5,i89(4)-13AR90TG-G2>1	1.34	0.27	26
G30	BRDK-9000PC-3,272(2)-3,i89(4)-13AR90TG	1.34	0.34	30
G31	BRDK-9000PC-3,272(2)-3,i89(4)-13AR90TG-G1<1	1.34	0.30	28
G32	BRDK-9000PC-3,272(2)-3,i89(4)-13AR90TG-G2>1	1.34	0.27	26
G33	BRDK-9000PC-3,272(2)-3,CL-13AR90DL	1.54	0.34	26
G34	BRDK-9000PC-3,272(2)-3,CL-13AR90DL-G1<1	1.54	0.31	24
G35	BRDK-9000PC-3,272(2)-3,CL-13AR90DL-G2>1	1.54	0.28	22
G36	BRDK-9000PC-3,272(2)-3,i89(4)-13AR90DL	1.29	0.34	31
G37	BRDK-9000PC-3,272(2)-3,i89(4)-13AR90DL-G1<1	1.29	0.30	29
G38	BRDK-9000PC-3,272(2)-3,i89(4)-13AR90DL-G2>1	1.29	0.27	27
G39	BRDK-9000PC-4,272(2)-4,CL-13AR90DL	1.54	0.34	26
G40	BRDK-9000PC-4,272(2)-4,CL-13AR90DL-G1<1	1.54	0.31	24
G41	BRDK-9000PC-4,272(2)-4,CL-13AR90DL-G2>1	1.54	0.28	22
G42	BRDK-9000PC-4,272(2)-5,i89(4)-13AR90DL	1.29	0.33	31
G43	BRDK-9000PC-4,272(2)-5,i89(4)-13AR90DL-G1<1	1.29	0.30	29
G44	BRDK-9000PC-4,272(2)-5,i89(4)-13AR90DL-G2>1	1.29	0.27	27

9000 Series Single Hung Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-9000SH-3,272(2)-3,CL-3,272(5)-8AR90SE-R	1.29	0.27	27
G02	BRDK-9000SH-4,272(2)-4,CL-4,272(5)-7AR90SE-R	1.42	0.27	24
G03	BRDK-9000SH-3,7036(2)-3,CL-13AR90DL-R	1.63	0.30	21
G04	BRDK-9000SH-3,7036(2)-3,CL-13AR90DL-R-G1<1	1.63	0.27	19
G05	BRDK-9000SH-3,7036(2)-3,CL-13AR90DL-R-G2>1	1.63	0.24	18
G06	BRDK-9000SH-3,7036(2)-3,CL-13AR90DS-R	1.71	0.30	19
G07	BRDK-9000SH-3,7036(2)-3,CL-13AR90DS-R-G1<1	1.71	0.27	18
G08	BRDK-9000SH-3,7036(2)-3,CL-13AR90DS-R-G2>1	1.71	0.24	16
G09	BRDK-9000SH-3,7036(2)-3,i89(4)-13AR90DL-R	1.40	0.29	25
G10	BRDK-9000SH-3,7036(2)-3,i89(4)-13AR90DL-R-G1<1	1.40	0.26	24
G11	BRDK-9000SH-3,7036(2)-3,i89(4)-13AR90DL-R-G2>1	1.40	0.24	23
G12	BRDK-9000SH-3,7036(2)-3,i89(4)-13AR90DS-R	1.47	0.29	24
G13	BRDK-9000SH-3,7036(2)-3,i89(4)-13AR90DS-R-G1<1	1.47	0.26	22
G14	BRDK-9000SH-3,7036(2)-3,i89(4)-13AR90DS-R-G2>1	1.47	0.24	21
G15	BRDK-9000SH-4,7036(2)-4,CL-14AR90DL-R	1.63	0.29	20
G16	BRDK-9000SH-4,7036(2)-4,CL-14AR90DL-R-G1<1	1.63	0.27	19
G17	BRDK-9000SH-4,7036(2)-4,CL-14AR90DL-R-G2>1	1.63	0.24	18

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G18	BRDK-9000SH-4,7036(2)-4,CL-14AR90DS-R	1.73	0.29	18
G19	BRDK-9000SH-4,7036(2)-4,CL-14AR90DS-R-G1<1	1.73	0.27	17
G20	BRDK-9000SH-4,7036(2)-4,CL-14AR90DS-R-G2>1	1.73	0.24	15
G21	BRDK-9000SH-4,7036(2)-4,i89(4)-14AR90DL-R	1.40	0.29	25
G22	BRDK-9000SH-4,7036(2)-4,i89(4)-14AR90DL-R-G1<1	1.40	0.26	24
G23	BRDK-9000SH-4,7036(2)-4,i89(4)-14AR90DL-R-G2>1	1.40	0.23	22
G24	BRDK-9000SH-4,7036(2)-4,i89(4)-14AR90DS-R	1.48	0.29	24
G25	BRDK-9000SH-4,7036(2)-4,i89(4)-14AR90DS-R-G1<1	1.48	0.26	22
G26	BRDK-9000SH-4,7036(2)-4,i89(4)-14AR90DS-R-G2>1	1.48	0.23	20
G27	BRDK-9000SH-4,272(2)-5,i89(4)-13AR90TG-R	1.51	0.31	24
G28	BRDK-9000SH-4,272(2)-5,i89(4)-13AR90TG-R-G1<1	1.51	0.28	23
G29	BRDK-9000SH-4,272(2)-5,i89(4)-13AR90TG-R-G2>1	1.51	0.25	21
G30	BRDK-9000SH-3,272(2)-3,i89(4)-13AR90TG-R	1.50	0.31	24
G31	BRDK-9000SH-3,272(2)-3,i89(4)-13AR90TG-R-G1<1	1.50	0.28	23
G32	BRDK-9000SH-3,272(2)-3,i89(4)-13AR90TG-R-G2>1	1.50	0.25	21
G33	BRDK-9000SH-3,272(2)-3,CL-13AR90DL-R	1.67	0.32	21
G34	BRDK-9000SH-3,272(2)-3,CL-13AR90DL-R-G1<1	1.67	0.29	20
G35	BRDK-9000SH-3,272(2)-3,CL-13AR90DL-R-G2>1	1.67	0.26	18
G36	BRDK-9000SH-3,272(2)-3,i89(4)-13AR90DL-R	1.44	0.31	26
G37	BRDK-9000SH-3,272(2)-3,i89(4)-13AR90DL-R-G1<1	1.44	0.28	24
G38	BRDK-9000SH-3,272(2)-3,i89(4)-13AR90DL-R-G2>1	1.44	0.25	22
G39	BRDK-9000SH-4,272(2)-4,CL-13AR90DL-R	1.67	0.32	21
G40	BRDK-9000SH-4,272(2)-4,CL-13AR90DL-R-G1<1	1.67	0.28	19
G41	BRDK-9000SH-4,272(2)-4,CL-13AR90DL-R-G2>1	1.67	0.25	17
G42	BRDK-9000SH-4,272(2)-5,i89(4)-13AR90DL-R	1.44	0.31	26
G43	BRDK-9000SH-4,272(2)-5,i89(4)-13AR90DL-R-G1<1	1.44	0.28	24
G44	BRDK-9000SH-4,272(2)-5,i89(4)-13AR90DL-R-G2>1	1.44	0.25	22

9000 Series Single Sliding Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	BRDK-9000SS-3,272(2)-3,CL-3,272(5)-8AR90SE-R	1.27	0.27	27
G02	BRDK-9000SS-4,272(2)-4,CL-4,272(5)-7AR90SE-R	1.40	0.27	25
G03	BRDK-9000SS-3,7036(2)-3,CL-13AR90DL-R	1.61	0.30	22
G04	BRDK-9000SS-3,7036(2)-3,CL-13AR90DL-R-G1<1	1.61	0.27	20
G05	BRDK-9000SS-3,7036(2)-3,CL-13AR90DL-R-G2>1	1.61	0.24	18
G06	BRDK-9000SS-3,7036(2)-3,CL-13AR90DS-R	1.69	0.30	20
G07	BRDK-9000SS-3,7036(2)-3,CL-13AR90DS-R-G1<1	1.69	0.27	18
G08	BRDK-9000SS-3,7036(2)-3,CL-13AR90DS-R-G2>1	1.69	0.24	16
G09	BRDK-9000SS-3,7036(2)-3,i89(4)-13AR90DL-R	1.39	0.29	26
G10	BRDK-9000SS-3,7036(2)-3,i89(4)-13AR90DL-R-G1<1	1.39	0.26	24
G11	BRDK-9000SS-3,7036(2)-3,i89(4)-13AR90DL-R-G2>1	1.39	0.24	23
G12	BRDK-9000SS-3,7036(2)-3,i89(4)-13AR90DS-R	1.46	0.29	24
G13	BRDK-9000SS-3,7036(2)-3,i89(4)-13AR90DS-R-G1<1	1.46	0.26	23
G14	BRDK-9000SS-3,7036(2)-3,i89(4)-13AR90DS-R-G2>1	1.46	0.24	21
G15	BRDK-9000SS-4,7036(2)-4,CL-14AR90DL-R	1.62	0.29	21
G16	BRDK-9000SS-4,7036(2)-4,CL-14AR90DL-R-G1<1	1.62	0.27	20
G17	BRDK-9000SS-4,7036(2)-4,CL-14AR90DL-R-G2>1	1.62	0.24	18
G18	BRDK-9000SS-4,7036(2)-4,CL-14AR90DS-R	1.71	0.29	19

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G19	BRDK-9000SS-4,7036(2)-4,CL-14AR90DS-R-G1<1	1.71	0.27	18
G20	BRDK-9000SS-4,7036(2)-4,CL-14AR90DS-R-G2>1	1.71	0.24	16
G21	BRDK-9000SS-4,7036(2)-4,i89(4)-14AR90DL-R	1.39	0.29	26
G22	BRDK-9000SS-4,7036(2)-4,i89(4)-14AR90DL-R-G1<1	1.39	0.26	24
G23	BRDK-9000SS-4,7036(2)-4,i89(4)-14AR90DL-R-G2>1	1.39	0.23	22
G24	BRDK-9000SS-4,7036(2)-4,i89(4)-14AR90DS-R	1.47	0.29	24
G25	BRDK-9000SS-4,7036(2)-4,i89(4)-14AR90DS-R-G1<1	1.47	0.26	22
G26	BRDK-9000SS-4,7036(2)-4,i89(4)-14AR90DS-R-G2>1	1.47	0.23	21
G27	BRDK-9000SS-4,272(2)-5,i89(4)-13AR90TG-R	1.51	0.31	24
G28	BRDK-9000SS-4,272(2)-5,i89(4)-13AR90TG-R-G1<1	1.51	0.28	23
G29	BRDK-9000SS-4,272(2)-5,i89(4)-13AR90TG-R-G2>1	1.51	0.25	21
G30	BRDK-9000SS-3,272(2)-3,i89(4)-13AR90TG-R	1.50	0.31	25
G31	BRDK-9000SS-3,272(2)-3,i89(4)-13AR90TG-R-G1<1	1.50	0.28	23
G32	BRDK-9000SS-3,272(2)-3,i89(4)-13AR90TG-R-G2>1	1.50	0.25	21
G33	BRDK-9000SS-3,272(2)-3,CL-13AR90DL-R	1.65	0.32	22
G34	BRDK-9000SS-3,272(2)-3,CL-13AR90DL-R-G1<1	1.65	0.29	20
G35	BRDK-9000SS-3,272(2)-3,CL-13AR90DL-R-G2>1	1.65	0.26	18
G36	BRDK-9000SS-3,272(2)-3,i89(4)-13AR90DL-R	1.43	0.31	26
G37	BRDK-9000SS-3,272(2)-3,i89(4)-13AR90DL-R-G1<1	1.43	0.28	24
G38	BRDK-9000SS-3,272(2)-3,i89(4)-13AR90DL-R-G2>1	1.43	0.25	23
G39	BRDK-9000SS-4,272(2)-4,CL-13AR90DL-R	1.66	0.31	21
G40	BRDK-9000SS-4,272(2)-4,CL-13AR90DL-R-G1<1	1.66	0.28	19
G41	BRDK-9000SS-4,272(2)-4,CL-13AR90DL-R-G2>1	1.66	0.25	18
G42	BRDK-9000SS-4,272(2)-5,i89(4)-13AR90DL-R	1.43	0.31	26
G43	BRDK-9000SS-4,272(2)-5,i89(4)-13AR90DL-R-G1<1	1.43	0.28	24
G44	BRDK-9000SS-4,272(2)-5,i89(4)-13AR90DL-R-G2>1	1.43	0.25	23

Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.