



WINDOWS & DOORS LISTING PROGRAM

Customer: Centra Windows Inc.
Class: Fenestration Products – Energy Performance
Locations: Langley, British Columbia
Calgary, Alberta
Website: www.centra.ca

Listing No. W462-1
Project No. W462-1 ED9
Effective Date: November 24, 2009
Last Revised Date: July 19, 2024
Expires: N/A

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W462
- c) QAI logo shown here:



d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

2532 Series Picture Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-2532PC-3,SB60(2)-3,CL-13AR90SS	1.49	0.35	28
G02	CW-2532PC-3,CL-3,SB60(3)-13AR90SS	1.49	0.42	32
G03	CW-2532PC-3,SB60(2)-3,CS73(4)-13AR90SS	1.23	0.33	32
G04	CW-2532PC-3,CL-3,CS73(3)-13AR90SS	1.69	0.63	39



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G05	CW-2532PC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS	0.85	0.30	39
G06	CW-2532PC-3,SB60(2)-3,CL-3,CL-13AR90SS	1.15	0.32	33
G07	CW-2532PC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS	0.76	0.27	39
G08	CW-2532PC-3,CL-3,CL-3,CS73(5)-13AR90SS	1.23	0.56	45
G09	CW-2532PC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS	1.00	0.49	46
G10	CW-2532PC-3,SB60(2)-3,CL-13AR90SS-G1<1	1.49	0.32	26
G11	CW-2532PC-3,CL-3,SB60(3)-13AR90SS-G1<1	1.49	0.38	29
G12	CW-2532PC-3,SB60(2)-3,CS73(4)-13AR90SS-G1<1	1.23	0.30	30
G13	CW-2532PC-3,CL-3,CS73(3)-13AR90SS-G1<1	1.69	0.57	36
G14	CW-2532PC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G1<1	0.85	0.27	37
G15	CW-2532PC-3,SB60(2)-3,CL-3,CL-13AR90SS-G1<1	1.15	0.29	32
G16	CW-2532PC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G1<1	0.76	0.24	37
G17	CW-2532PC-3,CL-3,CL-3,CS73(5)-13AR90SS-G1<1	1.23	0.51	43
G18	CW-2532PC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G1<1	1.00	0.45	44
G19	CW-2532PC-3,SB60(2)-3,CL-13AR90SS-G2>1	1.49	0.29	24
G20	CW-2532PC-3,CL-3,SB60(3)-13AR90SS-G2>1	1.49	0.35	28
G21	CW-2532PC-3,SB60(2)-3,CS73(4)-13AR90SS-G2>1	1.23	0.27	29
G22	CW-2532PC-3,CL-3,CS73(3)-13AR90SS-G2>1	1.69	0.51	32
G23	CW-2532PC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G2>1	0.85	0.25	36
G24	CW-2532PC-3,SB60(2)-3,CL-3,CL-13AR90SS-G2>1	1.15	0.27	30
G25	CW-2532PC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G2>1	0.76	0.22	36
G26	CW-2532PC-3,CL-3,CL-3,CS73(5)-13AR90SS-G2>1	1.23	0.45	39
G27	CW-2532PC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G2>1	1.00	0.40	41

2632 Series Fixed Casement Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-2632FC-3,SB60(2)-3,CL-13AR90SS	1.47	0.31	26
G02	CW-2632FC-3,CL-3,SB60(3)-13AR90SS	1.47	0.38	30
G03	CW-2632FC-3,SB60(2)-3,CS73(4)-13AR90SS	1.25	0.30	30
G04	CW-2632FC-3,CL-3,CS73(3)-13AR90SS	1.66	0.56	36
G05	CW-2632FC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS	0.90	0.27	36
G06	CW-2632FC-3,SB60(2)-3,CL-3,CL-13AR90SS	1.17	0.29	31
G07	CW-2632FC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS	0.83	0.24	36
G08	CW-2632FC-3,CL-3,CL-3,CS73(5)-13AR90SS	1.24	0.50	42
G09	CW-2632FC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS	1.04	0.44	43
G10	CW-2632FC-3,SB60(2)-3,CL-13AR90SS-G1<1	1.47	0.28	24
G11	CW-2632FC-3,CL-3,SB60(3)-13AR90SS-G1<1	1.47	0.34	27
G12	CW-2632FC-3,SB60(2)-3,CS73(4)-13AR90SS-G1<1	1.25	0.27	28
G13	CW-2632FC-3,CL-3,CS73(3)-13AR90SS-G1<1	1.66	0.50	33
G14	CW-2632FC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G1<1	0.90	0.24	34
G15	CW-2632FC-3,SB60(2)-3,CL-3,CL-13AR90SS-G1<1	1.17	0.26	29
G16	CW-2632FC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G1<1	0.83	0.22	35
G17	CW-2632FC-3,CL-3,CL-3,CS73(5)-13AR90SS-G1<1	1.24	0.45	39
G18	CW-2632FC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G1<1	1.04	0.39	40
G19	CW-2632FC-3,SB60(2)-3,CL-13AR90SS-G2>1	1.47	0.25	22
G20	CW-2632FC-3,CL-3,SB60(3)-13AR90SS-G2>1	1.47	0.30	25
G21	CW-2632FC-3,SB60(2)-3,CS73(4)-13AR90SS-G2>1	1.25	0.24	26
G22	CW-2632FC-3,CL-3,CS73(3)-13AR90SS-G2>1	1.66	0.45	30



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G23	CW-2632FC-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-G2>1	0.90	0.22	33
G24	CW-2632FC-3,SB60(2)-3,CL-3,CL-13AR90SS-G2>1	1.17	0.23	28
G25	CW-2632FC-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-G2>1	0.83	0.19	33
G26	CW-2632FC-3,CL-3,CL-3,CS73(5)-13AR90SS-G2>1	1.24	0.40	36
G27	CW-2632FC-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-G2>1	1.04	0.35	37

2612 Series Casement Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-2612CA-3,SB60(2)-3,CL-13AR90SS-R1	1.55	0.27	21
G02	CW-2612CA-3,CL-3,SB60(3)-13AR90SS-R1	1.55	0.32	24
G03	CW-2612CA-3,SB60(2)-3,CS73(4)-13AR90SS-R1	1.35	0.25	24
G04	CW-2612CA-3,CL-3,CS73(3)-13AR90SS-R1	1.70	0.48	30
G05	CW-2612CA-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-R1	1.04	0.23	30
G06	CW-2612CA-3,SB60(2)-3,CL-3,CL-13AR90SS-R1	1.26	0.25	26
G07	CW-2612CA-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-R1	0.97	0.21	30
G08	CW-2612CA-3,CL-3,CL-3,CS73(5)-13AR90SS-R1	1.32	0.42	35
G09	CW-2612CA-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-R1	1.15	0.37	36
G10	CW-2612CA-3,SB60(2)-3,CL-13AR90SS-R1-G1<1	1.55	0.24	20
G11	CW-2612CA-3,CL-3,SB60(3)-13AR90SS-R1-G1<1	1.55	0.29	22
G12	CW-2612CA-3,SB60(2)-3,CS73(4)-13AR90SS-R1-G1<1	1.35	0.23	23
G13	CW-2612CA-3,CL-3,CS73(3)-13AR90SS-R1-G1<1	1.70	0.43	27
G14	CW-2612CA-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-R1-G1<1	1.04	0.21	29
G15	CW-2612CA-3,SB60(2)-3,CL-3,CL-13AR90SS-R1-G1<1	1.26	0.23	25
G16	CW-2612CA-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-R1-G1<1	0.97	0.19	29
G17	CW-2612CA-3,CL-3,CL-3,CS73(5)-13AR90SS-R1-G1<1	1.32	0.39	33
G18	CW-2612CA-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-R1-G1<1	1.15	0.34	34
G19	CW-2612CA-3,SB60(2)-3,CL-13AR90SS-R1-G2>1	1.55	0.22	18
G20	CW-2612CA-3,CL-3,SB60(3)-13AR90SS-R1-G2>1	1.55	0.27	21
G21	CW-2612CA-3,SB60(2)-3,CS73(4)-13AR90SS-R1-G2>1	1.35	0.21	22
G22	CW-2612CA-3,CL-3,CS73(3)-13AR90SS-R1-G2>1	1.70	0.39	25
G23	CW-2612CA-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-R1-G2>1	1.04	0.19	28
G24	CW-2612CA-3,SB60(2)-3,CL-3,CL-13AR90SS-R1-G2>1	1.26	0.21	24
G25	CW-2612CA-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-R1-G2>1	0.97	0.17	28
G26	CW-2612CA-3,CL-3,CL-3,CS73(5)-13AR90SS-R1-G2>1	1.32	0.35	31
G27	CW-2612CA-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-R1-G2>1	1.15	0.31	32

2612 Series Awning Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-2612AW-3,SB60(2)-3,CL-13AR90SS-R1	1.56	0.27	21
G02	CW-2612AW-3,CL-3,SB60(3)-13AR90SS-R1	1.56	0.32	24



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G03	CW-2612AW-3,SB60(2)-3,CS73(4)-13AR90SS-R1	1.38	0.25	24
G04	CW-2612AW-3,CL-3,CS73(3)-13AR90SS-R1	1.71	0.48	30
G05	CW-2612AW-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-R1	1.04	0.23	31
G06	CW-2612AW-3,SB60(2)-3,CL-3,CL-13AR90SS-R1	1.27	0.25	27
G07	CW-2612AW-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-R1	0.98	0.21	31
G08	CW-2612AW-3,CL-3,CL-3,CS73(5)-13AR90SS-R1	1.33	0.42	35
G09	CW-2612AW-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-R1	1.15	0.37	36
G10	CW-2612AW-3,SB60(2)-3,CL-13AR90SS-R1-G1<1	1.56	0.24	20
G11	CW-2612AW-3,CL-3,SB60(3)-13AR90SS-R1-G1<1	1.56	0.29	23
G12	CW-2612AW-3,SB60(2)-3,CS73(4)-13AR90SS-R1-G1<1	1.38	0.23	23
G13	CW-2612AW-3,CL-3,CS73(3)-13AR90SS-R1-G1<1	1.71	0.43	27
G14	CW-2612AW-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-R1-G1<1	1.04	0.21	29
G15	CW-2612AW-3,SB60(2)-3,CL-3,CL-13AR90SS-R1-G1<1	1.27	0.23	25
G16	CW-2612AW-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-R1-G1<1	0.98	0.19	30
G17	CW-2612AW-3,CL-3,CL-3,CS73(5)-13AR90SS-R1-G1<1	1.33	0.39	33
G18	CW-2612AW-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-R1-G1<1	1.15	0.34	34
G19	CW-2612AW-3,SB60(2)-3,CL-13AR90SS-R1-G2>1	1.56	0.22	19
G20	CW-2612AW-3,CL-3,SB60(3)-13AR90SS-R1-G2>1	1.56	0.27	21
G21	CW-2612AW-3,SB60(2)-3,CS73(4)-13AR90SS-R1-G2>1	1.38	0.21	22
G22	CW-2612AW-3,CL-3,CS73(3)-13AR90SS-R1-G2>1	1.71	0.39	25
G23	CW-2612AW-3,SB60(2)-3,CL-3,SB60(5)-13AR90SS-R1-G2>1	1.04	0.19	28
G24	CW-2612AW-3,SB60(2)-3,CL-3,CL-13AR90SS-R1-G2>1	1.27	0.21	24
G25	CW-2612AW-3,SB60(2)-3,SB60(4)-3,CS73(6)-13AR90SS-R1-G2>1	0.98	0.17	28
G26	CW-2612AW-3,CL-3,CL-3,CS73(5)-13AR90SS-R1-G2>1	1.33	0.35	31
G27	CW-2612AW-3,CS73(2)-3,CL-3,CS73(5)-13AR90SS-R1-G2>1	1.15	0.31	33

5600 Series Double Sliding Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-5600DS-4,SB60(2)-4,CL-13AR90SS-R1	1.54	0.31	23
G02	CW-5600DS-4,SB60(2)-4,CL-13AR90SS-R1-G3<1	1.57	0.30	22
G03	CW-5600DS-4,SB60(2)-4,CL-13AR90SS-R1-G4<1	1.59	0.29	21
G04	CW-5600DS-4,CL-4,SB60(3)-13AR90SS-R1	1.54	0.38	27
G05	CW-5600DS-4,CL-4,SB60(3)-13AR90SS-R1-G3<1	1.57	0.36	25
G06	CW-5600DS-4,CL-4,SB60(3)-13AR90SS-R1-G4<1	1.59	0.35	24
G07	CW-5600DS-4,CL-4,CS73(3)-13AR90SS-R1	1.73	0.56	33
G08	CW-5600DS-4,CL-4,CS73(3)-13AR90SS-R1-G3<1	1.77	0.53	31
G09	CW-5600DS-4,CL-4,CS73(3)-13AR90SS-R1-G4<1	1.79	0.51	29
G10	CW-5600DS-4,SB60(2)-4,CS73(4)-13AR90SS-R1	1.53	0.30	23
G11	CW-5600DS-4,SB60(2)-4,CS73(4)-13AR90SS-R1-G3<1	1.56	0.29	21
G12	CW-5600DS-4,SB60(2)-4,CS73(4)-13AR90SS-R1-G4<1	1.58	0.28	20



6855 Series Picture Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-6855PC-3,180(2)-3,180(4)-3,i89(6)-8AR90EN	0.98	0.47	46
G02	CW-6855PC-3,180(2)-3,180(4)-3,i89(6)-8AR90EN-G2>1	0.98	0.38	40
G03	CW-6855PC-3,180(2)-3,270(4)-3,i89(6)-8AR90EN	0.96	0.33	38
G04	CW-6855PC-3,180(2)-3,270(4)-3,i89(6)-8AR90EN-G2>1	0.96	0.27	35
G05	CW-6855PC-3,180(2)-3,366(4)-3,i89(6)-8AR90EN	0.95	0.27	35
G06	CW-6855PC-3,180(2)-3,366(4)-3,i89(6)-8AR90EN-G2>1	0.95	0.22	32
G07	CW-6855PC-3,270(2)-3,180(4)-3,i89(6)-8AR90EN	0.96	0.28	35
G08	CW-6855PC-3,270(2)-3,180(4)-3,i89(6)-8AR90EN-G2>1	0.96	0.23	32
G09	CW-6855PC-3,270(2)-3,270(4)-3,i89(6)-8AR90EN	0.94	0.25	34
G10	CW-6855PC-3,270(2)-3,270(4)-3,i89(6)-8AR90EN-G2>1	0.94	0.20	31
G11	CW-6855PC-3,270(2)-3,366(4)-3,i89(6)-8AR90EN	0.94	0.22	32
G12	CW-6855PC-3,270(2)-3,366(4)-3,i89(6)-8AR90EN-G2>1	0.94	0.18	30
G13	CW-6855PC-3,366(2)-3,180(4)-3,i89(6)-8AR90EN	0.95	0.21	31
G14	CW-6855PC-3,366(2)-3,180(4)-3,i89(6)-8AR90EN-G2>1	0.95	0.17	29
G15	CW-6855PC-3,366(2)-3,270(4)-3,i89(6)-8AR90EN	0.94	0.19	30
G16	CW-6855PC-3,366(2)-3,270(4)-3,i89(6)-8AR90EN-G2>1	0.94	0.16	29
G17	CW-6855PC-3,366(2)-3,366(4)-3,i89(6)-8AR90EN	0.93	0.18	30
G18	CW-6855PC-3,366(2)-3,366(4)-3,i89(6)-8AR90EN-G2>1	0.93	0.15	28
G19	CW-6855PC-3,180(2)-3,CL-3,180(5)-8AR90EN	1.10	0.49	44
G20	CW-6855PC-3,180(2)-3,CL-3,180(5)-8AR90EN-G2>1	1.10	0.40	39
G21	CW-6855PC-3,CL-3,180(3)-3,180(5)-8AR90EN	1.10	0.51	45
G22	CW-6855PC-3,CL-3,180(3)-3,180(5)-8AR90EN-G2>1	1.10	0.41	40
G23	CW-6855PC-3,CL-3,CL-3,180(5)-8AR90EN	1.34	0.53	41
G24	CW-6855PC-3,CL-3,CL-3,180(5)-8AR90EN-G2>1	1.34	0.43	35

6855 Series Single Sliding Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-6855SS-3,180(2)-3,180(4)-3,i89(6)-8AR90EN-R1	1.17	0.42	38
G02	CW-6855SS-3,180(2)-3,180(4)-3,i89(6)-8AR90EN-R1-G2>1	1.17	0.34	34
G03	CW-6855SS-3,180(2)-3,270(4)-3,i89(6)-8AR90EN-R1	1.15	0.30	32
G04	CW-6855SS-3,180(2)-3,270(4)-3,i89(6)-8AR90EN-R1-G2>1	1.15	0.24	28
G05	CW-6855SS-3,180(2)-3,366(4)-3,i89(6)-8AR90EN-R1	1.14	0.25	29
G06	CW-6855SS-3,180(2)-3,366(4)-3,i89(6)-8AR90EN-R1-G2>1	1.14	0.20	26
G07	CW-6855SS-3,270(2)-3,180(4)-3,i89(6)-8AR90EN-R1	1.15	0.26	29
G08	CW-6855SS-3,270(2)-3,180(4)-3,i89(6)-8AR90EN-R1-G2>1	1.15	0.21	27
G09	CW-6855SS-3,270(2)-3,270(4)-3,i89(6)-8AR90EN-R1	1.14	0.22	27
G10	CW-6855SS-3,270(2)-3,270(4)-3,i89(6)-8AR90EN-R1-G2>1	1.14	0.18	25
G11	CW-6855SS-3,270(2)-3,366(4)-3,i89(6)-8AR90EN-R1	1.13	0.20	26
G12	CW-6855SS-3,270(2)-3,366(4)-3,i89(6)-8AR90EN-R1-G2>1	1.13	0.16	24
G13	CW-6855SS-3,366(2)-3,180(4)-3,i89(6)-8AR90EN-R1	1.14	0.19	26
G14	CW-6855SS-3,366(2)-3,180(4)-3,i89(6)-8AR90EN-R1-G2>1	1.14	0.16	24
G15	CW-6855SS-3,366(2)-3,270(4)-3,i89(6)-8AR90EN-R1	1.13	0.18	25
G16	CW-6855SS-3,366(2)-3,270(4)-3,i89(6)-8AR90EN-R1-G2>1	1.13	0.15	24
G17	CW-6855SS-3,366(2)-3,366(4)-3,i89(6)-8AR90EN-R1	1.12	0.16	24
G18	CW-6855SS-3,366(2)-3,366(4)-3,i89(6)-8AR90EN-R1-G2>1	1.12	0.14	23



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G19	CW-6855SS-3,180(2)-3,CL-3,180(5)-8AR90EN-R1	1.29	0.45	37
G20	CW-6855SS-3,180(2)-3,CL-3,180(5)-8AR90EN-R1-G2>1	1.29	0.36	32
G21	CW-6855SS-3,CL-3,180(3)-3,180(5)-8AR90EN-R1	1.29	0.46	38
G22	CW-6855SS-3,CL-3,180(3)-3,180(5)-8AR90EN-R1-G2>1	1.29	0.37	33
G23	CW-6855SS-3,CL-3,CL-3,180(5)-8AR90EN-R1	1.50	0.48	34
G24	CW-6855SS-3,CL-3,CL-3,180(5)-8AR90EN-R1-G2>1	1.50	0.39	29

6855 Series Single Hung Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	CW-6855SH-3,180(2)-3,180(4)-3,i89(6)-8AR90EN-R1	1.17	0.42	38
G02	CW-6855SH-3,180(2)-3,180(4)-3,i89(6)-8AR90EN-R1-G2>1	1.17	0.34	33
G03	CW-6855SH-3,180(2)-3,270(4)-3,i89(6)-8AR90EN-R1	1.15	0.30	32
G04	CW-6855SH-3,180(2)-3,270(4)-3,i89(6)-8AR90EN-R1-G2>1	1.15	0.24	28
G05	CW-6855SH-3,180(2)-3,366(4)-3,i89(6)-8AR90EN-R1	1.14	0.25	29
G06	CW-6855SH-3,180(2)-3,366(4)-3,i89(6)-8AR90EN-R1-G2>1	1.14	0.20	26
G07	CW-6855SH-3,270(2)-3,180(4)-3,i89(6)-8AR90EN-R1	1.15	0.26	29
G08	CW-6855SH-3,270(2)-3,180(4)-3,i89(6)-8AR90EN-R1-G2>1	1.15	0.21	26
G09	CW-6855SH-3,270(2)-3,270(4)-3,i89(6)-8AR90EN-R1	1.14	0.22	27
G10	CW-6855SH-3,270(2)-3,270(4)-3,i89(6)-8AR90EN-R1-G2>1	1.14	0.18	25
G11	CW-6855SH-3,270(2)-3,366(4)-3,i89(6)-8AR90EN-R1	1.13	0.20	26
G12	CW-6855SH-3,270(2)-3,366(4)-3,i89(6)-8AR90EN-R1-G2>1	1.13	0.16	24
G13	CW-6855SH-3,366(2)-3,180(4)-3,i89(6)-8AR90EN-R1	1.14	0.19	25
G14	CW-6855SH-3,366(2)-3,180(4)-3,i89(6)-8AR90EN-R1-G2>1	1.14	0.16	24
G15	CW-6855SH-3,366(2)-3,270(4)-3,i89(6)-8AR90EN-R1	1.13	0.18	25
G16	CW-6855SH-3,366(2)-3,270(4)-3,i89(6)-8AR90EN-R1-G2>1	1.13	0.15	23
G17	CW-6855SH-3,366(2)-3,366(4)-3,i89(6)-8AR90EN-R1	1.12	0.17	25
G18	CW-6855SH-3,366(2)-3,366(4)-3,i89(6)-8AR90EN-R1-G2>1	1.12	0.14	23
G19	CW-6855SH-3,180(2)-3,CL-3,180(5)-8AR90EN-R1	1.29	0.45	37
G20	CW-6855SH-3,180(2)-3,CL-3,180(5)-8AR90EN-R1-G2>1	1.29	0.36	32
G21	CW-6855SH-3,CL-3,180(3)-3,180(5)-8AR90EN-R1	1.29	0.46	38
G22	CW-6855SH-3,CL-3,180(3)-3,180(5)-8AR90EN-R1-G2>1	1.29	0.37	33
G23	CW-6855SH-3,CL-3,CL-3,180(5)-8AR90EN-R1	1.51	0.48	34
G24	CW-6855SH-3,CL-3,CL-3,180(5)-8AR90EN-R1-G2>1	1.51	0.39	29



Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.