

WINDOWS & DOORS LISTING PROGRAM

Customer: Lux Windows & Glass Ltd.
Class: Fenestration Products – Energy Performance
Location: Calgary, Alberta
Website: <http://www.luxwindows.com>

Listing No. W475-2
Report No. W475-2 ED9
Project No. W475-2 ED9 R1
Effective Date: March 21, 2011
Last Revised Date: May 10, 2019
Expires: N/A

Standards: CSA A440.2-09 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W475
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

MODELS / RATINGS:

1100 Series Picture Window

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO1	LUX-1100PIC-GO1	2.47	23
GO1G1	LUX-1100PIC-GO1-G1	2.53	20
GO1G2	LUX-1100PIC-GO1-G2	2.54	18

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO2	LUX-1100PIC-GO2	2.66	17
GO2G1	LUX-1100PIC-GO2-G1	2.71	14
GO2G2	LUX-1100PIC-GO2-G2	2.72	13
GO3	LUX-1100PIC-GO3	2.56	21
GO3G1	LUX-1100PIC-GO3-G1	2.59	18
GO3G2	LUX-1100PIC-GO3-G2	2.59	17
GO4	LUX-1100PIC-GO4	2.57	21
GO4G1	LUX-1100PIC-GO4-G1	2.59	18
GO4G2	LUX-1100PIC-GO4-G2	2.58	17
GO5	LUX-1100PIC-GO5	1.50	27
GO5G1	LUX-1100PIC-GO5-G1	1.57	25
GO5G2	LUX-1100PIC-GO5-G2	1.60	23
GO6	LUX-1100PIC-GO6	1.57	25
GO6G1	LUX-1100PIC-GO6-G1	1.65	23
GO6G2	LUX-1100PIC-GO6-G2	1.69	21
GO7	LUX-1100PIC-GO7	1.51	27
GO7G1	LUX-1100PIC-GO7-G1	1.55	25
GO7G2	LUX-1100PIC-GO7-G2	1.58	24
GO8	LUX-1100PIC-GO8	1.52	27
GO8G1	LUX-1100PIC-GO8-G1	1.56	25
GO8G2	LUX-1100PIC-GO8-G2	1.58	24
GO9	LUX-1100PIC-GO9	1.87	31
GO9G1	LUX-1100PIC-GO9-G1	1.89	29
GO9G2	LUX-1100PIC-GO9-G2	1.90	28
GO10	LUX-1100PIC-GO10	1.77	34
GO10G1	LUX-1100PIC-GO10-G1	1.78	32
GO10G2	LUX-1100PIC-GO10-G2	1.78	31
GO11	LUX-1100PIC-GO11	1.26	31
GO11G1	LUX-1100PIC-GO11-G1	1.30	29
GO11G2	LUX-1100PIC-GO11-G2	1.32	28
GO12	LUX-1100PIC-GO12	1.17	33
GO12G1	LUX-1100PIC-GO12-G1	1.20	31
GO12G2	LUX-1100PIC-GO12-G2	1.21	30
GO13	LUX-1100PIC-GO13	1.00	35
GO13G1	LUX-1100PIC-GO13-G1	1.04	33
GO13G2	LUX-1100PIC-GO13-G2	1.07	32
GO14	LUX-1100PIC-GO14	0.88	38
GO14G1	LUX-1100PIC-GO14-G1	0.91	36
GO14G2	LUX-1100PIC-GO14-G2	0.94	35
GO15	LUX-1100PIC-GO15	1.49	28
GO15G1	LUX-1100PIC-GO15-G1	1.53	26
GO15G2	LUX-1100PIC-GO15-G2	1.55	25
GO16	LUX-1100PIC-GO16	1.21	27

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO16G1	LUX-1100PIC-GO16-G1	1.26	25
GO16G2	LUX-1100PIC-GO16-G2	1.27	24
GO17	LUX-1100PIC-GO17	1.51	27
GO17G1	LUX-1100PIC-GO17-G1	1.53	26
GO17G2	LUX-1100PIC-GO17-G2	1.55	25
GO18	LUX-1100PIC-GO18	1.22	27
GO18G1	LUX-1100PIC-GO18-G1	1.25	25
GO18G2	LUX-1100PIC-GO18-G2	1.26	25
GO19	LUX-1100PIC-GO19	1.16	34
GO19G1	LUX-1100PIC-GO19-G1	1.18	32
GO19G2	LUX-1100PIC-GO19-G2	1.18	31
GO20	LUX-1100PIC-GO20	0.86	38
GO20G1	LUX-1100PIC-GO20-G1	0.86	37
GO20G2	LUX-1100PIC-GO20-G2	0.87	37
GO21	LUX-1100PIC-GO21	0.98	31
GO21G1	LUX-1100PIC-GO21-G1	1.00	30
GO21G2	LUX-1100PIC-GO21-G2	1.01	29
GO22	LUX-1100PIC-GO22	1.23	32
GO22G1	LUX-1100PIC-GO22-G1	1.25	30
GO22G2	LUX-1100PIC-GO22-G2	1.27	29
GO23	LUX-1100PIC-GO23	0.97	36
GO23G1	LUX-1100PIC-GO23-G1	0.98	35
GO23G2	LUX-1100PIC-GO23-G2	0.99	34
GO24	LUX-1100PIC-GO24	1.05	29
GO24G1	LUX-1100PIC-GO24-G1	1.07	28
GO24G2	LUX-1100PIC-GO24-G2	1.08	27
GO25	LUX-1100PIC-GO25	1.57	40
GO25G3	LUX-1100PIC-GO25-G3	1.55	29
GO26	LUX-1100PIC-GO26	1.55	38
GO26G3	LUX-1100PIC-GO26-G3	1.55	29
GO27	LUX-1100PIC-GO27	1.50	16
GO27G3	LUX-1100PIC-GO27-G3	1.52	12
GO28	LUX-1100PIC-GO28	1.16	45
GO28G3	LUX-1100PIC-GO28-G3	1.17	35
GO29	LUX-1100PIC-GO29	1.26	41
GO29G3	LUX-1100PIC-GO29-G3	1.28	31
GO30	LUX-1100PIC-GO30	1.23	21
GO30G3	LUX-1100PIC-GO30-G3	1.26	18
GO31	LUX-1100PIC-GO31	0.83	33
GO31G3	LUX-1100PIC-GO31-G3	0.92	28
GO32	LUX-1100PIC-GO32	0.90	39
GO32G3	LUX-1100PIC-GO32-G3	1.06	29
GO33	LUX-1100PIC-GO33	0.93	31

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
GO33G3	LUX-1100PIC-GO33-G3	1.09	24
GO34	LUX-1100PIC-GO34	1.01	36
GO34G3	LUX-1100PIC-GO34-G3	1.05	29
GO35	LUX-1100PIC-GO35	1.52	25
GO36	LUX-1100PIC-GO36	0.82	38
GO36G3	LUX-1100PIC-GO36-G3	0.89	36
GO37	LUX-1100PIC-GO37	0.82	38
GO37G3	LUX-1100PIC-GO37-G3	0.89	36
GO38	LUX-1100PIC-GO38	0.88	36
GO38G3	LUX-1100PIC-GO38-G3	0.98	33
GO39	LUX-1100PIC-GO39	0.97	34
GO39G3	LUX-1100PIC-GO39-G3	1.11	31

1100 Series Awning Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
GO5	LUX-1100AWN-GO5	1.49	22
GO5G1	LUX-1100AWN-GO5-G1	1.53	20
GO5G2	LUX-1100AWN-GO5-G2	1.55	19
GO6	LUX-1100AWN-GO6	1.54	20
GO6G1	LUX-1100AWN-GO6-G1	1.59	19
GO6G2	LUX-1100AWN-GO6-G2	1.61	18
GO7	LUX-1100AWN-GO7	1.49	22
GO7G1	LUX-1100AWN-GO7-G1	1.51	21
GO7G2	LUX-1100AWN-GO7-G2	1.52	20
GO8	LUX-1100AWN-GO8	1.50	21
GO8G1	LUX-1100AWN-GO8-G1	1.52	20
GO8G2	LUX-1100AWN-GO8-G2	1.53	20
GO11	LUX-1100AWN-GO11	1.33	24
GO11G1	LUX-1100AWN-GO11-G1	1.35	23
GO11G2	LUX-1100AWN-GO11-G2	1.36	22
GO12	LUX-1100AWN-GO12	1.26	26
GO12G1	LUX-1100AWN-GO12-G1	1.27	25
GO12G2	LUX-1100AWN-GO12-G2	1.28	24
GO13	LUX-1100AWN-GO13	1.13	27
GO13G1	LUX-1100AWN-GO13-G1	1.16	26
GO13G2	LUX-1100AWN-GO13-G2	1.17	26
GO14	LUX-1100AWN-GO14	1.04	29

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO14G1	LUX-1100AWN-GO14-G1	1.06	28
GO14G2	LUX-1100AWN-GO14-G2	1.07	28
GO15	LUX-1100AWN-GO15	1.47	23
GO15G1	LUX-1100AWN-GO15-G1	1.49	21
GO15G2	LUX-1100AWN-GO15-G2	1.50	21
GO16	LUX-1100AWN-GO16	1.29	21
GO16G1	LUX-1100AWN-GO16-G1	1.30	21
GO16G2	LUX-1100AWN-GO16-G2	1.30	21
GO17	LUX-1100AWN-GO17	1.48	22
GO17G1	LUX-1100AWN-GO17-G1	1.49	22
GO17G2	LUX-1100AWN-GO17-G2	1.49	21
GO18	LUX-1100AWN-GO18	1.28	22
GO18G1	LUX-1100AWN-GO18-G1	1.28	21
GO18G2	LUX-1100AWN-GO18-G2	1.29	21
GO19	LUX-1100AWN-GO19	1.24	27
GO19G1	LUX-1100AWN-GO19-G1	1.25	26
GO19G2	LUX-1100AWN-GO19-G2	1.25	25
GO20	LUX-1100AWN-GO20	1.02	30
GO20G1	LUX-1100AWN-GO20-G1	1.02	30
GO20G2	LUX-1100AWN-GO20-G2	1.02	29
GO21	LUX-1100AWN-GO21	1.13	24
GO21G1	LUX-1100AWN-GO21-G1	1.13	24
GO21G2	LUX-1100AWN-GO21-G2	1.13	24
GO22	LUX-1100AWN-GO22	1.31	25
GO22G1	LUX-1100AWN-GO22-G1	1.32	24
GO22G2	LUX-1100AWN-GO22-G2	1.32	24
GO23	LUX-1100AWN-GO23	1.11	28
GO23G1	LUX-1100AWN-GO23-G1	1.12	27
GO23G2	LUX-1100AWN-GO23-G2	1.12	27
GO24	LUX-1100AWN-GO24	1.18	23
GO24G1	LUX-1100AWN-GO24-G1	1.19	22
GO24G2	LUX-1100AWN-GO24-G2	1.19	22
GO25	LUX-1100AWN-GO25	1.52	31
GO25G3	LUX-1100AWN-GO25-G3	1.48	25
GO26	LUX-1100AWN-GO26	1.52	30
GO26G3	LUX-1100AWN-GO26-G3	1.49	24
GO27	LUX-1100AWN-GO27	1.48	14
GO27G3	LUX-1100AWN-GO27-G3	1.47	12
GO28	LUX-1100AWN-GO28	1.26	34
GO28G3	LUX-1100AWN-GO28-G3	1.24	28
GO29	LUX-1100AWN-GO29	1.34	31
GO29G3	LUX-1100AWN-GO29-G3	1.33	25
GO30	LUX-1100AWN-GO30	1.32	17

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO30G3	LUX-1100AWN-GO30-G3	1.32	16
GO31	LUX-1100AWN-GO31	1.03	26
GO31G3	LUX-1100AWN-GO31-G3	1.06	23
GO32	LUX-1100AWN-GO32	1.05	31
GO32G3	LUX-1100AWN-GO32-G3	1.05	27
GO33	LUX-1100AWN-GO33	1.11	24
GO33G3	LUX-1100AWN-GO33-G3	1.20	20
GO34	LUX-1100AWN-GO34	1.15	28
GO34G3	LUX-1100AWN-GO34-G3	1.15	24
GO35	LUX-1100AWN-GO35	1.53	20
GO36	LUX-1100AWN-GO36	0.97	30
GO36G3	LUX-1100AWN-GO36-G3	1.01	29
GO37	LUX-1100AWN-GO37	0.98	30
GO37G3	LUX-1100AWN-GO37-G3	1.02	29
GO38	LUX-1100AWN-GO38	1.02	29
GO38G3	LUX-1100AWN-GO38-G3	1.08	28
GO39	LUX-1100AWN-GO39	1.10	27
GO39G3	LUX-1100AWN-GO39-G3	1.18	25

1100 Series Casement Window

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO5	LUX-1100CAS-GO5	1.51	22
GO5G1	LUX-1100CAS-GO5-G1	1.55	20
GO5G2	LUX-1100CAS-GO5-G2	1.57	19
GO6	LUX-1100CAS-GO6	1.56	20
GO6G1	LUX-1100CAS-GO6-G1	1.61	18
GO6G2	LUX-1100CAS-GO6-G2	1.64	17
GO7	LUX-1100CAS-GO7	1.51	21
GO7G1	LUX-1100CAS-GO7-G1	1.53	20
GO7G2	LUX-1100CAS-GO7-G2	1.55	19
GO8	LUX-1100CAS-GO8	1.52	21
GO8G1	LUX-1100CAS-GO8-G1	1.54	20
GO8G2	LUX-1100CAS-GO8-G2	1.55	19
GO11	LUX-1100CAS-GO11	1.35	24
GO11G1	LUX-1100CAS-GO11-G1	1.37	23
GO11G2	LUX-1100CAS-GO11-G2	1.39	22
GO12	LUX-1100CAS-GO12	1.28	25

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO12G1	LUX-1100CAS-GO12-G1	1.30	24
GO12G2	LUX-1100CAS-GO12-G2	1.31	24
GO13	LUX-1100CAS-GO13	1.16	27
GO13G1	LUX-1100CAS-GO13-G1	1.19	26
GO13G2	LUX-1100CAS-GO13-G2	1.20	25
GO14	LUX-1100CAS-GO14	1.07	29
GO14G1	LUX-1100CAS-GO14-G1	1.09	28
GO14G2	LUX-1100CAS-GO14-G2	1.10	27
GO15	LUX-1100CAS-GO15	1.44	23
GO15G1	LUX-1100CAS-GO15-G1	1.47	22
GO15G2	LUX-1100CAS-GO15-G2	1.49	21
GO16	LUX-1100CAS-GO16	1.25	22
GO16G1	LUX-1100CAS-GO16-G1	1.27	21
GO16G2	LUX-1100CAS-GO16-G2	1.28	21
GO17	LUX-1100CAS-GO17	1.45	23
GO17G1	LUX-1100CAS-GO17-G1	1.47	22
GO17G2	LUX-1100CAS-GO17-G2	1.47	22
GO18	LUX-1100CAS-GO18	1.24	23
GO18G1	LUX-1100CAS-GO18-G1	1.26	22
GO18G2	LUX-1100CAS-GO18-G2	1.27	21
GO19	LUX-1100CAS-GO19	1.24	27
GO19G1	LUX-1100CAS-GO19-G1	1.25	26
GO19G2	LUX-1100CAS-GO19-G2	1.25	25
GO20	LUX-1100CAS-GO20	1.02	30
GO20G1	LUX-1100CAS-GO20-G1	1.02	30
GO20G2	LUX-1100CAS-GO20-G2	1.02	29
GO21	LUX-1100CAS-GO21	1.11	25
GO21G1	LUX-1100CAS-GO21-G1	1.12	24
GO21G2	LUX-1100CAS-GO21-G2	1.12	24
GO22	LUX-1100CAS-GO22	1.28	26
GO22G1	LUX-1100CAS-GO22-G1	1.30	25
GO22G2	LUX-1100CAS-GO22-G2	1.31	24
GO23	LUX-1100CAS-GO23	1.09	29
GO23G1	LUX-1100CAS-GO23-G1	1.10	28
GO23G2	LUX-1100CAS-GO23-G2	1.11	27
GO24	LUX-1100CAS-GO24	1.15	24
GO24G1	LUX-1100CAS-GO24-G1	1.17	23
GO24G2	LUX-1100CAS-GO24-G2	1.17	23
GO25	LUX-1100CAS-GO25	1.49	32
GO25G3	LUX-1100CAS-GO25-G3	1.53	24
GO26	LUX-1100CAS-GO26	1.49	31
GO26G3	LUX-1100CAS-GO26-G3	1.49	24
GO27	LUX-1100CAS-GO27	1.46	14

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
GO27G3	LUX-1100CAS-GO27-G3	1.47	12
GO28	LUX-1100CAS-GO28	1.23	35
GO28G3	LUX-1100CAS-GO28-G3	1.24	28
GO29	LUX-1100CAS-GO29	1.32	32
GO29G3	LUX-1100CAS-GO29-G3	1.33	25
GO30	LUX-1100CAS-GO30	1.30	17
GO30G3	LUX-1100CAS-GO30-G3	1.32	16
GO31	LUX-1100CAS-GO31	1.00	27
GO31G3	LUX-1100CAS-GO31-G3	1.06	23
GO32	LUX-1100CAS-GO32	1.03	31
GO32G3	LUX-1100CAS-GO32-G3	1.05	27
GO33	LUX-1100CAS-GO33	1.09	25
GO33G3	LUX-1100CAS-GO33-G3	1.20	20
GO34	LUX-1100CAS-GO34	1.13	29
GO34G3	LUX-1100CAS-GO34-G3	1.15	24
GO35	LUX-1100CAS-GO35	1.54	20
GO36	LUX-1100CAS-GO36	0.96	30
GO36G3	LUX-1100CAS-GO36-G3	1.01	29
GO37	LUX-1100CAS-GO37	0.96	30
GO37G3	LUX-1100CAS-GO37-G3	1.02	29
GO38	LUX-1100CAS-GO38	1.01	29
GO38G3	LUX-1100CAS-GO38-G3	1.08	27
GO39	LUX-1100CAS-GO39	1.08	27
GO39G3	LUX-1100CAS-GO39-G3	1.18	25

1100 Series Fixed Casement Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
GO5	LUX-1100FIX-GO5	1.52	24
GO5G1	LUX-1100FIX-GO5-G1	1.59	22
GO5G2	LUX-1100FIX-GO5-G2	1.61	21
GO6	LUX-1100FIX-GO6	1.56	23
GO6G1	LUX-1100FIX-GO6-G1	1.63	21
GO6G2	LUX-1100FIX-GO6-G2	1.67	19
GO7	LUX-1100FIX-GO7	1.51	25
GO7G1	LUX-1100FIX-GO7-G1	1.55	23
GO7G2	LUX-1100FIX-GO7-G2	1.57	22
GO8	LUX-1100FIX-GO8	1.52	24

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO8G1	LUX-1100FIX-GO8-G1	1.55	22
GO8G2	LUX-1100FIX-GO8-G2	1.57	21
GO11	LUX-1100FIX-GO11	1.29	28
GO11G1	LUX-1100FIX-GO11-G1	1.33	26
GO11G2	LUX-1100FIX-GO11-G2	1.35	25
GO12	LUX-1100FIX-GO12	1.22	30
GO12G1	LUX-1100FIX-GO12-G1	1.24	28
GO12G2	LUX-1100FIX-GO12-G2	1.25	27
GO13	LUX-1100FIX-GO13	1.06	32
GO13G1	LUX-1100FIX-GO13-G1	1.10	30
GO13G2	LUX-1100FIX-GO13-G2	1.13	29
GO14	LUX-1100FIX-GO14	0.96	34
GO14G1	LUX-1100FIX-GO14-G1	0.99	32
GO14G2	LUX-1100FIX-GO14-G2	1.01	31
GO15	LUX-1100FIX-GO15	1.47	26
GO15G1	LUX-1100FIX-GO15-G1	1.51	24
GO15G2	LUX-1100FIX-GO15-G2	1.53	23
GO16	LUX-1100FIX-GO16	1.23	25
GO16G1	LUX-1100FIX-GO16-G1	1.27	23
GO16G2	LUX-1100FIX-GO16-G2	1.28	23
GO17	LUX-1100FIX-GO17	1.49	25
GO17G1	LUX-1100FIX-GO17-G1	1.52	24
GO17G2	LUX-1100FIX-GO17-G2	1.53	23
GO18	LUX-1100FIX-GO18	1.24	24
GO18G1	LUX-1100FIX-GO18-G1	1.27	23
GO18G2	LUX-1100FIX-GO18-G2	1.27	23
GO19	LUX-1100FIX-GO19	1.20	30
GO19G1	LUX-1100FIX-GO19-G1	1.22	29
GO19G2	LUX-1100FIX-GO19-G2	1.23	28
GO20	LUX-1100FIX-GO20	0.94	34
GO20G1	LUX-1100FIX-GO20-G1	0.95	34
GO20G2	LUX-1100FIX-GO20-G2	0.95	33
GO21	LUX-1100FIX-GO21	1.05	28
GO21G1	LUX-1100FIX-GO21-G1	1.07	27
GO21G2	LUX-1100FIX-GO21-G2	1.07	26
GO22	LUX-1100FIX-GO22	1.26	29
GO22G1	LUX-1100FIX-GO22-G1	1.28	28
GO22G2	LUX-1100FIX-GO22-G2	1.30	27
GO23	LUX-1100FIX-GO23	1.03	32
GO23G1	LUX-1100FIX-GO23-G1	1.04	32
GO23G2	LUX-1100FIX-GO23-G2	1.05	31
GO24	LUX-1100FIX-GO24	1.10	27
GO24G1	LUX-1100FIX-GO24-G1	1.12	26

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO24G2	LUX-1100FIX-GO24-G2	1.13	25
GO25	LUX-1100FIX-GO25	1.54	33
GO25G3	LUX-1100FIX-GO25-G3	1.52	24
GO26	LUX-1100FIX-GO26	1.52	32
GO26G3	LUX-1100FIX-GO26-G3	1.52	23
GO27	LUX-1100FIX-GO27	1.48	12
GO27G3	LUX-1100FIX-GO27-G3	1.49	10
GO28	LUX-1100FIX-GO28	1.20	37
GO28G3	LUX-1100FIX-GO28-G3	1.21	28
GO29	LUX-1100FIX-GO29	1.29	34
GO29G3	LUX-1100FIX-GO29-G3	1.31	25
GO30	LUX-1100FIX-GO30	1.27	16
GO30G3	LUX-1100FIX-GO30-G3	1.29	14
GO31	LUX-1100FIX-GO31	0.91	28
GO31G3	LUX-1100FIX-GO31-G3	0.99	22
GO32	LUX-1100FIX-GO32	0.97	32
GO32G3	LUX-1100FIX-GO32-G3	0.99	27
GO33	LUX-1100FIX-GO33	1.00	26
GO33G3	LUX-1100FIX-GO33-G3	1.15	19
GO34	LUX-1100FIX-GO34	1.07	29
GO34G3	LUX-1100FIX-GO34-G3	1.10	24
GO35	LUX-1100FIX-GO35	1.53	22
GO36	LUX-1100FIX-GO36	0.89	34
GO36G3	LUX-1100FIX-GO36-G3	0.96	33
GO37	LUX-1100FIX-GO37	0.90	34
GO37G3	LUX-1100FIX-GO37-G3	0.97	33
GO38	LUX-1100FIX-GO38	0.95	32
GO38G3	LUX-1100FIX-GO38-G3	1.04	30
GO39	LUX-1100FIX-GO39	1.03	31
GO39G3	LUX-1100FIX-GO39-G3	1.16	28

1106 Series Horizontal Sliding Window

Option #	Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO1		LUX-1106HS-GO1	2.68	14
GO1G1		LUX-1106HS-GO1-G1	2.72	11
GO1G2		LUX-1106HS-GO1-G2	2.72	10
GO2		LUX-1106HS-GO2	2.74	10
GO2G1		LUX-1106HS-GO2-G1	2.78	8
GO2G2		LUX-1106HS-GO2-G2	2.79	6
GO3		LUX-1106HS-GO3	2.64	15
GO3G1		LUX-1106HS-GO3-G1	2.65	13
GO3G2		LUX-1106HS-GO3-G2	2.65	12
GO4		LUX-1106HS-GO4	2.64	14
GO4G1		LUX-1106HS-GO4-G1	2.65	12
GO4G2		LUX-1106HS-GO4-G2	2.64	11
GO5		LUX-1106HS-GO5	1.69	20
GO5G1		LUX-1106HS-GO5-G1	1.75	18
GO5G2		LUX-1106HS-GO5-G2	1.78	16
GO6		LUX-1106HS-GO6	1.76	18
GO6G1		LUX-1106HS-GO6-G1	1.83	15
GO6G2		LUX-1106HS-GO6-G2	1.87	14
GO7		LUX-1106HS-GO7	1.68	20
GO7G1		LUX-1106HS-GO7-G1	1.71	19
GO7G2		LUX-1106HS-GO7-G2	1.74	17
GO8		LUX-1106HS-GO8	1.70	19
GO8G1		LUX-1106HS-GO8-G1	1.73	18
GO8G2		LUX-1106HS-GO8-G2	1.75	17
GO9		LUX-1106HS-GO9	1.69	20
GO9G1		LUX-1106HS-GO9-G1	1.73	18
GO9G2		LUX-1106HS-GO9-G2	1.74	17
GO10		LUX-1106HS-GO10	1.44	19
GO10G1		LUX-1106HS-GO10-G1	1.47	18
GO10G2		LUX-1106HS-GO10-G2	1.48	17
GO11		LUX-1106HS-GO11	1.71	20
GO11G1		LUX-1106HS-GO11-G1	1.73	19
GO11G2		LUX-1106HS-GO11-G2	1.74	18
GO12		LUX-1106HS-GO12	1.45	19
GO12G1		LUX-1106HS-GO12-G1	1.47	18
GO12G2		LUX-1106HS-GO12-G2	1.48	17
GO13		LUX-1106HS-GO13	1.78	31
GO13G3		LUX-1106HS-GO13-G3	1.75	21
GO14		LUX-1106HS-GO14	1.77	30
GO14G3		LUX-1106HS-GO14-G3	1.76	20
GO15		LUX-1106HS-GO15	1.73	8

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
GO15G3	LUX-1106HS-GO15-G3	1.73	7

1109 Series Vertical Sliding Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
GO1	LUX-1109VS-GO1	2.66	14
GO1G1	LUX-1109VS-GO1-G1	2.70	11
GO1G2	LUX-1109VS-GO1-G2	2.71	10
GO2	LUX-1109VS-GO2	2.72	10
GO2G1	LUX-1109VS-GO2-G1	2.77	8
GO2G2	LUX-1109VS-GO2-G2	2.77	6
GO3	LUX-1109VS-GO3	2.62	16
GO3G1	LUX-1109VS-GO3-G1	2.64	13
GO3G2	LUX-1109VS-GO3-G2	2.64	12
GO4	LUX-1109VS-GO4	2.62	14
GO4G1	LUX-1109VS-GO4-G1	2.64	12
GO4G2	LUX-1109VS-GO4-G2	2.63	11
GO5	LUX-1109VS-GO5	1.68	20
GO5G1	LUX-1109VS-GO5-G1	1.74	17
GO5G2	LUX-1109VS-GO5-G2	1.77	16
GO6	LUX-1109VS-GO6	1.75	18
GO6G1	LUX-1109VS-GO6-G1	1.82	15
GO6G2	LUX-1109VS-GO6-G2	1.86	14
GO7	LUX-1109VS-GO7	1.66	20
GO7G1	LUX-1109VS-GO7-G1	1.70	19
GO7G2	LUX-1109VS-GO7-G2	1.72	17
GO8	LUX-1109VS-GO8	1.69	19
GO8G1	LUX-1109VS-GO8-G1	1.73	18
GO8G2	LUX-1109VS-GO8-G2	1.74	17
GO9	LUX-1109VS-GO9	1.67	20
GO9G1	LUX-1109VS-GO9-G1	1.71	18
GO9G2	LUX-1109VS-GO9-G2	1.73	17
GO10	LUX-1109VS-GO10	1.42	19
GO10G1	LUX-1109VS-GO10-G1	1.46	18
GO10G2	LUX-1109VS-GO10-G2	1.47	17
GO11	LUX-1109VS-GO11	1.70	20
GO11G1	LUX-1109VS-GO11-G1	1.72	18
GO11G2	LUX-1109VS-GO11-G2	1.73	18

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
GO12	LUX-1109VS-GO12	1.44	19
GO12G1	LUX-1109VS-GO12-G1	1.46	18
GO12G2	LUX-1109VS-GO12-G2	1.47	17
GO13	LUX-1109VS-GO13	1.76	31
GO13G3	LUX-1109VS-GO13-G3	1.73	21
GO14	LUX-1109VS-GO14	1.75	30
GO14G3	LUX-1109VS-GO14-G3	1.74	20
GO15	LUX-1109VS-GO15	1.71	8
GO15G3	LUX-1109VS-GO15-G3	1.71	7

1206 Series Horizontal Sliding Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
G01	LUX-H1206-HS-G01-3,042(2)-3,CL-13,Ar-XL	1.74	19
G01G3	LUX-H1206-HS-G01G3-3,042(2)-3,CL-13,Ar-XL-S	1.71	13
G02	LUX-H1206-HS-G02-3,022(2)-3,149(4)-13,Ar-XL	1.50	17
G02G3	LUX-H1206-HS-G02G3-3,022(2)-3,149(4)-13,Ar-XL-S	1.58	12
G03	LUX-H1206-HS-G03-3,CL-3,068(3)-13,Ar-XL	1.78	30
G03G3	LUX-H1206-HS-G03G3-3,CL-3,068(3)-13,Ar-XL-S	1.75	21
G04	LUX-H1206-HS-G04-5,CL-5,068(3)-10,Ar-XL	1.84	27
G04G3	LUX-H1206-HS-G04G3-5,CL-5,068(3)-10,Ar-XL-S	1.83	18
G05	LUX-H1206-HS-G05-6,850(1)-4,042(3)-10,Ar-XL	1.80	7
G05G3	LUX-H1206-HS-G05G3-6,850(1)-4,042(3)-10,Ar-XL-S	1.80	5

1209 Series Vertical Sliding Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
G01	LUX-H1209-VS-G01-3,042(2)-3,CL-13,Ar-XL	1.73	19
G01G3	LUX-H1209-VS-G01G3-3,042(2)-3,CL-13,Ar-XL-S	1.70	14
G02	LUX-H1209-VS-G02-3,022(2)-3,149(4)-13,Ar-XL	1.48	18
G02G3	LUX-H1209-VS-G02G3-3,022(2)-3,149(4)-13,Ar-XL-S	1.56	13
G03	LUX-H1209-VS-G03-3,CL-3,068(3)-13,Ar-XL	1.77	31
G03G3	LUX-H1209-VS-G03G3-3,CL-3,068(3)-13,Ar-XL-S	1.73	21

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
G04	LUX-H1209-VS-G04-5,CL-5,068(3)-10,Ar-XL	1.83	28
G04G3	LUX-H1209-VS-G04G3-5,CL-5,068(3)-10,Ar-XL-S	1.81	19
G05	LUX-H1209-VS-G05-6,850(1)-4,042(3)-10,Ar-XL	1.79	7
G05G3	LUX-H1209-VS-G05G3-6,850(1)-4,042(3)-10,Ar-XL-S	1.78	5

1201 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
G01	LUX-1201PIC-G01	2.66	21
G01G1	LUX-1201PIC-G01-G1	2.71	18
G01G2	LUX-1201PIC-G01-G2	2.72	16
G02	LUX-1201PIC-G02	2.71	18
G02G1	LUX-1201PIC-G02-G1	2.77	15
G02G2	LUX-1201PIC-G02-G2	2.78	13
G03	LUX-1201PIC-G03	2.61	22
G03G1	LUX-1201PIC-G03-G1	2.64	19
G03G2	LUX-1201PIC-G03-G2	2.64	18
G04	LUX-1201PIC-G04	2.63	21
G04G1	LUX-1201PIC-G04-G1	2.65	19
G04G2	LUX-1201PIC-G04-G2	2.64	18
G05	LUX-1201PIC-G05	1.50	28
G05G1	LUX-1201PIC-G05-G1	1.57	26
G05G2	LUX-1201PIC-G05-G2	1.61	24
G06	LUX-1201PIC-G06	1.58	26
G06G1	LUX-1201PIC-G06-G1	1.66	23
G06G2	LUX-1201PIC-G06-G2	1.70	22
G07	LUX-1201PIC-G07	1.52	28
G07G1	LUX-1201PIC-G07-G1	1.57	26
G07G2	LUX-1201PIC-G07-G2	1.59	25
G08	LUX-1201PIC-G08	1.54	27
G08G1	LUX-1201PIC-G08-G1	1.58	25
G08G2	LUX-1201PIC-G08-G2	1.60	24
G09	LUX-1201PIC-G09	1.87	33
G09G1	LUX-1201PIC-G09-G1	1.89	31
G09G2	LUX-1201PIC-G09-G2	1.90	30
G010	LUX-1201PIC-G010	1.76	36
G010G1	LUX-1201PIC-G010-G1	1.78	34
G010G2	LUX-1201PIC-G010-G2	1.78	33

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO11	LUX-1201PIC-GO11	1.24	32
GO11G1	LUX-1201PIC-GO11-G1	1.28	30
GO11G2	LUX-1201PIC-GO11-G2	1.30	29
GO12	LUX-1201PIC-GO12	1.15	34
GO12G1	LUX-1201PIC-GO12-G1	1.18	33
GO12G2	LUX-1201PIC-GO12-G2	1.20	32
GO13	LUX-1201PIC-GO13	0.97	37
GO13G1	LUX-1201PIC-GO13-G1	1.01	35
GO13G2	LUX-1201PIC-GO13-G2	1.04	34
GO14	LUX-1201PIC-GO14	0.84	39
GO14G1	LUX-1201PIC-GO14-G1	0.88	38
GO14G2	LUX-1201PIC-GO14-G2	0.91	37
GO15	LUX-1201PIC-GO15	1.50	28
GO15G1	LUX-1201PIC-GO15-G1	1.55	26
GO15G2	LUX-1201PIC-GO15-G2	1.57	25
GO16	LUX-1201PIC-GO16	1.21	27
GO16G1	LUX-1201PIC-GO16-G1	1.25	26
GO16G2	LUX-1201PIC-GO16-G2	1.27	25
GO17	LUX-1201PIC-GO17	1.53	28
GO17G1	LUX-1201PIC-GO17-G1	1.56	26
GO17G2	LUX-1201PIC-GO17-G2	1.58	25
GO18	LUX-1201PIC-GO18	1.22	27
GO18G1	LUX-1201PIC-GO18-G1	1.26	26
GO18G2	LUX-1201PIC-GO18-G2	1.27	25
GO19	LUX-1201PIC-GO19	1.21	33
GO19G1	LUX-1201PIC-GO19-G1	1.24	32
GO19G2	LUX-1201PIC-GO19-G2	1.25	31
GO20	LUX-1201PIC-GO20	0.93	38
GO20G1	LUX-1201PIC-GO20-G1	0.95	37
GO20G2	LUX-1201PIC-GO20-G2	0.96	36
GO21	LUX-1201PIC-GO21	1.01	31
GO21G1	LUX-1201PIC-GO21-G1	1.04	29
GO21G2	LUX-1201PIC-GO21-G2	1.06	28
GO22	LUX-1201PIC-GO22	1.45	28
GO22G1	LUX-1201PIC-GO22-G1	1.54	25
GO22G2	LUX-1201PIC-GO22-G2	1.58	23
GO23	LUX-1201PIC-GO23	1.19	32
GO23G1	LUX-1201PIC-GO23-G1	1.24	30
GO23G2	LUX-1201PIC-GO23-G2	1.26	29
GO24	LUX-1201PIC-GO24	1.19	27
GO24G1	LUX-1201PIC-GO24-G1	1.27	24
GO24G2	LUX-1201PIC-GO24-G2	1.29	23
GO25	LUX-1201PIC-GO25	1.16	34

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO25G1	LUX-1201PIC-GO25-G1	1.18	33
GO25G2	LUX-1201PIC-GO25-G2	1.18	32
GO26	LUX-1201PIC-GO26	0.84	40
GO26G1	LUX-1201PIC-GO26-G1	0.85	39
GO26G2	LUX-1201PIC-GO26-G2	0.85	38
GO27	LUX-1201PIC-GO27	0.97	31
GO27G1	LUX-1201PIC-GO27-G1	0.99	30
GO27G2	LUX-1201PIC-GO27-G2	0.99	30
GO28	LUX-1201PIC-GO28	1.22	32
GO28G1	LUX-1201PIC-GO28-G1	1.25	31
GO28G2	LUX-1201PIC-GO28-G2	1.27	30
GO29	LUX-1201PIC-GO29	0.94	37
GO29G1	LUX-1201PIC-GO29-G1	0.96	36
GO29G2	LUX-1201PIC-GO29-G2	0.97	35
GO30	LUX-1201PIC-GO30	1.03	30
GO30G1	LUX-1201PIC-GO30-G1	1.05	29
GO30G2	LUX-1201PIC-GO30-G2	1.06	28
GO35	LUX-1201PIC-GO35	1.58	41
GO35G3	LUX-1201PIC-GO35-G3	1.54	31
GO36	LUX-1201PIC-GO36	1.56	39
GO36G3	LUX-1201PIC-GO36-G3	1.55	29
GO37	LUX-1201PIC-GO37	1.51	16
GO37G3	LUX-1201PIC-GO37-G3	1.51	13
GO38	LUX-1201PIC-GO38	1.26	44
GO38G3	LUX-1201PIC-GO38-G3	1.27	34
GO39	LUX-1201PIC-GO39	1.37	39
GO39G3	LUX-1201PIC-GO39-G3	1.41	29
GO40	LUX-1201PIC-GO40	1.35	19
GO40G3	LUX-1201PIC-GO40-G3	1.39	15
GO41	LUX-1201PIC-GO41	0.87	33
GO41G3	LUX-1201PIC-GO41-G3	0.97	27
GO42	LUX-1201PIC-GO42	1.00	37
GO42G3	LUX-1201PIC-GO42-G3	1.03	31
GO43	LUX-1201PIC-GO43	1.55	25
GO44	LUX-1201PIC-GO44	0.88	37
GO44G3	LUX-1201PIC-GO44-G3	0.99	34
GO45	LUX-1201PIC-GO45	0.81	38
GO45G3	LUX-1201PIC-GO45-G3	0.90	36
GO46	LUX-1201PIC-GO46	0.87	37
GO46G3	LUX-1201PIC-GO46-G3	0.98	34
GO47	LUX-1201PIC-GO47	0.97	34
GO47G3	LUX-1201PIC-GO47-G3	1.13	31

1202 Series Fixed Casement Window

Option #	Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO1		LUX-1202FIX-GO1	2.51	20
GO1G1		LUX-1202FIX-GO1-G1	2.55	17
GO1G2		LUX-1202FIX-GO1-G2	2.56	16
GO2		LUX-1202FIX-GO2	2.56	17
GO2G1		LUX-1202FIX-GO2-G1	2.61	14
GO2G2		LUX-1202FIX-GO2-G2	2.62	13
GO3		LUX-1202FIX-GO3	2.47	21
GO3G1		LUX-1202FIX-GO3-G1	2.49	18
GO3G2		LUX-1202FIX-GO3-G2	2.49	17
GO4		LUX-1202FIX-GO4	2.48	20
GO4G1		LUX-1202FIX-GO4-G1	2.50	18
GO4G2		LUX-1202FIX-GO4-G2	2.50	17
GO5		LUX-1202FIX-GO5	1.48	27
GO5G1		LUX-1202FIX-GO5-G1	1.55	24
GO5G2		LUX-1202FIX-GO5-G2	1.58	23
GO6		LUX-1202FIX-GO6	1.55	25
GO6G1		LUX-1202FIX-GO6-G1	1.63	22
GO6G2		LUX-1202FIX-GO6-G2	1.67	21
GO7		LUX-1202FIX-GO7	1.50	26
GO7G1		LUX-1202FIX-GO7-G1	1.54	24
GO7G2		LUX-1202FIX-GO7-G2	1.56	23
GO8		LUX-1202FIX-GO8	1.52	26
GO8G1		LUX-1202FIX-GO8-G1	1.55	24
GO8G2		LUX-1202FIX-GO8-G2	1.57	23
GO9		LUX-1202FIX-GO9	1.81	31
GO9G1		LUX-1202FIX-GO9-G1	1.83	29
GO9G2		LUX-1202FIX-GO9-G2	1.84	27
GO10		LUX-1202FIX-GO10	1.72	33
GO10G1		LUX-1202FIX-GO10-G1	1.73	31
GO10G2		LUX-1202FIX-GO10-G2	1.73	30
GO11		LUX-1202FIX-GO11	1.26	30
GO11G1		LUX-1202FIX-GO11-G1	1.30	28
GO11G2		LUX-1202FIX-GO11-G2	1.32	27
GO12		LUX-1202FIX-GO12	1.18	32
GO12G1		LUX-1202FIX-GO12-G1	1.21	30
GO12G2		LUX-1202FIX-GO12-G2	1.22	29
GO13		LUX-1202FIX-GO13	1.02	34
GO13G1		LUX-1202FIX-GO13-G1	1.05	32
GO13G2		LUX-1202FIX-GO13-G2	1.08	31
GO14		LUX-1202FIX-GO14	0.91	36
GO14G1		LUX-1202FIX-GO14-G1	0.94	35

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO14G2	LUX-1202FIX-GO14-G2	0.96	34
GO15	LUX-1202FIX-GO15	1.47	26
GO15G1	LUX-1202FIX-GO15-G1	1.51	25
GO15G2	LUX-1202FIX-GO15-G2	1.53	24
GO16	LUX-1202FIX-GO16	1.21	26
GO16G1	LUX-1202FIX-GO16-G1	1.25	24
GO16G2	LUX-1202FIX-GO16-G2	1.27	23
GO17	LUX-1202FIX-GO17	1.50	26
GO17G1	LUX-1202FIX-GO17-G1	1.52	25
GO17G2	LUX-1202FIX-GO17-G2	1.54	24
GO18	LUX-1202FIX-GO18	1.23	25
GO18G1	LUX-1202FIX-GO18-G1	1.26	24
GO18G2	LUX-1202FIX-GO18-G2	1.28	23
GO19	LUX-1202FIX-GO19	1.23	31
GO19G1	LUX-1202FIX-GO19-G1	1.26	29
GO19G2	LUX-1202FIX-GO19-G2	1.27	28
GO20	LUX-1202FIX-GO20	0.98	35
GO20G1	LUX-1202FIX-GO20-G1	1.00	34
GO20G2	LUX-1202FIX-GO20-G2	1.01	33
GO21	LUX-1202FIX-GO21	1.06	28
GO21G1	LUX-1202FIX-GO21-G1	1.08	27
GO21G2	LUX-1202FIX-GO21-G2	1.10	26
GO22	LUX-1202FIX-GO22	1.44	26
GO22G1	LUX-1202FIX-GO22-G1	1.53	23
GO22G2	LUX-1202FIX-GO22-G2	1.56	21
GO23	LUX-1202FIX-GO23	1.21	30
GO23G1	LUX-1202FIX-GO23-G1	1.26	27
GO23G2	LUX-1202FIX-GO23-G2	1.27	27
GO24	LUX-1202FIX-GO24	1.22	25
GO24G1	LUX-1202FIX-GO24-G1	1.28	23
GO24G2	LUX-1202FIX-GO24-G2	1.30	22
GO25	LUX-1202FIX-GO25	1.19	31
GO25G1	LUX-1202FIX-GO25-G1	1.20	30
GO25G2	LUX-1202FIX-GO25-G2	1.21	30
GO26	LUX-1202FIX-GO26	0.90	36
GO26G1	LUX-1202FIX-GO26-G1	0.91	36
GO26G2	LUX-1202FIX-GO26-G2	0.91	35
GO27	LUX-1202FIX-GO27	1.02	29
GO27G1	LUX-1202FIX-GO27-G1	1.03	28
GO27G2	LUX-1202FIX-GO27-G2	1.04	28
GO28	LUX-1202FIX-GO28	1.24	30
GO28G1	LUX-1202FIX-GO28-G1	1.27	28
GO28G2	LUX-1202FIX-GO28-G2	1.28	28

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO29	LUX-1202FIX-GO29	1.00	34
GO29G1	LUX-1202FIX-GO29-G1	1.01	33
GO29G2	LUX-1202FIX-GO29-G2	1.01	32
GO30	LUX-1202FIX-GO30	1.07	28
GO30G1	LUX-1202FIX-GO30-G1	1.09	27
GO30G2	LUX-1202FIX-GO30-G2	1.10	26
GO31	LUX-1202FIX-GO31	1.01	35
GO31G1	LUX-1202FIX-GO31-G1	1.04	33
GO31G2	LUX-1202FIX-GO31-G2	1.07	32
GO32	LUX-1202FIX-GO32	1.25	29
GO32G1	LUX-1202FIX-GO32-G1	1.33	27
GO32G2	LUX-1202FIX-GO32-G2	1.38	25
GO33	LUX-1202FIX-GO33	0.90	37
GO33G1	LUX-1202FIX-GO33-G1	0.92	35
GO33G2	LUX-1202FIX-GO33-G2	0.93	35
GO34	LUX-1202FIX-GO34	1.10	32
GO34G1	LUX-1202FIX-GO34-G1	1.15	30
GO34G2	LUX-1202FIX-GO34-G2	1.19	28
GO35	LUX-1202FIX-GO35	1.55	37
GO35G3	LUX-1202FIX-GO35-G3	1.52	28
GO36	LUX-1202FIX-GO36	1.54	36
GO36G3	LUX-1202FIX-GO36-G3	1.52	27
GO37	LUX-1202FIX-GO37	1.49	15
GO37G3	LUX-1202FIX-GO37-G3	1.49	13
GO38	LUX-1202FIX-GO38	1.28	40
GO38G3	LUX-1202FIX-GO38-G3	1.28	31
GO39	LUX-1202FIX-GO39	1.17	41
GO39G3	LUX-1202FIX-GO39-G3	1.16	33
GO40	LUX-1202FIX-GO40	1.14	22
GO40G3	LUX-1202FIX-GO40-G3	1.14	20
GO41	LUX-1202FIX-GO41	0.92	31
GO41G3	LUX-1202FIX-GO41-G3	1.01	25
GO42	LUX-1202FIX-GO42	1.05	34
GO42G3	LUX-1202FIX-GO42-G3	1.07	28
GO43	LUX-1202FIX-GO43	1.53	23
GO44	LUX-1202FIX-GO44	0.94	34
GO44G3	LUX-1202FIX-GO44-G3	1.04	32
GO45	LUX-1202FIX-GO45	0.83	36
GO45G3	LUX-1202FIX-GO45-G3	0.89	35
GO46	LUX-1202FIX-GO46	0.83	36
GO46G3	LUX-1202FIX-GO46-G3	0.90	35
GO47	LUX-1202FIX-GO47	0.86	35
GO47G3	LUX-1202FIX-GO47-G3	0.91	34

1203 Series Casement Window

Option #	Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO1		LUX-1203CAS-GO1	2.40	18
GO1G1		LUX-1203CAS-GO1-G1	2.43	16
GO1G2		LUX-1203CAS-GO1-G2	2.44	15
GO2		LUX-1203CAS-GO2	2.44	15
GO2G1		LUX-1203CAS-GO2-G1	2.48	13
GO2G2		LUX-1203CAS-GO2-G2	2.49	12
GO3		LUX-1203CAS-GO3	2.36	19
GO3G1		LUX-1203CAS-GO3-G1	2.38	17
GO3G2		LUX-1203CAS-GO3-G2	2.38	16
GO4		LUX-1203CAS-GO4	2.38	18
GO4G1		LUX-1203CAS-GO4-G1	2.39	17
GO4G2		LUX-1203CAS-GO4-G2	2.39	16
GO5		LUX-1203CAS-GO5	1.51	24
GO5G1		LUX-1203CAS-GO5-G1	1.56	22
GO5G2		LUX-1203CAS-GO5-G2	1.58	21
GO6		LUX-1203CAS-GO6	1.58	22
GO6G1		LUX-1203CAS-GO6-G1	1.64	20
GO6G2		LUX-1203CAS-GO6-G2	1.67	19
GO7		LUX-1203CAS-GO7	1.52	23
GO7G1		LUX-1203CAS-GO7-G1	1.55	22
GO7G2		LUX-1203CAS-GO7-G2	1.57	21
GO8		LUX-1203CAS-GO8	1.54	23
GO8G1		LUX-1203CAS-GO8-G1	1.57	21
GO8G2		LUX-1203CAS-GO8-G2	1.58	21
GO9		LUX-1203CAS-GO9	1.79	27
GO9G1		LUX-1203CAS-GO9-G1	1.81	26
GO9G2		LUX-1203CAS-GO9-G2	1.81	25
GO10		LUX-1203CAS-GO10	1.71	30
GO10G1		LUX-1203CAS-GO10-G1	1.72	28
GO10G2		LUX-1203CAS-GO10-G2	1.72	27
GO11		LUX-1203CAS-GO11	1.32	26
GO11G1		LUX-1203CAS-GO11-G1	1.34	25
GO11G2		LUX-1203CAS-GO11-G2	1.36	24
GO12		LUX-1203CAS-GO12	1.25	28
GO12G1		LUX-1203CAS-GO12-G1	1.27	27
GO12G2		LUX-1203CAS-GO12-G2	1.28	26
GO13		LUX-1203CAS-GO13	1.10	30
GO13G1		LUX-1203CAS-GO13-G1	1.13	28
GO13G2		LUX-1203CAS-GO13-G2	1.15	28
GO14		LUX-1203CAS-GO14	1.00	32
GO14G1		LUX-1203CAS-GO14-G1	1.03	31

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO14G2	LUX-1203CAS-GO14-G2	1.05	30
GO15	LUX-1203CAS-GO15	1.51	23
GO15G1	LUX-1203CAS-GO15-G1	1.54	22
GO15G2	LUX-1203CAS-GO15-G2	1.56	21
GO16	LUX-1203CAS-GO16	1.28	23
GO16G1	LUX-1203CAS-GO16-G1	1.31	22
GO16G2	LUX-1203CAS-GO16-G2	1.32	21
GO17	LUX-1203CAS-GO17	1.53	23
GO17G1	LUX-1203CAS-GO17-G1	1.55	22
GO17G2	LUX-1203CAS-GO17-G2	1.56	21
GO18	LUX-1203CAS-GO18	1.29	23
GO18G1	LUX-1203CAS-GO18-G1	1.31	22
GO18G2	LUX-1203CAS-GO18-G2	1.32	21
GO19	LUX-1203CAS-GO19	1.30	27
GO19G1	LUX-1203CAS-GO19-G1	1.32	26
GO19G2	LUX-1203CAS-GO19-G2	1.33	25
GO20	LUX-1203CAS-GO20	1.09	30
GO20G1	LUX-1203CAS-GO20-G1	1.10	29
GO20G2	LUX-1203CAS-GO20-G2	1.10	29
GO21	LUX-1203CAS-GO21	1.14	25
GO21G1	LUX-1203CAS-GO21-G1	1.16	24
GO21G2	LUX-1203CAS-GO21-G2	1.17	24
GO22	LUX-1203CAS-GO22	1.49	22
GO22G1	LUX-1203CAS-GO22-G1	1.55	20
GO22G2	LUX-1203CAS-GO22-G2	1.57	19
GO23	LUX-1203CAS-GO23	1.29	26
GO23G1	LUX-1203CAS-GO23-G1	1.32	24
GO23G2	LUX-1203CAS-GO23-G2	1.34	23
GO24	LUX-1203CAS-GO24	1.28	22
GO24G1	LUX-1203CAS-GO24-G1	1.33	20
GO24G2	LUX-1203CAS-GO24-G2	1.35	20
GO25	LUX-1203CAS-GO25	1.26	27
GO25G1	LUX-1203CAS-GO25-G1	1.27	27
GO25G2	LUX-1203CAS-GO25-G2	1.27	26
GO26	LUX-1203CAS-GO26	1.00	32
GO26G1	LUX-1203CAS-GO26-G1	1.01	31
GO26G2	LUX-1203CAS-GO26-G2	1.01	31
GO27	LUX-1203CAS-GO27	1.10	26
GO27G1	LUX-1203CAS-GO27-G1	1.11	25
GO27G2	LUX-1203CAS-GO27-G2	1.12	25
GO28	LUX-1203CAS-GO28	1.31	26
GO28G1	LUX-1203CAS-GO28-G1	1.32	26
GO28G2	LUX-1203CAS-GO28-G2	1.33	25

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO29	LUX-1203CAS-GO29	1.09	30
GO29G1	LUX-1203CAS-GO29-G1	1.10	29
GO29G2	LUX-1203CAS-GO29-G2	1.11	28
GO30	LUX-1203CAS-GO30	1.15	25
GO30G1	LUX-1203CAS-GO30-G1	1.16	24
GO30G2	LUX-1203CAS-GO30-G2	1.17	24
GO31	LUX-1203CAS-GO31	1.12	30
GO31G1	LUX-1203CAS-GO31-G1	1.14	29
GO31G2	LUX-1203CAS-GO31-G2	1.16	28
GO32	LUX-1203CAS-GO32	1.33	25
GO32G1	LUX-1203CAS-GO32-G1	1.39	23
GO32G2	LUX-1203CAS-GO32-G2	1.42	22
GO33	LUX-1203CAS-GO33	1.02	32
GO33G1	LUX-1203CAS-GO33-G1	1.03	31
GO33G2	LUX-1203CAS-GO33-G2	1.04	31
GO34	LUX-1203CAS-GO34	1.19	28
GO34G1	LUX-1203CAS-GO34-G1	1.22	27
GO34G2	LUX-1203CAS-GO34-G2	1.25	25
GO35	LUX-1203CAS-GO35	1.59	32
GO35G3	LUX-1203CAS-GO35-G3	1.56	25
GO36	LUX-1203CAS-GO36	1.58	31
GO36G3	LUX-1203CAS-GO36-G3	1.57	24
GO37	LUX-1203CAS-GO37	1.54	13
GO37G3	LUX-1203CAS-GO37-G3	1.54	11
GO38	LUX-1203CAS-GO38	1.34	35
GO38G3	LUX-1203CAS-GO38-G3	1.35	28
GO39	LUX-1203CAS-GO39	1.24	36
GO39G3	LUX-1203CAS-GO39-G3	1.23	29
GO40	LUX-1203CAS-GO40	1.22	20
GO40G3	LUX-1203CAS-GO40-G3	1.22	17
GO41	LUX-1203CAS-GO41	1.04	26
GO41G3	LUX-1203CAS-GO41-G3	1.11	23
GO42	LUX-1203CAS-GO42	1.15	30
GO42G3	LUX-1203CAS-GO42-G3	1.17	25
GO43	LUX-1203CAS-GO43	1.58	20
GO44	LUX-1203CAS-GO44	1.07	29
GO44G3	LUX-1203CAS-GO44-G3	1.15	28
GO45	LUX-1203CAS-GO45	1.15	28
GO45G3	LUX-1203CAS-GO45-G3	1.27	25
GO46	LUX-1203CAS-GO46	1.23	26
GO46G3	LUX-1203CAS-GO46-G3	1.28	25

1204 Series Awning Window

Option #	Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO1		LUX-1204AWN-GO1	2.46	17
GO1G1		LUX-1204AWN-GO1-G1	2.46	15
GO1G2		LUX-1204AWN-GO1-G2	2.46	14
GO2		LUX-1204AWN-GO2	2.50	14
GO2G1		LUX-1204AWN-GO2-G1	2.51	13
GO2G2		LUX-1204AWN-GO2-G2	2.51	12
GO3		LUX-1204AWN-GO3	2.42	18
GO3G1		LUX-1204AWN-GO3-G1	2.40	16
GO3G2		LUX-1204AWN-GO3-G2	2.40	16
GO4		LUX-1204AWN-GO4	2.43	17
GO4G1		LUX-1204AWN-GO4-G1	2.41	16
GO4G2		LUX-1204AWN-GO4-G2	2.41	15
GO5		LUX-1204AWN-GO5	1.53	23
GO5G1		LUX-1204AWN-GO5-G1	1.57	21
GO5G2		LUX-1204AWN-GO5-G2	1.59	21
GO6		LUX-1204AWN-GO6	1.61	21
GO6G1		LUX-1204AWN-GO6-G1	1.65	19
GO6G2		LUX-1204AWN-GO6-G2	1.68	18
GO7		LUX-1204AWN-GO7	1.55	23
GO7G1		LUX-1204AWN-GO7-G1	1.57	21
GO7G2		LUX-1204AWN-GO7-G2	1.58	21
GO8		LUX-1204AWN-GO8	1.56	22
GO8G1		LUX-1204AWN-GO8-G1	1.58	21
GO8G2		LUX-1204AWN-GO8-G2	1.59	20
GO9		LUX-1204AWN-GO9	1.83	27
GO9G1		LUX-1204AWN-GO9-G1	1.83	25
GO9G2		LUX-1204AWN-GO9-G2	1.83	24
GO10		LUX-1204AWN-GO10	1.74	29
GO10G1		LUX-1204AWN-GO10-G1	1.74	28
GO10G2		LUX-1204AWN-GO10-G2	1.74	27
GO11		LUX-1204AWN-GO11	1.35	26
GO11G1		LUX-1204AWN-GO11-G1	1.37	24
GO11G2		LUX-1204AWN-GO11-G2	1.38	24
GO12		LUX-1204AWN-GO12	1.28	27
GO12G1		LUX-1204AWN-GO12-G1	1.29	26
GO12G2		LUX-1204AWN-GO12-G2	1.29	26
GO13		LUX-1204AWN-GO13	1.13	29
GO13G1		LUX-1204AWN-GO13-G1	1.15	28
GO13G2		LUX-1204AWN-GO13-G2	1.17	27
GO14		LUX-1204AWN-GO14	1.03	31
GO14G1		LUX-1204AWN-GO14-G1	1.05	30

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO14G2	LUX-1204AWN-GO14-G2	1.06	30
GO15	LUX-1204AWN-GO15	1.53	23
GO15G1	LUX-1204AWN-GO15-G1	1.55	22
GO15G2	LUX-1204AWN-GO15-G2	1.56	21
GO16	LUX-1204AWN-GO16	1.32	22
GO16G1	LUX-1204AWN-GO16-G1	1.33	21
GO16G2	LUX-1204AWN-GO16-G2	1.33	21
GO17	LUX-1204AWN-GO17	1.55	23
GO17G1	LUX-1204AWN-GO17-G1	1.56	21
GO17G2	LUX-1204AWN-GO17-G2	1.57	21
GO18	LUX-1204AWN-GO18	1.33	22
GO18G1	LUX-1204AWN-GO18-G1	1.33	21
GO18G2	LUX-1204AWN-GO18-G2	1.33	21
GO19	LUX-1204AWN-GO19	1.32	26
GO19G1	LUX-1204AWN-GO19-G1	1.33	25
GO19G2	LUX-1204AWN-GO19-G2	1.34	25
GO20	LUX-1204AWN-GO20	1.10	30
GO20G1	LUX-1204AWN-GO20-G1	1.11	29
GO20G2	LUX-1204AWN-GO20-G2	1.11	28
GO21	LUX-1204AWN-GO21	1.17	24
GO21G1	LUX-1204AWN-GO21-G1	1.18	24
GO21G2	LUX-1204AWN-GO21-G2	1.18	23
GO22	LUX-1204AWN-GO22	1.51	22
GO22G1	LUX-1204AWN-GO22-G1	1.56	20
GO22G2	LUX-1204AWN-GO22-G2	1.58	19
GO23	LUX-1204AWN-GO23	1.31	25
GO23G1	LUX-1204AWN-GO23-G1	1.34	24
GO23G2	LUX-1204AWN-GO23-G2	1.34	23
GO24	LUX-1204AWN-GO24	1.33	21
GO24G1	LUX-1204AWN-GO24-G1	1.35	20
GO24G2	LUX-1204AWN-GO24-G2	1.36	19
GO25	LUX-1204AWN-GO25	1.27	27
GO25G1	LUX-1204AWN-GO25-G1	1.27	27
GO25G2	LUX-1204AWN-GO25-G2	1.28	26
GO26	LUX-1204AWN-GO26	1.01	32
GO26G1	LUX-1204AWN-GO26-G1	1.01	31
GO26G2	LUX-1204AWN-GO26-G2	1.01	31
GO27	LUX-1204AWN-GO27	1.13	25
GO27G1	LUX-1204AWN-GO27-G1	1.13	24
GO27G2	LUX-1204AWN-GO27-G2	1.13	24
GO28	LUX-1204AWN-GO28	1.32	26
GO28G1	LUX-1204AWN-GO28-G1	1.33	25
GO28G2	LUX-1204AWN-GO28-G2	1.34	25

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
GO29	LUX-1204AWN-GO29	1.10	30
GO29G1	LUX-1204AWN-GO29-G1	1.11	29
GO29G2	LUX-1204AWN-GO29-G2	1.11	28
GO30	LUX-1204AWN-GO30	1.18	24
GO30G1	LUX-1204AWN-GO30-G1	1.18	23
GO30G2	LUX-1204AWN-GO30-G2	1.18	23
GO35	LUX-1204AWN-GO35	1.61	32
GO35G3	LUX-1204AWN-GO35-G3	1.55	26
GO36	LUX-1204AWN-GO36	1.60	31
GO36G3	LUX-1204AWN-GO36-G3	1.55	25
GO37	LUX-1204AWN-GO37	1.56	13
GO37G3	LUX-1204AWN-GO37-G3	1.53	12
GO38	LUX-1204AWN-GO38	1.35	35
GO38G3	LUX-1204AWN-GO38-G3	1.33	28
GO39	LUX-1204AWN-GO39	1.24	36
GO39G3	LUX-1204AWN-GO39-G3	1.21	30
GO40	LUX-1204AWN-GO40	1.23	19
GO40G3	LUX-1204AWN-GO40-G3	1.19	18
GO41	LUX-1204AWN-GO41	1.05	27
GO41G3	LUX-1204AWN-GO41-G3	1.10	23
GO42	LUX-1204AWN-GO42	1.16	30
GO42G3	LUX-1204AWN-GO42-G3	1.15	25
GO43	LUX-1204AWN-GO43	1.58	20
GO44	LUX-1204AWN-GO44	1.09	29
GO44G3	LUX-1204AWN-GO44-G3	1.15	28
GO45	LUX-1204AWN-GO45	1.17	27
GO45G3	LUX-1204AWN-GO45-G3	1.26	25
GO46	LUX-1204AWN-GO46	1.26	25
GO46G3	LUX-1204AWN-GO46-G3	1.28	25

1506 Series Horizontal Sliding Window

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
G01	LUX-15SS-3,CL-16AR90EN-3,180(3)	1.68	33
G01G2	LUX-15SS-3,CL-16AR90EN-3,180(3)-G2<1	1.68	30
G02	LUX-15SS-6,CL-13AR90EN-3,180(3)	1.67	31
G02G2	LUX-15SS-6,CL-13AR90EN-3,180(3)-G2<1	1.67	29
G03	LUX-15SS-3,270(2)-16AR90EN-3,180(3)	1.62	20

Option #	Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
G03G2		LUX-15SS-3,270(2)-16AR90EN-3,180(3)-G2<1	1.62	19
G04		LUX-15SS-3,366(2)-16AR90EN-3,i89(4)	1.39	21
G04G2		LUX-15SS-3,366(2)-16AR90EN-3,i89(4)-G2<1	1.39	20
G05		LUX-15SS-6,270(2)-13AR90EN-3,CL	1.60	20
G05G2		LUX-15SS-6,270(2)-13AR90EN-3,CL-G2<1	1.60	18
G06		LUX-15SS-6,SCGR-13AR90EN-3,270(3)	1.62	10
G06G2		LUX-15SS-6,SCGR-13AR90EN-3,270(3)-G2<1	1.62	10
G07		LUX-15SS-3,CL-12AR90EN-3,CL-12AR90EN-3,180(5)	1.34	38
G07G2		LUX-15SS-3,CL-12AR90EN-3,CL-12AR90EN-3,180(5)-G2<1	1.34	35
G08		LUX-15SS-6,CL-10AR90EN-3,CL-10AR90EN-3,180(5)	1.40	34
G08G2		LUX-15SS-6,CL-10AR90EN-3,CL-10AR90EN-3,180(5)-G2<1	1.40	32
G09		LUX-15SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,CL	1.33	26
G09G2		LUX-15SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,CL-G2<1	1.33	24
G10		LUX-15SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,180(5)	1.10	30
G10G2		LUX-15SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,180(5)-G2<1	1.10	29
G11		LUX-15SS-3,270(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)	1.02	31
G11G2		LUX-15SS-3,270(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)-G2<1	1.02	30
G12		LUX-15SS-3,366(2)-12AR90EN-3,CL-12AR90EN-3,i89(6)	1.18	25
G12G2		LUX-15SS-3,366(2)-12AR90EN-3,CL-12AR90EN-3,i89(6)-G2<1	1.18	24
G13		LUX-15SS-3,366(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)	1.02	28
G13G2		LUX-15SS-3,366(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)-G2<1	1.02	27
G14		LUX-15SS-6,270(2)-10AR90EN-3,CL-10AR90EN-3,180(5)	1.16	28
G14G2		LUX-15SS-6,270(2)-10AR90EN-3,CL-10AR90EN-3,180(5)-G2<1	1.18	27
G15		LUX-15SS-6,SCGR-10AR90EN-3,CL-10AR90EN-3,270(5)	1.36	16
G15G2		LUX-15SS-6,SCGR-10AR90EN-3,CL-10AR90EN-3,270(5)-G2<1	1.36	15

1606 Series Horizontal Sliding Window

Option #	Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
G01		LUX-16SS-3,CL-16AR90EN-3,180(3)	1.72	32
G01G2		LUX-16SS-3,CL-16AR90EN-3,180(3)-G2<1	1.72	29
G02		LUX-16SS-6,CL-13AR90EN-3,180(3)	1.70	31
G02G2		LUX-16SS-6,CL-13AR90EN-3,180(3)-G2<1	1.70	28
G03		LUX-16SS-3,270(2)-16AR90EN-3,180(3)	1.65	20
G03G2		LUX-16SS-3,270(2)-16AR90EN-3,180(3)-G2<1	1.65	18
G04		LUX-16SS-3,366(2)-16AR90EN-3,i89(4)	1.42	20
G04G2		LUX-16SS-3,366(2)-16AR90EN-3,i89(4)-G2<1	1.42	19
G05		LUX-16SS-6,270(2)-13AR90EN-3,CL	1.64	19

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
G05G2	LUX-16SS-6,270(2)-13AR90EN-3,CL-G2<1	1.64	18
G06	LUX-16SS-6,SCGR-13AR90EN-3,270(3)	1.65	9
G06G2	LUX-16SS-6,SCGR-13AR90EN-3,270(3)-G2<1	1.65	9
G07	LUX-16SS-3,CL-12AR90EN-3,CL-12AR90EN-3,180(5)	1.37	37
G07G2	LUX-16SS-3,CL-12AR90EN-3,CL-12AR90EN-3,180(5)-G2<1	1.37	34
G08	LUX-16SS-6,CL-10AR90EN-3,CL-10AR90EN-3,180(5)	1.43	34
G08G2	LUX-16SS-6,CL-10AR90EN-3,CL-10AR90EN-3,180(5)-G2<1	1.43	31
G09	LUX-16SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,CL	1.37	25
G09G2	LUX-16SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,CL-G2<1	1.37	23
G10	LUX-16SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,180(5)	1.14	29
G10G2	LUX-16SS-3,270(2)-12AR90EN-3,CL-12AR90EN-3,180(5)-G2<1	1.14	28
G11	LUX-16SS-3,270(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)	1.06	30
G11G2	LUX-16SS-3,270(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)-G2<1	1.06	29
G12	LUX-16SS-3,366(2)-12AR90EN-3,CL-12AR90EN-3,i89(6)	1.21	24
G12G2	LUX-16SS-3,366(2)-12AR90EN-3,CL-12AR90EN-3,i89(6)-G2<1	1.21	23
G13	LUX-16SS-3,366(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)	1.21	23
G13G2	LUX-16SS-3,366(2)-12AR90EN-3,180(4)-12AR90EN-3,i89(6)-G2<1	1.21	22
G14	LUX-16SS-6,270(2)-10AR90EN-3,CL-10AR90EN-3,180(5)	1.20	27
G14G2	LUX-16SS-6,270(2)-10AR90EN-3,CL-10AR90EN-3,180(5)-G2<1	1.21	26
G15	LUX-16SS-6,SCGR-10AR90EN-3,CL-10AR90EN-3,270(5)	1.40	15
G15G2	LUX-16SS-6,SCGR-10AR90EN-3,CL-10AR90EN-3,270(5)-G2<1	1.40	14

3100 Series Sliding Door

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
G01	LUX-V3100-SLD-G01-4,CL-4,CL-17,Ar-SS	2.40	20
G02	LUX-V3100-SLD-G02-4,042(2)-4,CL-17,Ar-SS	1.59	24
G03	LUX-V3100-SLD-G03-5,042(2)-5,CL-15,Ar-EN	1.56	24
G03G1	LUX-V3100-SLD-G03G1-5,042(2)-5,CL-15,Ar-EN-S	1.59	22
G03G2	LUX-V3100-SLD-G03G2-5,042(2)-5,CL-15,Ar-EN-S	1.60	21
G04	LUX-V3100-SLD-G04-5,022(2)-5,149(4)-15,Ar-EN	1.29	24
G04G1	LUX-V3100-SLD-G04G1-5,022(2)-5,149(4)-15,Ar-EN-S	1.33	22
G04G2	LUX-V3100-SLD-G04G2-5,022(2)-5,149(4)-15,Ar-EN-S	1.34	22
G05	LUX-V3100-SLD-G05-3,042(2)-3,CL-20,Ar-EN	1.60	23
G05G1	LUX-V3100-SLD-G05G1-3,042(2)-3,CL-20,Ar-EN-S	1.61	22
G05G2	LUX-V3100-SLD-G05G2-3,042(2)-3,CL-20,Ar-EN-S	1.61	21
G06	LUX-V3100-SLD-G06-3,022(2)-3,149(4)-20,Ar-EN	1.31	23
G06G1	LUX-V3100-SLD-G06G1-3,022(2)-3,149(4)-20,Ar-EN-S	1.35	21

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
G06G2	LUX-V3100-SLD-G06G2-3,022(2)-3,149(4)-20,Ar-EN-S	1.35	21
G07	LUX-V3100-SLD-G07-3,CL-3,CL-3,068(5)-8,Ar-EN	1.41	36
G08	LUX-V3100-SLD-G08-3,042(2)-3,CL-3,CL-8,Ar-EN	1.40	26
G09	LUX-V3100-SLD-G09-3,042(2)-3,CL-3,068(5)-8,Ar-EN	1.19	30
G10	LUX-V3100-SLD-G10-3,022(2)-3,CL-3,149(6)-8,Ar-EN	1.22	24
G11	LUX-V3100-SLD-G11-3,022(2)-3,068(4)-3,149(6)-8,Ar-EN	1.07	27
G12	LUX-V3100-SLD-G12-6,850(1)-3,CL-3,042(5)-7,Ar-EN	1.51	13
G13	LUX-V3100-SLD-G13-3,037(2)-3,068(4)-3,149(6)-8,Ar-EN	1.07	31
G13G3	LUX-V3100-SLD-G13G3-3,037(2)-3,068(4)-3,149(6)-8,Ar-EN-S	1.22	28
G14	LUX-V3100-SLD-G14-4,037(2)-4,068(4)-4,149(6)-7,Ar-EN	1.16	28
G14G3	LUX-V3100-SLD-G14G3-4,037(2)-4,068(4)-4,149(6)-7,Ar-EN-S	1.23	27

3200 Series (Hybrid PVC) Sliding Door

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Energy Rating
G01	LUX-VHBRD-SLD-G01-3,CL-3,068(4)-16,Ar-XL	1.85	27
G01G4	LUX-VHBRD-SLD-G01G4-3,CL-3,068(4)-16,Ar-XL-S	2.00	17
G02	LUX-VHBRD-SLD-G02-6,CL-3,068(4)-13,Ar-XL	1.85	25
G02G4	LUX-VHBRD-SLD-G02G4-6,CL-3,068(4)-13,Ar-XL-S	2.01	16
G03	LUX-VHBRD-SLD-G03-3,042(2)-3,CL-16,Ar-XL	1.69	20
G03G4	LUX-VHBRD-SLD-G03G4-3,042(2)-3,CL-16,Ar-XL-S	1.68	16
G04	LUX-VHBRD-SLD-G04-6,042(2)-3,CL-13,Ar-XL	1.66	20
G04G4	LUX-VHBRD-SLD-G04G4-6,042(2)-3,CL-13,Ar-XL-S	1.66	16
G05	LUX-VHBRD-SLD-G05-6,850(1)-3,042(3)-13,Ar-XL	1.67	9
G05G4	LUX-VHBRD-SLD-G05G4-6,850(1)-3,042(3)-13,Ar-XL-S	1.68	8
G06	LUX-VHBRD-SLD-G06-3,022(2)-3,149(4)-16,Ar-XL	1.41	20
G06G4	LUX-VHBRD-SLD-G06G4-3,022(2)-3,149(4)-16,Ar-XL-S	1.50	16
G07	LUX-VHBRD-SLD-G07-3,CL-3,CL-3,068(6)-12,Ar-XL	1.47	32
G07G4	LUX-VHBRD-SLD-G07G4-3,CL-3,CL-3,068(6)-12,Ar-XL-S	1.61	24
G08	LUX-VHBRD-SLD-G08-6,CL-3,CL-3,068(6)-10,Ar-XL	1.51	30
G08G4	LUX-VHBRD-SLD-G08G4-6,CL-3,CL-3,068(6)-10,Ar-XL-S	1.66	22
G09	LUX-VHBRD-SLD-G09-3,042(2)-3,CL-3,CL-12,Ar-XL	1.38	26
G09G4	LUX-VHBRD-SLD-G09G4-3,042(2)-3,CL-3,CL-12,Ar-XL-S	1.40	21
G10	LUX-VHBRD-SLD-G10-3,042(2)-3,CL-3,068(6)-12,Ar-XL	1.20	29
G10G4	LUX-VHBRD-SLD-G10G4-3,042(2)-3,CL-3,068(6)-12,Ar-XL-S	1.30	23
G11	LUX-VHBRD-SLD-G11-3,022(2)-3,CL-3,149(6)-12,Ar-XL	1.22	23
G11G4	LUX-VHBRD-SLD-G11G4-3,022(2)-3,CL-3,149(6)-12,Ar-XL-S	1.30	19
G12	LUX-VHBRD-SLD-G12-3,022(2)-3,068(4)-3,149(6)-12,Ar-XL	1.06	26

Option # Glass / Grille	Model Code	U-Value (W/m ² K)	Energy Rating
G12G4	LUX-VHBRD-SLD-G12G4-3,022(2)-3,068(4)-3,149(6)-12,Ar-XL-S	1.12	23
G13	LUX-VHBRD-SLD-G13-6,850(1)-3,CL-3,042(5)-10,Ar-XL	1.41	15
G13G4	LUX-VHBRD-SLD-G13G4-6,850(1)-3,CL-3,042(5)-10,Ar-XL-S	1.46	12
G14	LUX-VHBRD-SLD-G14-3,037(2)-3,068(4)-3,149(6)-12,Ar-EN	1.10	29
G14G4	LUX-VHBRD-SLD-G14G4-3,037(2)-3,068(4)-3,149(6)-12,Ar-EN-S	1.18	27
G15	LUX-VHBRD-SLD-G15-4,037(2)-4,068(4)-4,149(6)-10,Ar-EN	1.15	27
G15G4	LUX-VHBRD-SLD-G15G4-4,037(2)-4,068(4)-4,149(6)-10,Ar-EN-S	1.25	25
G16	LUX-VHBRD-SLD-G16-5,037(2)-5,068(4)-5,149(6)-8,Ar-EN	1.22	26
G16G4	LUX-VHBRD-SLD-G16G4-5,037(2)-5,068(4)-5,149(6)-8,Ar-EN-S	1.39	22
G17	LUX-VHBRD-SLD-G17-6,037(2)-6,068(4)-6,149(6)-7,Ar-EN	1.31	24
G17G4	LUX-VHBRD-SLD-G17G4-6,037(2)-6,068(4)-6,149(6)-7,Ar-EN-S	1.37	22

Notes: Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.