

VANCOUVER, BC: LOS ANGELES, CA: WASHINGTON, DC: TULSA, OK: TORONTO, ON SEATTLE, WA WEBSITE:

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 425.512.8419 WWW.QAI.ORG

BUILDING PRODUCTS LISTING PROGRAM

Class:	Kwik Metal Install Ltd. Natural Airflow Ventilators for Buildings Cloverdale, BC			
Listing No.:	B1024-2			
Effective Date: Last	March 31, 2011			
Revised Date:	March 8, 2018			
Expires:	N/A			
Standards:	CAN3-A93 "Natural Airflow Ventilators for Buildings"			
Product:	Natural Airflow Ventilator – Roof Vent Dryer/Bathroom Vents			
Markings:	 Products packaging are marked with the following: Listee name, trademark, or other recognized symbol of identification Model designation Type of ventilator Net ventilating area in square millimeters (mm²) - non adjustable Month and year of manufacture QAI logo with the 'c' identifier The wording "CAN3-A93" 			
Models / Ratings:				
. tatingo.	MODEL NAME	VENTILATOR TYPE	NET FREE VENTILATION AREA	DATE (DD/MM/YY)
	SV-50	Type B Roof Vent	50 in ² (32,258 mm ²)	17/03/11
	UV-456	Type A/B Dryer/Bathroom Vent	4" NPS – 10.5 in ² (6,774 mm ²) 5" NPS – 14.8 in ² (9,548 mm ²) 6" NPS – 19 in ² (12,258 mm ²)	29/02/12

- 1. <u>Natural Airflow Ventilator Roof Vent</u> Minimum 3.5:12 Pitch, non-adjustable, Type B
- <u>Dryer/Bathroom Vent</u> Vertical Surface, non-adjustable, Type A Minimum 3.5:12 Pitch, non-adjustable, Type B
- Notes: Products must be installed with the manufacturer's published installation instructions and in accordance with the building codes recognized by the authority



VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx. LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx. WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx. TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx. TORONTO, ON 905.605.5444 SEATTLE, WA 425.512.8419 WEBSITE: WWW.QAI.ORG

having jurisdiction.

Listed manufacturers are subject to on-going inspections by QAI to ensure that the products outlined above remains as it is listed.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at <u>www.qai.org</u> for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in

the request.
