

## ELECTRICAL LISTING PROGRAM

Customer: Ram Manufacturing Ltd.  
 Class: Elevator Control Equipment  
 Location: Edmonton, Alberta, Canada  
 Website: Trustram.com

Listing No. E10339  
 Report No. E10339-1601 Edition 3  
 Project No. E10339-1701  
 Effective Date: April 28, 2016  
 Last Revised Date: May 3, 2017  
 Expires: N/A

Standards: CSA No. B44.1-14 "Elevator and escalator electrical equipment"  
 ASME A17.5-2014 "Elevator and escalator electrical equipment"

Product: Control equipment for Elevators, or  
 Control equipment for Lifts for persons with physical disabilities.

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer's name or trademark
- b) Model designation
- c) Month and year of manufacture
- d) Product ratings: voltage, frequency, power
- e) QAI file Number: E10339
- f) The wording "Conforms to CSA B44.1/ASME A17.5"
- g) Warning markings as required by the standards in English and French
- h) "Controller for Elevating Devices for people with physical disabilities," when applicable
- i) QAI logo shown here:



Models / Ratings:

Model #	General Comment	Location
RES <b>bcdefghi</b> -xxxx	<i>b</i> = 2,3,4,5 <i>c</i> = C,P <i>d</i> = C,A,L <i>e</i> = M,E,H,V	Dry Location Only.

	<i>f</i> = N,G,L,A,V <i>g</i> = 1,2,3 <i>h</i> = N,A,S,C,E,V <i>i</i> = N,A,B XXXX = Job Specific changes (not affecting certification)
Note: A valid model number contains the model # indicated above with each placeholder replaced with a corresponding letter or number as noted in the general comments.	
Note: Not all combinations of the above may be a valid part number, please refer to manufacturer catalog for additional details.	

Model #	Voltage	Current	Power	Freq	Comment
RES <i>bcdefgAi</i> - XXXX	208-240 Vac, 110-120 Vac	20A 15A	N/A N/A	60 Hz 60 Hz	None
RES <i>bcdeVghi</i> - XXXX	208-240 Vac, 110-120 Vac	20A 15A	N/A N/A	60 Hz 60 Hz	None
RES <i>bcdefghi</i> - XXXX	208-240 Vac, 110-120 Vac	20A 15A	N/A N/A	60 Hz 60 Hz	All models except two (2) noted immediately above.

Notes: Electrical features evaluated only of an elevator system to be field installed on site and subject to the approval of the AHJ conducting the elevator inspection.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.

\*\*\*