VANCOUVER, BC: LOS ANGELES, CA: WASHINGTON, DC: TULSA, OK: TORONTO, ON SEATTLE, WA WEBSITE- 877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8438 ph. | 918.437.8487 fx. 416.550.9280 425.512.8419

WWW.QAI.ORG

## **ELECTRICAL LISTING PROGRAM**

Customer: Les Escalateurs Atlas (1991) Inc.

Class: Elevator Controllers

Location: Saint-Hyacinthe, QC, Canada

Listing No. E10695

Report No. E10695-1501 Edition 3

Project No. E10695-1801 Effective Date: 2015-06-18 Last Revised 2018-05-09

Date:

Expires: N/A

Standards: CSA B44.1/ASME A17.5 "Elevator and escalator electrical equipment"

Product: Elevator Controller for persons with physical disabilities, private

residence, and dumbwaiters and material lifts.

Markings: Products are marked in a permanent manner with the following:

a) Manufacturer's name or trademark

b) Model designation

c) Month and year of manufacture

d) Product ratings: voltage, frequency, amperes, volt-amperes, or combination

e) QAI logo with 'c' & 'us' identifier



- f) QAI file Number: E10695
- g) The wording "CSA B44.1/ASME A17.5"
- h) Warning markings as required by the standards in English and French

## Models / Ratings:

Model #	Note	Voltage (V)	Freq. (Hz)	Max Load Current (A)	Phase	Loc.
ALT-NANO-R-Zx-	x = 2,3,4, or 5 Levels,	24 DC	-	39	-	Dry
24	Reversing motor	12 DC	-	4	-	
ALT-NANO-H-Zx- 24	x = 2,3,4, or 5 Levels, Hydraulic motor	24 DC	-	39	-	Dry
		12 DC	-	4	-	
ALT-NANO-H-Z <i>x</i> - 120	x = 2,3,4, or 5 Levels, Hydraulic motor	120 AC	60	10	1	Dry
		24 DC	-	4	-	
		12 DC	-	4	-	
ALT-NANO-H-Zx- 240	x = 2,3,4, or 5 Levels, Hydraulic motor	208-240 AC	60	15	1	Dry
		24 DC	-	4	-	
		12 DC	-	4	-	



VANCOUVER, BC: LOS ANGELES, CA: WASHINGTON, DC: TULSA, OK: TORONTO, ON SEATTLE, WA WEBSITE: 877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8333 ph. | 918.437.8487 fx. 416.550.9280 425.512.8419 WWW.QAI.ORG

Notes: This listing covers the elevator controller only. Final acceptance of this controller when installed with the complete elevator system is subject to the jurisdiction of the local authorities.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at <a href="www.qai.org">www.qai.org</a> for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to <a href="mailto:info@qai.org">info@qai.org</a>. Please include the listing number in the request.

\*\*\*