

FENESTRATION LISTING PROGRAM

Customer: Boardwalk Woodworking Ltd.
 Class: Fenestration Products – Energy Performance
 Location: Castlegar, BC
 Website: <http://www.boardwalkwoodwork.com/>
 Listing No. W415
 Report No. W415-4 ED4
 Effective Date: March 26, 2010
 Last Revised Date: February 24, 2021
 Expires: N/A
 Standards: CSA A440.2 Fenestration Energy Performance
 Product: Wood Windows
 Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer’s name or trademark
- b) QAI file Number: W415
- c) The wording “Evaluated for energy performance in accordance with CSA A440.2”
- d) The wording “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”
- e) QAI logo with ‘c’ identifier as shown here:



Models / Ratings:

2020 Series Picture Window

Model Code (Glass Option)	Window U-Value (W/m ² K)	Energy Rating (ER)
BWM-2020PC-3,272(2)-3,CL-13AR90SP	1.45	28
BWM-2020PC-3,272(2)-3,i89(4)-13AR90SP	1.20	34
BWM-2020PC-3,366(2)-3,i89(4)-13AR90SP	1.17	28
BWM-2020PC-4,272(2)-4,CL-11AR90SP	1.45	28
BWM-2020PC-4,272(2)-4,i89(4)-11AR90SP	1.22	33
BWM-2020PC-4,366(2)-4,i89(4)-11AR90SP	1.19	27
BWM-2020PC-5,272(2)-5,CL-10AR90SP	1.52	27
BWM-2020PC-5,272(2)-5,i89(4)-10AR90SP	1.28	32
BWM-2020PC-5,366(2)-5,i89(4)-10AR90SP	1.25	26

2020 Series Awning Window

Model Code (Glass Option)	Window U-Value (W/m ² K)	Energy Rating (ER)
BWM-2020AW-3,272(2)-3,CL-13AR90SP	1.57	18
BWM-2020AW-3,272(2)-3,i89(4)-13AR90SP	1.45	20
BWM-2020AW-3,366(2)-3,i89(4)-13AR90SP	1.44	17

2020 Series Classic Awning Window

Model Code (Glass Option)	Window U-Value (W/m ² K)	Energy Rating (ER)
BWM-2020CLAW-3,272(2)-3,CL-13AR90SP	1.65	N/A
BWM-2020CLAW-3,272(2)-3,i89(4)-13AR90SP	1.54	N/A
BWM-2020CLAW-3,366(2)-3,i89(4)-13AR90SP	1.52	N/A

2020 Series Casement Window

Model Code (Glass Option)	Window U-Value (W/m ² K)	Energy Rating (ER)
BWM-2020CA-3,272(2)-3,CL-13AR90SP	1.56	18
BWM-2020CA-3,272(2)-3,i89(4)-13AR90SP	1.43	21
BWM-2020CA-3,366(2)-3,i89(4)-13AR90SP	1.41	17

2020 Series Classic Casement Window

Model Code (Glass Option)	Window U-Value (W/m ² K)	Energy Rating (ER)
BWM-2020CLCA-3,272(2)-3,CL-13AR90SP	1.64	N/A
BWM-2020CLCA-3,272(2)-3,i89(4)-13AR90SP	1.51	N/A
BWM-2020CLCA-3,366(2)-3,i89(4)-13AR90SP	1.49	N/A

Notes: Listed products meet the energy requirements of the standards listed above. Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
