

WINDOWS & DOORS LISTING PROGRAM

Customer: Galaxy Windows Ltd.
Class: Fenestration Products – Energy Performance
Location: Edmonton, Alberta
Website: <http://galaxywindows.net>

Listing No. W468
Report No. W468-1 ED2
Project No. W468-1
Effective Date: April 21, 2010
Last Revised Date: December 27, 2012
Expires: <N/A>

Standards: CAN/CSA A440.2-04 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W468
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CAN/CSA A440.2-04” / “Évalué pour la performance d’énergie en accord à la norme CAN/CSA A440.2-04”

Models / Ratings: **Comfort Plus 900 Series Picture Window 1100**

Model Code	U-Value (W/m ² K)	Energy Rating
900PIC-G01	1.78	35
900PIC-G02	1.48	26
900PIC-G03	1.33	41
900PIC-G03-5/16”G	1.36	40
900PIC-G03-5/8”G	1.37	38
900PIC-G03-1”G	1.40	36
900PIC-G04	1.09	44
900PIC-G04-5/16”G	1.12	42

900PIC-G04-5/8" G	1.14	40
900PIC-G04-1" G	1.17	38
900PIC-G05	1.28	29
900PIC-G05-5/16" G	1.30	28
900PIC-G05-5/8" G	1.31	27
900PIC-G05-1" G	1.33	26
900PIC-G06	0.86	37
900PIC-G06-5/16" G	0.89	36
900PIC-G06-5/8" G	0.92	35
900PIC-G06-1" G	0.96	33
900PIC-G07	1.66	37
900PIC-G08	1.25	43
900PIC-G08-1/4" G	1.26	41
900PIC-G08-5/8" G	1.27	40
900PIC-G08-1" g	1.27	38
900PIC-G09	0.99	43
900PIC-G09-1/4" G	1.00	42
900PIC-G09-5/8" G	1.01	41
900PIC-G09-1" g	1.02	39

Comfort Plus 900 Series Awning Window 3100

Model Code	U-Value (W/m²K)	Energy Rating
900AWN-G01	1.69	27
900AWN-G02	1.47	21
900AWN-G03	1.36	32
900AWN-G03-5/16" G	1.36	31
900AWN-G03-5/8" G	1.37	30
900AWN-G03-1" G	1.39	29
900AWN-G04	1.17	34
900AWN-G04-5/16" G	1.19	33
900AWN-G04-5/8" G	1.20	32
900AWN-G04-1" G	1.22	31
900AWN-G05	1.31	24
900AWN-G05-5/16" G	1.32	23
900AWN-G05-5/8" G	1.37	21
900AWN-G05-1" G	1.34	22
900AWN-G06	1.01	30
900AWN-G06-5/16" G	1.02	29
900AWN-G06-5/8" G	1.04	28
900AWN-G06-1" G	1.06	27
900AWN-G07	1.60	29
900AWN-G08	1.29	33
900AWN-G08-1/4" G	1.29	33

900AWN-G08-5/8"G	1.29	32
900AWN-G08-1" g	1.29	30
900AWN-G09	1.10	34
900AWN-G09-1/4"G	1.10	33
900AWN-G09-5/8"G	1.10	32
900AWN-G09-1" g	1.10	31

Comfort Plus 900 Series Casement Window 3100

Model Code	U-Value (W/m²K)	Energy Rating
900CAS-G01	1.69	27
900CAS-G02	1.47	21
900CAS-G03	1.37	32
900CAS-G03-5/16"G	1.38	31
900CAS-G03-5/8"G	1.39	30
900CAS-G03-1"G	1.41	28
900CAS-G04	1.19	34
900CAS-G04-5/16"G	1.20	33
900CAS-G04-5/8"G	1.22	32
900CAS-G04-1"G	1.24	30
900CAS-G05	1.33	23
900CAS-G05-5/16"G	1.34	23
900CAS-G05-5/8"G	1.39	20
900CAS-G05-1"G	1.36	21
900CAS-G06	1.02	29
900CAS-G06-5/16"G	1.04	28
900CAS-G06-5/8"G	1.06	28
900CAS-G06-1"G	1.09	26
900CAS-G07	1.60	29
900CAS-G08	1.30	33
900CAS-G08-1/4"G	1.31	32
900CAS-G08-5/8"G	1.31	31
900CAS-G08-1" g	1.31	30
900CAS-G09	1.11	34
900CAS-G09-1/4"G	1.12	33
900CAS-G09-5/8"G	1.12	32
900CAS-G09-1" g	1.13	31

Comfort Plus 500 Series Fixed Window

Model Code	U-Value (W/m²K)	Energy Rating
500FIX-G07	1.72	36
500FIX-G02	1.53	25

Comfort Plus 500 Series Horizontal Sliding Window

Model Code	U-Value (W/m ² K)	Energy Rating
500HS-G07	1.79	31
500HS-G02	1.61	21

Comfort Plus 500 Series Vertical Sliding Window

Model Code	U-Value (W/m ² K)	Energy Rating
500VS-G07	1.78	32
500VS-G02	1.61	22

Notes: Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.