

WINDOW LISTING PROGRAM

Customer: Bartz Enterprises Ltd. (Glenmore Millwork Inc.)
 Class: Fenestration Products – Energy Performance
 Location: 983 Laurel Ave., Kelowna, BC, V1Y 7G4
 Website: <http://www.glenmoremillwork.ca>
 Listing No. W408
 Project No. W408-1
 Effective Date: December 10, 2008
 Last Revised Date: January 5, 2017
 Expires: N/A
 Standards: CSA A440.2-09 “Energy Performance of Windows and Other Fenestration Systems”
 Products: Wood Windows, Vinyl Windows

Markings: Each product is marked with the following content on a permanent label that is readily visible after installation:

- Manufacturer’s Name, Trademark or other recognized symbol of identification
- QAI File number (W425)
- QAI logo with “c” indicator
- “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”



Models / Ratings:

Model Code	U-Value (W/m2K)	ER Value
WPIC_GO6	1.46	22
WPIC_GO5	1.22	26
WPIC_GO4	1.25	32
WPIC_GO3	1.81	37
WPIC_GO2	1.63	40
WPIC_GO1	1.5	33
WP-AIR-366G	1.87	12
WP-AIR-366	1.76	16
WP-AIR-272G	1.9	18
WP-AIR-272	1.8	22



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QAI.ORG

Model Code	U-Value (W/m2K)	ER Value
WCAS_GO5	1.04	26
WCAS_GO4	1.46	22
WCAS_GO3	1.86	25
WCAS_GO2	1.74	27
WCAS_GO1	1.64	22
WC-ARG-272	1.81	15
WC-ARG(SUPERSPACER)-272	1.71	18
WC-ARG(11MMAIRSPACE)-272	1.76	16
WC-AIR-366	1.99	7

Model Code	U-Value (W/m2K)	ER Value
300VS_GO5	1.36	21
300VS_GO4	1.38	26
300VS_GO3	1.88	30
300VS_GO2	1.73	32
300VS_GO1	1.62	28
300V-ARG-366	1.66	15
300V-ARG-272	1.69	21
300V-AIR-366	1.89	10
300V-AIR-272	1.92	16
300V-AIR(SUPERSPACER)-272	1.83	18

Model Code	U-Value (W/m2K)	ER Value
300PIC_GO5	1.26	24
300PIC_GO4	1.29	29
300PIC_GO3	1.82	33
300PIC_GO2	1.64	36
300PIC_GO1	1.52	30
300P-ARG-366	1.75	14
300P-ARG-272	1.78	20
300P-AIR-366G	1.94	9
300P-AIR-366	1.79	13
300P-AIR-272G	1.97	15
300P-AIR-272	1.82	20
300P-AIR(SUPERSPACER)-272	1.77	21



Model Code	U-Value (W/m2K)	ER Value
300HS_GO5	1.36	21
300HS_GO4	1.39	26
300HS_GO3	1.88	30
300HS_GO2	1.72	33
300HS_GO1	1.61	26
300H-ARG-366	1.66	16
300H-ARG-272	1.69	21
300H-AIR-366	1.89	11
300H-AIR-272	1.92	16
300H-AIR(SUPERSPACER)-272	1.83	18

Notes: Windows are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.