

HORIZONTAL FIRE DOOR PROGRAM

Class: Horizontal Fire Door / Access Door

Customer: FAKRO sp. z o. o.
Location: Węgierska 144a Str
 33-300 Nowy Sacz,
 Poland

Listing No.: B1083-1
Effective Date: October 30, 2015
Last Revised: January 31, 2020
Expires: N/A

Product: 1-hour Fire-Resistance Rated Horizontal Fire Door / Access Door

Standard: NFPA 288 *Standard Methods of Fire Tests of Horizontal Fire Door Assemblies Installed in Horizontal Fire Resistance-Rated Assemblies*
 CAN/ULC S101 *Standard Methods of Fire Endurance Tests of Building Construction and Materials*
 ASTM E119 *Standard Test Methods for Fire Tests of Building Construction Materials*

Label: See FD001 – Fire Door Labeling Requirements

Fakro LMF, LWF, and LST products bear a label with the following information:

- a) Manufacturer's name.
- b) Product name.
- c) QAI file number (B1063).
- d) 60 minute fire-resistance rating per NFPA 288 / ASTM E119 / CAN/ULC S101 nonload bearing.
- e) QAI logo shown here:



Models: 1-hour Fire-Resistance Rated LMF, LWF and LST Attic Ladders

QAI Design #	Models	Maximum Dimensions	Installation	Rating
B1083-1A	LMF, LWF, LSF	55 in. (1396 mm) by 28-1/2 in. (724 mm)	See Design Listing	1-hour non-load bearing

Note:

The door assembly noted above is required to be installed per the manufacturer's installation instructions, and this listing. The installation requires installation into a listed fire rated floor / ceiling assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.

No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.

Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active.

Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
