



Directory of Listed Products



[Go to Directory Page](#)

ELECTRICAL PRODUCTS LISTING PROGRAM

Class: LED Lighting for use in Recreational Vehicles

Customer: Dream Lighting Inc.

Location: 631 Collins Rd, Elkhart, IN, 46516, USA

Listing No.: E10593-1502

Effective Date: October 19, 2015

Date:

Last Revised: November 16, 2015

Revised:

Expires: N/A

Products: Luminaires and LED Equipment for use in Recreational Vehicles. Dry, and Wet Locations use, Permanently Connected.

Standards: CSA C22.2 No. 250.0 Luminares
UL 234 Low Voltage Lighting for Use in Recreational Vehicles

Models:

Model Designation	Voltage (Vdc)	Wattage (W)	Description	Environmental Location
Luminaires:				
0016901-Silver Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
0016902-Black Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location

0016905-White Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
0016915-Black Ring	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
0016925-Silver	12	12.6	8.5" (216mm) LED Ultra Slim Opal Panel Light, Cool White/Blue	Wet Location
LED Strip Lights:				
Model Designation	Voltage (Vdc)	Wattage (W)	Description	Environmental Location
0043611- **(XXXX)- **(YYYY)	12	0.11W / inch	LED Strip Light, encapsulated with plastic gel 12VDC LED Strip Light PCB Color: White LED Type: SMD3528 LED Quantity per inch: 3 pcs Strip Length up to 5 Meters / 196" Waterproof 0.116W per inch for the total of 22.8W for 5 meter / 196"	Wet Location

<p>Note:</p> <p>** (XXXX) = Green, Blue, Cool White, Warm White or Multi-Color</p> <p>** (YYYY) = Up to 5 Meter / 196"</p>				
<p>0043615- ** (XXXX)- ** (YYYY)</p>	<p>12</p>	<p>0.11W / inch</p>	<p>LED Strip Light, enveloped with silicone tube</p> <p>12VDC LED Strip Light</p> <p>PCB Color: White</p> <p>LED Type: SMD3528</p> <p>LED Quantity per inch: 3 pcs</p> <p>Strip Length up to 5 Meters / 196"</p> <p>Waterproof</p> <p>0.116W per inch for the total of 22.8W for 5 meter / 196"</p>	<p>Wet Location</p>
<p>Note:</p> <p>** (XXXX) = Green, Blue, Cool White, Warm White or Multi-Color</p> <p>** (YYYY) = Up to 5 Meter / 196"</p>				

Label: Products are marked in a permanent manner where it is readily visible after installation with the following: Manufacturer's Name, Trademark or other recognized symbol of identification; Model Designation; Month and Year of Manufacture; Rated Input Voltage; Amperes or Volt-Amperes Input; QAI logo with the "c" and "us" identifiers; QAI File Number E10593, and wording "Conforms to CSA C22.2 No. 250.0 and UL 234".
Warning markings as required in both national languages.

Note: Devices included in this listing are for use in Recreational Vehicles only. Final acceptance of those devices in the recreational vehicle is subject to inspection by the Recreational Vehicle Certifier.

The materials, products or systems listed in this directory have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.

No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.

Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active.

Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.

Copyright QAI Laboratories, 2014