

RECREATIONAL VEHICLE LISTING PROGRAM

Customer: Heartland RV, LLC
Class: Recreational Vehicles
Location: Elkhart, Indiana
Listing No. REC640-1
Effective Date: December 27, 2018
Last Revised Date: August 21, 2020
Expires: N/A

Standards: CSA Z240 RV Series

Product: Recreational Vehicles including: Tandem Axle Travel Trailers

Markings: Products are labelled and marked in a permanent manner where it is readily visible after installation with the following information:

1. RV Specification Nameplate (QAI Label No 1040) Black lettering on White background Size: 8 ½ inches by 11 inches – includes Manufacturer's Name and Address, Model Designation, Month and Year of Manufacture, Rated Input Voltage, Frequency, Amperes or Volt-Amperes Input, All Factory Installed Appliances, Model and Listing Label Serial Number. The Specifications Nameplate is located in the interior of the kitchen cabinet door.
2. One of the following QAI Round Label with the 'c' Identifier, label number and the wording "CSA Z240":
 - White Lettering on Blue (Fifth Wheel and Tandem Axle Travel Trailer) Size: 3 ½ inches in diameter
 - White Lettering on Purple (Single Axle Travel Trailer) Size: 3 ½ inches in diameter

Note: The QAI Round label is usually posted near the entranceway of the RV.

3. Additional Markings as required by the Z240 standard
4. QAI logo shown here:





Plant Location:

MANUFACTURING LOCATION(S):		PLANT NUMBER
1)	1001 All Pro Dr., Elkhart, Indiana, USA, 46514	Plant 2
2)	1001 All Pro Dr., Elkhart, Indiana, USA, 46514	Plant 7A
3)	1001 All Pro Dr., Elkhart, Indiana, USA, 46514	Plant 7B
4)	1040 All Pro Dr., Elkhart, Indiana, USA, 46514	Plant 10
5)	2950 Paul Dr., Elkhart, Indiana, USA, 46514	Plant 21
6)	2929 Gateway Dr., Elkhart, Indiana, USA, 46514	Plant 69
7)	10785 C.R. 2, Middlebury, Indiana, USA, 46540	Plant 401
8)	656 Delaware St., Nappanee, Indiana, USA, 46550	Plant 700
9)	900 East Karcher Road, Nampa, Idaho, USA, 83687	Plant 801
10)	900 East Karcher Road, Nampa, Idaho, USA, 83687	Plant 802

Models: The following manufacturing locations are eligible to label products with the QAI label:

Series:	Model:	Plant Location	Finding
Big Country	3155RLK	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3560SS	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3650RL	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3850MB	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3950FB	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3965DSS	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	4010RD	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	4011ERD	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3902FL	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3315ML	120/208 V, 60Hz, 50/30A Max	Propane
Big Country	3806RKD	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3010RE	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3160EL	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3270RS	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3575EL	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3750FL	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3760EL	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3870FB	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3970RD	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3871FBO	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3370EL	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3850ML	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3950FL	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3925MLP	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3980RRD	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3300DL	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3375SS	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3470MK	120/208 V, 60Hz, 50/30A Max	Propane
Big Horn	3985RRD	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	32RS	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	37SS	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	39FL	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	39MB	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	39RD	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	38BH	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	39RK	120/208 V, 60Hz, 50/30A Max	Propane



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QALORG

Bighorn Traveler	32GK	120/208 V, 60Hz, 50/30A Max	Propane
Bighorn Traveler	38FL	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4005	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4115	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4150	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4151	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4200	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4270	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4007	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	3713	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	4101	120/208 V, 60Hz, 50/30A Max	Propane
Cyclone	3600	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	35 IKOK	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	38RSRT	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	39MBHS	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	40FLFS	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	31RLK	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	37BHS	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	37RK	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	360MB	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	32ROK	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge	38FLIK	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Express	E280	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Express	E290	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Express	E293	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Express	E299	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Express	E326	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Express	E361	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Focus	290RS	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Focus	327BH	120/208 V, 60Hz, 50/30A Max	Propane
Elkridge Focus	251RE	120/208 V, 60Hz, 50/30A Max	Propane
Fuel	335 Fuel & STF3313	120/208 V, 60Hz, 50/30A Max	Propane
Fuel	352 Fuel & STF3513	120/208 V, 60Hz, 50/30A Max	Propane
Fuel	362 FUEL	120/208 V, 60Hz, 50/30A Max	Propane
Fuel	322 FUEL	120/208 V, 60Hz, 50/30A Max	Propane
Fuel TT	F-250	120/208 V, 60Hz, 50/30A Max	Propane
Fuel TT	F-305	120/208 V, 60Hz, 50/30A Max	Propane
Fuel TT	F-287	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3211CC	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3712RDMB	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3700RD	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3810RLB	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3230CK	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3900MB	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3200RLS	120/208 V, 60Hz, 50/30A Max	Propane
Gateway	3905FLG	120/208 V, 60Hz, 50/30A Max	Propane
Gravity	GR3340	120/208 V, 60Hz, 50/30A Max	Propane
Gravity	GR3510	120/208 V, 60Hz, 50/30A Max	Propane
Gravity	GR3610	120/208 V, 60Hz, 50/30A Max	Propane
Gravity	GR4119	120/208 V, 60Hz, 50/30A Max	Propane
Landmark	Arlington	120/208 V, 60Hz, 50/30A Max	Propane
Landmark	Charleston	120/208 V, 60Hz, 50/30A Max	Propane
Landmark	Newport	120/208 V, 60Hz, 50/30A Max	Propane
Landmark	Phoenix	120/208 V, 60Hz, 50/30A Max	Propane



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QALORG

Landmark	Oshkosh	120/208 V, 60Hz, 50/30A Max	Propane
Landmark	Lafayette	120/208 V, 60Hz, 50/30A Max	Propane
Landmark	Concord FEL	120/208 V, 60Hz, 50/30A Max	Propane
Landmark	Rainier	120/208 V, 60Hz, 50/30A Max	Propane
Lithium	2414	120/208 V, 60Hz, 50/30A Max	Propane
Lithium	3116	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M25	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M26	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M27	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M28	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M29	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M32	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M33	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M185	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M231	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M245	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M302	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M312	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M325	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM25	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM26	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM32	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM33	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM245	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM312	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM335	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M360	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M245	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M25	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M27	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M29	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M28	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M33	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M325	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M32	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M26	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M312	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	ID M302	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M252	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM252	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M260	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM230	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM260	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	IDM301	120/208 V, 60Hz, 50/30A Max	Propane
Mallard	M301	120/208 V, 60Hz, 50/30A Max	Propane
Milestone	360RD	120/208 V, 60Hz, 50/30A Max	Propane
Milestone	377MB	120/208 V, 60Hz, 50/30A Max	Propane
Milestone	389TB	120/208 V, 60Hz, 50/30A Max	Propane
Milestone	317RL	120/208 V, 60Hz, 50/30A Max	Propane
Milestone	379FLML	120/208 V, 60Hz, 50/30A Max	Propane
Milestone	386BH	120/208 V, 60Hz, 50/30A Max	Propane
Milestone	370FLMB	120/208 V, 60Hz, 50/30A Max	Propane
North Peak	26TS	120/208 V, 60Hz, 50/30A Max	Propane
North Peak	29BH	120/208 V, 60Hz, 50/30A Max	Propane



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QALORG

North Peak	29QB	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	21FBS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	22FBS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	22RBK	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	23RBS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	24BHS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	26BRLS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	26BRSS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	26DBSS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	26LRSS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	27RBDS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	28DBSS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	29RETS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	30RKDD	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	31BHDD	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	32BUDS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	33BKSS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	33BUDS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	22CRB	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	25LRSS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	28RKDS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	33RETS	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	31QUBH	120/208 V, 60Hz, 50/30A Max	Propane
North Trail	29BHP	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	BH175	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	BH250	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	BH25	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	BH270	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	BH280	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	DS310	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	DS320	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	QB30	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	QB300	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RB180	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RD210	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RG22	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RG26	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RG28	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RK280	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RL250	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	PI276	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	PI287	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	PI322	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RB271	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	PI360	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	PI290	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	PI327	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	RE275	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	PI251	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	BH260 ¹	120/208 V, 60Hz, 50/30A Max	Propane
Pioneer	BH305	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	17P LBH	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	18P LRB	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	20P RBS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	28P BHS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	28P RLS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	29P RKS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	30P RLS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	32P BHS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	33P BHS	120/208 V, 60Hz, 50/30A Max	Propane



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QALORG

Prowler	261P TH	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	281P TH	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	P280	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	P290	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	P293	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	P299	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	P326	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	268P RBS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	286 BHS	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	276LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	315BH	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	240RB	120/208 V, 60Hz, 50/30A Max	Propane
Prowler	256RL	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	18LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	22LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	25LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	30LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	31LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	32LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	255LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	285LX	120/208 V, 60Hz, 50/30A Max	Propane
Prowler Lynx	262LX ¹	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	426RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	387RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	396RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	413RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	427RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	430RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	4275RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	414RW	120/208 V, 60Hz, 50/30A Max	Propane
Road Warrior	392RW	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	269TS	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	289TS	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	295BH	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	297QB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	293RL	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	189MB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	273RL	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	283RB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	224MB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	265BH	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	327QB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT	242RK	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID273RL	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID278BH	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID283RB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID291QB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	IDXLT262RB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID198MB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID221RB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID241BH	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID281DB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance XLT TT	ID291QB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance	2890CC	120/208 V, 60Hz, 50/30A Max	Propane
Sundance	3200MVP	120/208 V, 60Hz, 50/30A Max	Propane
Sundance	3250CKSS	120/208 V, 60Hz, 50/30A Max	Propane
Sundance	3700RLB	120/208 V, 60Hz, 50/30A Max	Propane



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QALORG

Sundance	3710MB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance	324BH	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	278BH	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	288RLS	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	322RES	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	221RB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	241BH	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	261RK	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	262RB	120/208 V, 60Hz, 50/30A Max	Propane
Sundance TT	291QB	120/208 V, 60Hz, 50/30A Max	Propane
Terry Classic	V21	120/208 V, 60Hz, 50/30A Max	Propane
Torque Extreme	T285	120/208 V, 60Hz, 50/30A Max	Propane
Torque Extreme	T322	120/208 V, 60Hz, 50/30A Max	Propane
Torque Extreme	T29	120/208 V, 60Hz, 50/30A Max	Propane
Torque Extreme	T31	120/208 V, 60Hz, 50/30A Max	Propane
Torque Extreme	T32	120/208 V, 60Hz, 50/30A Max	Propane
Torque Extreme	T26	120/208 V, 60Hz, 50/30A Max	Propane
Torque Extreme	T314	120/208 V, 60Hz, 50/30A Max	Propane
Torque	325	120/208 V, 60Hz, 50/30A Max	Propane
Torque	345	120/208 V, 60Hz, 50/30A Max	Propane
Torque	416	120/208 V, 60Hz, 50/30A Max	Propane
Torque	371/371TQ	120/208 V, 60Hz, 50/30A Max	Propane
Torque	327	120/208 V, 60Hz, 50/30A Max	Propane
Torque	378	120/208 V, 60Hz, 50/30A Max	Propane
Torque	373	120/208 V, 60Hz, 50/30A Max	Propane
Torque	T281	120/208 V, 60Hz, 50/30A Max	Propane
Torque	T333	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	17BH	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	18RB	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	21 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	22 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	24 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	25 RL	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	25 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	26 TH	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	27 FQBS	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	27SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	272LX	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	27 RKS	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	28 TH	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	29FQBS	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	29 MSB	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	30 ODK	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	30 USBH	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	31 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	32RLDS	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	33 IKBS	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	265 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	275 ODK	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	292 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	302 SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	325 ODK	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	18SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	21JM	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	25JM	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	272RBS	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	285ODK	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	293SLE	120/208 V, 60Hz, 50/30A Max	Propane



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
 LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
 WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
 TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
 TORONTO, ON: 905.605.5444
 SEATTLE, WA: 425.512.8419
 WEBSITE: WWW.QALORG

Trail Runner	261SLE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	28RE	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	261JM ¹	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	31DB	120/208 V, 60Hz, 50/30A Max	Propane
Trail Runner	251BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2185RB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2375BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2450FB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2475BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2575RK	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2750RL	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2775RB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2850BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	3125BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	3150DS	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	3250BS	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	3350DS	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2500RL	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2725BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	3375KL	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	3185QB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	2400RB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2450FB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2475BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2575RK	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2750RL	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2850BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2775RB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 3250BS	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2375BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 2185RB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 3350DS	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 3150DS	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID 3125BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID2375BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID2725BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID2775RB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID3125BH	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID3250BS	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID3185QB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID2500RL	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID2300DB	120/208 V, 60Hz, 50/30A Max	Propane
Wilderness	ID3375KL	120/208 V, 60Hz, 50/30A Max	Propane

1. An application was made to add additional model names to the previously approved models. These models are identical to the models previously approved by QAI in all CSA Z240 RV Series-14 related aspects. The difference in model names only affect the décor/cosmetic changes of the models. No additional evaluation is required to add these models to the QAI Listing as there are only cosmetic differences. The previously approved model / new model name to be listed.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied,



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
TORONTO, ON: 905.605.5444
SEATTLE, WA: 425.512.8419
WEBSITE: WWW.QAI.ORG

and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
