

BUILDING PRODUCTS LISTING PROGRAM

Customer: Colorado Roofing Products dba CeDUR
 Class: Roof Coverings
 Location: Aurora, CO
 Website: www.cedur.com

Listing No. B1090-1
 Project No. B1090-1
 Effective Date: March 31, 2016
 Last Revised January 31, 2017
 Date:
 Expires: N/A

Standards: ASTM E108 - “Standard Test Methods for Fire Tests of Roof Coverings”.
 UL 790 – “Standard for Standard Test Methods for Fire Tests of Roof Coverings”
 CAN/ULC S107 – “Standard Methods of Fire tests of Roof Coverings”
 UL 2218 – “Impact Resistance of Prepared Roof Covering Materials”.

Product: CeDUR Shakes

Markings: Listed products are identified with a pallet label bearing the following information:
 Address of manufacture, Product Name, Date of Manufacture, QAI logo with the “us”
 and “c” identifier, ASTM E108 Class A and UL2218 Class 4.



Models / **Class A Roofing Assembly: Unlimited Slope**
 Ratings: **-In accordance with ASTM E108, UL 790 and CAN/ULC S107**

SHEATHING	UNDERLAYMENT	ROOF COVERING
Minimum 15/32-inch (11.9 mm) AC Exterior Plywood	Minimum one layer Type II (No. 30) asphalt-saturated felt complying with ASTM D226/CSA A123.3, Type 2.	CeDUR Shake Installed with a 10-inch exposure

**Class 4 Impact Resistant Assembly
 -In accordance with UL 2218**

SHEATHING	UNDERLAYMENT	ROOF COVERING
Minimum 15/32-inch (11.9 mm) AC Exterior Plywood	Unrestricted	CeDUR Shake Installed with a 10-inch exposure

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
