

FIRE DOOR LISTING PROGRAM

Customer: Concept Millwork Corporation
 Class: Fire Doors and Frames
 Location: London, Ontario
 Website: www.cmcmillwork.ca

Listing No. F433
 Projects No. F433-1 Edition 2
 F433-2 Edition 2

Effective Date: April 21, 2016
 Last Revised Date: August 23, 2019

Standards: UL 10B *Fire Tests of Door Assemblies*
 UL 10C *Positive Pressure Fire Tests of Door Assemblies*
 NFPA 252 *Standard Methods of Fire Tests of Door Assemblies*
 CAN/ULC S104 *Standard Method for Fire Tests of Door Assemblies*

Product: 20, 45, 60 and 90 Minute Neutral & Positive Pressure Rated Composite Category "A" Fire Doors and Category "C" Fire Door Frames with Hose Stream.

Markings: See [FD001 - Fire Door Labeling requirements](#)

Models / Ratings: **Fire Rated Door Slabs**

Spec Owner	Manufacturing / Machining Specifications	Listing #	Criteria
BASF	20 minute Fire Rated Door Slab	F411-1-1-20 - Wood Core	CPL
BASF	20 minute Fire Rated Door Slab	F411-1-2-20 - Laminated Core	CPL
BASF	45 minute Fire Rated Door Slab	F411-1-1-45	CPL
BASF	60 minute Fire Rated Door Slab	F411-1-1-60	CPL
BASF	90 minute Fire Rated Door Slab	F411-1-1-90	CPL

Fire Rated Door Frames

Spec Owner	Manufacturing / Machining Specifications	Listing #	Criteria
BASF	20 minute Fire Rated Door Frame	F411-2-20	CPL
BASF	45 minute Fire Rated Door Frame	F411-2-45	CPL
BASF	60 minute Fire Rated Door Frame	F411-2-60	CPL
BASF	90 minute Fire Rated Door Frame	F411-2-90	CPL

- Notes:
- Refer to QAI evaluation reports F433-1 and F433-2 and the applicable test reports for test assembly configurations used for fire endurance testing.
 - Refer to the [QAI FD002 - Fire Door Guidelines for general guidelines of fire door assemblies](#)
 - Final acceptance of the product in the intended application is to be determined by the authority having jurisdiction (AHJ).
 - Product is to be installed in accordance with the manufacturer's published installation instructions by qualified installing personnel.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
