

VANCOUVER, BC: LOS ANGELES, CA: WASHINGTON, DC: TULSA, OK: TORONTO, ON SEATTLE, WA WEBSITE:

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 425.512.8419 WWW.QAL.ORG

BUILDING PRODUCT LISTING PROGRAM

	Insulated Metal Wall Panels Boucherville, Quebec, Canada	
Listing No. Project No.	B1096-2 B1096-2 Edition 5	
Effective Date: Last Revised Date: Expires:	,	
Standards:	ASTM E119	"Standard Test Methods for Fire Tests of Building Construction and Materials."
	CAN/ULC S101	"Standard Methods of Fire Endurance Tests of Building Construction and Materials".
Product:	Norbec NOROC-L Mineral Wool Steel Skinned Insulated Wall Panels	

Markings: Each bundle is marked with a permanent label containing the following information:

- a) Manufacturers name or recognized trademark
- b) Product name
- c) Date of manufacture
- d) QAI file number: B1096
- e) QAI logo shown here:





VANCOUVER, BC: 877.461.8378 ph. LOS ANGELES, CA: 909.483.0250 ph. WASHINGTON, DC: 540.636.9445 ph. TULSA, OK: 918.437.8333 ph. TORONTO, ON 905.605.5444 SEATTLE, WA 425.512.8419 WEBSITE: WWW.QAI.ORG

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 425.512.8419 WWW 0.041.0PG

Models / Ratings: The following outlines Norbec Noroc Mineral Wool Insulated Panels performance determined in accordance with the noted standards. The ratings outlined in the tables below are achieved in assemblies that are defined in the QAI Design Listings.

Noroc Mineral Wool Insulated Wall Panels per CAN/ULC-S101 & ASTM E119 – Non-Loadbearing Walls and Partitions

QAI Design #	Model:	Fire Resistance Rating:
B1096-2-1	100 mm (4 Inch) Noroc Panels	45 min
B1096-2-1	126 mm (5 Inch) Noroc Panels	1 hour
B1096-2-1	152 mm (6 Inch) Noroc Panels	2 hour
B1096-2-2	2 Layer 100 mm (4 Inch) Noroc Panels, Staggered Joints	3 hour

Notes: Products must be installed with the manufacturer's published installation instructions and in accordance with the building codes recognized by the authority having jurisdiction.

Listed manufacturers are subject to on-going inspections by QAI to ensure that the products outlined above remains as it is listed.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at <u>www.qai.org</u> for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to <u>info@qai.org</u>. Please include the listing number in the request.
