



IAS Accreditation Number	TL-672
Company Name	QAI Laboratories Ltd.
Address	25 Royal Group Crescent Unit #3
	Vaughan, ON L4H 1X9
	Canada
Contact Name	Jarred Johnson, Quality and Safety Manager
Telephone	(918) 437-8333
Effective Date of Scope	January 31, 2018
Accreditation Standard	ISO/IEC 17025: 2005

ТЬ	~ -	-	_
ıп	er	m	а

Inermal	
ASTM C411	Standard test method for hot-surface performance of high-temperature thermal insulation
ASTM C447	Standard practice for estimating the maximum use temperature of thermal insulations
ASTM C547	Standard specification for mineral fiber pipe insulation
ASTM C578	Standard specification for rigid, cellular polystyrene thermal insulation
ASTM C518/ISO 8301	Standard test method for steady-state thermal transmission properties by means of the heat flow meter apparatus
ASTM C1029	Standard specification for spray-applied rigid cellular polyurethane thermal insulation
ASTM C1289	Standard specification for faced rigid cellular polyisocyanurate thermal insulation board
ASTM C1512	Standard test method for characterizing the effect of exposure to environmental cycling on thermal performance of insulation products
ASTM D2126	Standard test method for response of rigid cellular plastics to thermal and humid aging
ASTM D2863	Standard test method for measuring the minimum oxygen concentration to support candle-like combustion of plastics (oxygen index)
CAN/ULC-S702	Standard for thermal insulation mineral fiber for buildings (excluding CAN/ULC S102 and ASTM C1338)



CAN/ULC-S705.1	Standard	for	thermal	insulation	-	spray	applied	rigid
	polyuretha	ane f	oam, med	ium density	- r	naterial	- specific	cation
	(excluding	y Sect	tions 5.5.5	, 5.5.9 and	5.5	.11)		

CAN/ULC-S712.1 Standard for thermal insulation - light density, open cell spray applied semi-rigid polyurethane (excluding sections 5.5.4, 5.5.6 and 5.5.8)

CAN/ULC-S770 Standard test method for determination of long-term thermal resistance of closed-cell thermal insulating foams

ICC-ES AC377 Spray-applied foam plastic insulation (test methods

referenced in section 3.0)

ICC-ES AC12 Foam plastic insulation (test methods referenced in sections

3.0 and 4.0, excluding all fire testing)

Structural

ASTM C203 Standard test methods for breaking load and flexural properties of block-type thermal

insulation

ASTM C297 Standard test method for flatwise tensile

strength of sandwich constructions

ASTM C550 Standard test method for measuring trueness

and squareness of rigid block and board thermal

insulation

ASTM C1177 Standard specification for glass mat gypsum

substrate for use as sheathing

ASTM C1185 Standard test methods for sampling and

testing non- asbestos fiber-cement flat sheet, roofing and siding shingles, and clapboards

ASTM C1186 Standard specification for flat fiber-cement sheets

ASTM C1325 Standard specification for non-asbestos fiber-

mat reinforced cementitious backer units

ASTM C1396 Standard specification for gypsum board

ASTM C1557 Standard test method for tensile strength

and Young's modulus of fibers

ASTM D1037 Standard test methods for evaluating properties

of wood- base fiber and particle panel materials

ASTM D1621 Standard test method for compressive

properties of rigid cellular plastics





ASTM D1622	Standard test method for apparent density of rigid cellular plastics
ASTM D1623	Standard test method for tensile and tensile adhesion properties of rigid cellular plastics
ASTM D1761	Standard test methods for mechanical fasteners in wood
ASTM D2842	Standard test method for water absorption of rigid cellular plastics
ASTM D3039	Standard test method for tensile properties of polymer matrix composite materials
ASTM D3330	Standard test method for peel adhesion of pressure - sensitive tape
ASTM D4073	Standard test method for tensile-tear strength of bituminous roofing membranes
ASTM D412	Standard test methods for vulcanized rubber and thermoplastic elastomers—tension
ASTM D4885	Standard test method for determining performance strength of geomembranes by the wide strip tensile method
ASTM D5628	Standard test method for impact resistance of flat, rigid plastic specimens by means of a falling dart (TUP or falling mass)
ASTM D6226	Standard test method for open cell content of rigid cellular plastics
ASTM D6272	Standard test method for flexural properties of unreinforced and reinforced plastics and electrical insulating materials by four-point bending
ASTM D638	Standard test method for tensile properties of plastics
ASTM D6817	Standard specification for rigid cellular polystyrene geofoam
ASTM D790	Standard test methods for flexural properties of unreinforced and reinforced plastics and electrical insulating materials
ASTM D828	Standard test method for tensile properties of paper and paperboard using constant rate of elongation apparatus





ASTM D882 Standard test method for tensile properties of

thin plastic sheeting

ASTM E2634 Standard specification for flat wall insulating

concrete form (ICF) systems

ASTM E330 Standard Test Method for Structural

Performance of Exterior Windows, Doors, Skylights and Curtain Walls by Uniform Static

Air Pressure Difference

ASTM E331 Standard Test Method for Water Penetration of

Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference

ASTM E547 Standard Test Method for Water Penetration of

Exterior Windows, Skylights, Doors, and Curtain

Walls by Cyclic

Static Air Pressure Difference

ASTM E96 Standard test methods for water vapor

transmission of materials

CAN/ULC-S701 Standard for thermal insulation, polystyrene,

boards and pipe covering

CAN/ULC-S704 Standard for thermal insulation, polyurethane

and polyisocyanurate boards, faced (excluding

CAN/ULC S102)

CAN/ULC-S706 Standard for wood fibre insulating boards for buildings

CAN/ULC-S716.1 Standard for exterior insulation and finish

systems (EIFS) - materials and systems (excluding sections 5.2.1.2, C and D, 5.3.2, 5.3.7, 5.3.8, 5.3.9, 5.4.2, 5.4.6, 5.5.3, 5.5.4

and 5.5.5)

NAFS CSA A440-11/AAMA/101 North American Fenestration

Standard/Specification for WDMA I.S.2

windows, doors, and skylights.

CAN/ULC-S718 Standard for site quality assurance program

for spray polyurethane foam

ASTM E283 Standard test method for determining rate of

air leakage through exterior windows, curtain walls, and doors under specified pressure

differences across the specimen





ASTM E2178

Standard test method for air permeance of building materials

CAN/ULC S717.1

Standard for flat wall insulating concrete form (ICF) units

