

VANCOUVER, BC: LOS ANGELES, CA: WASHINGTON, DC: TULSA, OK: TORONTO, ON SEATTLE, WA WEBSITF:

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 425.512.8419

WWW.QAI.ORG

FACTORY CONSTRUCTED BUILDINGS AND STRUCTURES LISTING PROGRAM

Customer: Ironwood Manufactured Homes Inc.

Class: Business Commercial Industrial Structures

Location: Woodstock, NB

Listing No. REC705-3

Project No. REC705-3, Edition 2

Effective Date: June 12, 2018 Last Revised Date: July 6, 2018

Expires: N/A

Standards: CSA A277-16 "Procedure for Certification of Prefabricated Buildings,

Modules, and Panels"

National Building Code of Canada (Part 9)

CSA C22.1 "Canadian Electrical Safety Code, Part I, "Safety Standard

for Electrical Installations"

National Plumbing Code of Canada

National Building Code of Canada (Part 9) with Quebec Amendments

C22.1 Canadian Electrical Code, Part I, "Safety Standard for Electrical

Installations" with Quebec amendments

Note: Standards above as amended by Newfoundland & Labrador, New Brunswick, Nova Scotia, Prince Edward Island and Quebec. Jurisdictions may require structures to comply with provincial/municipal

codes in lieu of the national building codes.

Product: Business Commercial Industrial Structures

Markings: All markings must be permanent and visible after installation.

1. The QAI label (item 1096 - black lettering with silver background) is

normally located in close proximity to the electrical panel.

QAI logo shown here:



- 2. The specification nameplate (item 1068, 8-1/2" x 14" size) is located in close proximity to the electrical panel and includes:
 - Manufacturer's Name and Address
 - Date of Manufacture



VANCOUVER, BC: LOS ANGELES, CA: WASHINGTON, DC: TULSA, OK: TORONTO, ON SEATTLE, WA WEBSITE:

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 425.512.8419

WWW.OAI.ORG

- Model Serial Number or Product Code
- Foundation Type (Perimeter Foundation Wall or Piers)
- Floor live Load
- Specified Snow Load (1/50)
- Seismic Response S_a (0.2)
- Hourly Wind Pressure (1/50)
- Envelope Effective Thermal Resistance
- Windows/Doors/Skylights Thermal Characteristics
- Outside Design Temperature (Heal Loss or Heat Gain)
- Factory Installed Appliances
- Site Installed Components, Assemblies, and Systems
- Electrical Systems Voltage, Frequency, and Amperage

Other Markings as required by the relevant codes.

The QAI label and specification nameplate are available from QAI and must be applied at the factory.

Models:

Factory Built Modular Structures constructed in single or multiple modules up to a maximum of 2 storey configurations with a building area not exceed 600 m². This listing includes structures intended to be used under a single Major Occupancy classified as:

- Group D Business and Personal Services or
- Group F Division 3 Low hazard industrial

Structures under this listing typically include units used as field offices, construction camp facilities, industrial construction for mobile equipment and similar temporary industrial structures. This listing does not include structures with multiple Major Occupancies.

For a full list of structures covered under the above occupancy groups please refer to Appendix A, Division B of the National Building Code of Canada.

Structural:

Conventional Wood Frame Construction within the limitations of Part 9 the National Building Code.

Electrical Ratings:

120/240V, Single Phase, 60Hz, 200A max. and/or 120/208V, 3-Phase, 60Hz, 200A max.



VANCOUVER, BC: LOS ANGELES, CA: WASHINGTON, DC: TULSA, OK: TORONTO, ON SEATTLE, WA WEBSITE:

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 540.636.9445 ph. | 540.636.9414 fx. 918.437.8333 ph. | 918.437.8487 fx. 905.605.5444 425.512.8419

WWW.OAI.ORG

Heating/Ventilation:

Modules may be equipped with central forced-air furnaces and air conditioning (electric only). Systems may be equipped with electrical baseboard heaters.

Plumbing:

Conventional drainage and venting systems to a maximum of 240 hydraulic fixture units.

Gas Systems:

None.

Sprinkler and Fire Alarm Systems:

This certification does not cover the sprinkler and fire alarm systems.

Notes:

Structures included in this listing are manufactured at a central facility and transported to the site. These modules must include provisions for on site interconnections, connection to municipal services (water and sewage) and electrical power supply. QAI certification covers the construction of the modular units including any factory installed plumbing and electrical services, appliances, equipment and fixtures. QAI certification is intended to obviate the necessity of further inspection by the local regulatory authorities except for site connections to services or to other modules and for site installed features.

Site installation of products must be done according to manufacturer's installation instructions and in compliance with the requirements set by the local authority having jurisdiction.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.
