

FIRE DOOR LISTING PROGRAM

Customer: Campus Safety Products, LLC
 Class: Fire-Resistant Door Hardware Component
 Location: Durham, North Carolina
 Website: www.campussafetyproducts.com

Listing No. F454-1
 Project No. F454-1 Edition 2

Effective Date: December 18, 2018
 Last Revised Date: November 28, 2022

Standards: UL 10B *Fire Tests of Door Assemblies*
 UL 10C *Positive Pressure Fire Tests of Door Assemblies*
 NFPA 252 *Standard Methods of Fire Tests of Door Assemblies*
 CAN/ULC S104 *Standard Method for Fire Tests of Door Assemblies*

Product: Fire-Resistant Door Hardware for use with Neutral & Positive Pressure Rated Category "A" and "B" Fire-Resistant Doors.

Markings: See [FD001 - Fire Door Labeling requirements](#)

Models:

Product Name(s)	Door Skin Type	Door Core Type	Maximum Fire-resistance Rating
RhinoWare® Door Barricade Devices RW3000/RW4000	Wood	Solid Wood / Composite	20 Minute
RW3000-CL/RW4000-CL	Steel	Hollow / Steel Stiffened	90 Minute

Notes: *The listing noted pertains to RhinoWare® Door Barricade Device intended for use with door products in fire-resistance rated applications. Where openings have additional criteria beyond the scope of fire-resistance rating, the Authority Having Jurisdiction (AHJ) should be consulted for approval of RhinoWare® Door Barricade Devices.*

Product is to be installed in accordance with the manufacturer's installation instructions strictly by installing personnel that is qualified by Campus Safety Products.

Refer to the [FD002 - Fire Door Guidelines](#) for general guidelines of fire door assemblies.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.



LABORATORIES

CERTIFICATION TESTING INSPECTION

VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx.
LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx.
WASHINGTON, DC: 540.636.9445 ph. | 540.636.9414 fx.
TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx.
TORONTO, ON: 416.550.9280
WEBSITE: WWW.QAI.ORG
