



WINDOWS & DOORS LISTING PROGRAM

Customer: Enerstar Windows Ltd.
Class: Fenestration Products – Energy Performance
Location: Surrey, British Columbia
Website: www.enerstarwindows.com

Listing No. W571-1
Project No. W571-1 ED4
Effective Date: November 21, 2019
Last Revised Date: June 27, 2024
Expires: N/A

Standards: CSA A440.2 “Fenestration Energy Performance”

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W571
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

EN500 Series Picture Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-EN500PC-3,272(2)-3,CL-13AR90EE-R	1.52	0.33	26
G02	ESTAR-EN500PC-3,SB60(2)-3,CL-13AR90EE-R	1.51	0.32	25
G03	ESTAR-EN500PC-3,SN68(2)-3,CL-13AR90EE-R	1.51	0.31	25
G04	ESTAR-EN500PC-3,SN68(2)-3,SN68(3)-13AR90EE-R	1.48	0.28	24
G05	ESTAR-EN500PC-3,SN68(2)-3,SN68(4)-13AR90EE-R	1.22	0.27	29



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G06	ESTAR-EN500PC-3,SB60(2)-3,SB60(4)-13AR90EE-R	1.21	0.29	30
G07	ESTAR-EN500PC-3,SB60(2)-3,i89(4)-13AR90EE-R	1.27	0.32	31
G08	ESTAR-EN500PC-3,SB60(2)-3CL-3,i89(6)-13AR90EE-R	1.02	0.29	34
G09	ESTAR-EN500PC-3,272(2)-3,CL-3,CL-13AR90EE-R	1.17	0.31	32
G10	ESTAR-EN500PC-3,SB60(2)-3,CL-3,CL-13AR90EE-R	1.17	0.30	32
G11	ESTAR-EN500PC-3,SB60(2)-3,CL-3,SB60(6)-13AR90EE-R	0.98	0.27	34
G12	ESTAR-EN500PC-3,SN68(2)-3,CL-3,SN68(6)-13AR90EE-R	0.98	0.26	34
G13	ESTAR-EN500PC-6,SB60(2)-3,CL-9AR90EE-R	1.59	0.32	24
G14	ESTAR-EN500PC-3,366(2)-3,i89(4)-13AR90EE-R	1.25	0.22	25
G15	ESTAR-EN500PC-3,SCLE(2)-3,SCLE(4)-13AR95SS-R	1.43	0.50	38
G16	ESTAR-EN500PC-3,SB60(2)-3,SCLE(4)-13AR95SS-R	1.29	0.31	30
G17	ESTAR-EN500PC-3,180(2)-3,180(4)-13AR95SS-R	1.28	0.48	40
G18	ESTAR-EN500PC-3,180(2)-3,i89(4)-13AR95SS-R	1.32	0.50	40
G19	ESTAR-EN500PC-3,366(2)-3,i89(4)-13AR95SS-R	1.26	0.22	25
G20	ESTAR-EN500PC-3,270(2)-3,i89(4)-13AR95SS-R	1.28	0.29	29
G21	ESTAR-EN500PC-3,CL-3,S400(3)-3,S400(5)-13AR95SS-R	1.00	0.47	45
G22	ESTAR-EN500PC-3,CL-3,S400(3)-3,SB60(5)-13AR95SS-R	0.94	0.38	41
G23	ESTAR-EN500PC-3,SB60(2)-3,SB60(4)-3,SCLE(6)-13AR95SS-R	0.83	0.25	36
G24	ESTAR-EN500PC-3,SB60(2)-3,CL-3,SCLE(6)-13AR95SS-R	1.03	0.28	34
G25	ESTAR-EN500PC-3,270(2)-3,180(4)-3,i89(6)-13AR95SS-R	0.85	0.26	36
G26	ESTAR-EN500PC-3,270(2)-3,270(4)-3,i89(6)-13AR95SS-R	0.83	0.22	35
G27	ESTAR-EN500PC-3,366(2)-3,366(4)-3,i89(6)-13AR95SS-R	0.81	0.17	32
G28	ESTAR-EN500PC-3,180(2)-3,CL-13AR95SS-R	1.57	0.52	36
G29	ESTAR-EN500PC-3,180(2)-3,CL-3,180(5)-13AR95SS-R	0.94	0.45	45
G30	ESTAR-EN500PC-3,180(2)-3,180(4)-3,180(5)-13AR95SS-R	0.92	0.43	45
G31	ESTAR-EN500PC-3,180(2)-3,180(4)-3,i89(6)-13AR95SS-R	0.86	0.43	46
G32	ESTAR-EN500PC-3,180(2)-3,CL-3,i89(6)-13AR95SS-R	1.06	0.46	43
G33	ESTAR-EN500PC-3,180(2)-3,CL-3,CL-13AR95SS-R	1.21	0.47	41
G34	ESTAR-EN500PC-3,180(2)-3,CL-3,CL-13AR95SP-R	1.20	0.47	41

EN500 Series Casement Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-EN500CA-3,272(2)-3,CL-13AR90EE-R	1.50	0.26	22
G02	ESTAR-EN500CA-3,SB60(2)-3,CL-13AR90EE-R	1.49	0.25	22
G03	ESTAR-EN500CA-3,SN68(2)-3,CL-13AR90EE-R	1.50	0.24	21
G04	ESTAR-EN500CA-3,SN68(2)-3,SN68(3)-13AR90EE-R	1.47	0.22	20
G05	ESTAR-EN500CA-3,SN68(2)-3,SN68(4)-13AR90EE-R	1.27	0.22	25
G06	ESTAR-EN500CA-3,SB60(2)-3,SB60(4)-13AR90EE-R	1.26	0.23	25
G07	ESTAR-EN500CA-3,SB60(2)-3,i89(4)-13AR90EE-R	1.31	0.25	26
G08	ESTAR-EN500CA-3,SB60(2)-3CL-3,i89(6)-13AR90EE-R	1.11	0.23	29
G09	ESTAR-EN500CA-3,272(2)-3,CL-3,CL-13AR90EE-R	1.23	0.24	27
G10	ESTAR-EN500CA-3,SB60(2)-3,CL-3,CL-13AR90EE-R	1.23	0.23	26
G11	ESTAR-EN500CA-3,SB60(2)-3,CL-3,SB60(6)-13AR90EE-R	1.08	0.21	28
G12	ESTAR-EN500CA-3,SN68(2)-3,CL-3,SN68(6)-13AR90EE-R	1.09	0.20	27
G13	ESTAR-EN500CA-6,SB60(2)-3,CL-9AR90EE-R	1.57	0.25	20
G14	ESTAR-EN500CA-3,366(2)-3,i89(4)-13AR90EE-R	1.30	0.17	21
G15	ESTAR-EN500CA-3,SCLE(2)-3,SCLE(4)-13AR95SS-R	1.60	0.40	28
G16	ESTAR-EN500CA-3,SB60(2)-3,SCLE(4)-13AR95SS-R	1.35	0.24	24



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G17	ESTAR-EN500CA-3,180(2)-3,180(4)-13AR95SS-R	1.34	0.38	32
G18	ESTAR-EN500CA-3,180(2)-3,i89(4)-13AR95SS-R	1.38	0.39	32
G19	ESTAR-EN500CA-3,366(2)-3,i89(4)-13AR95SS-R	1.33	0.17	20
G20	ESTAR-EN500CA-3,270(2)-3,i89(4)-13AR95SS-R	1.35	0.23	24
G21	ESTAR-EN500CA-3,CL-3,S400(3)-3,S400(5)-13AR95SS-R	1.13	0.36	36
G22	ESTAR-EN500CA-3,CL-3,S400(3)-3,SB60(5)-13AR95SS-R	1.08	0.30	33
G23	ESTAR-EN500CA-3,SB60(2)-3,SB60(4)-3,SCLE(6)-13AR95SS-R	0.99	0.20	30
G24	ESTAR-EN500CA-3,SB60(2)-3,CL-3,SCLE(6)-13AR95SS-R	1.15	0.22	27
G25	ESTAR-EN500CA-3,270(2)-3,180(4)-3,i89(6)-13AR95SS-R	1.01	0.20	29
G26	ESTAR-EN500CA-3,270(2)-3,270(4)-3,i89(6)-13AR95SS-R	0.99	0.18	29
G27	ESTAR-EN500CA-3,366(2)-3,366(4)-3,i89(6)-13AR95SS-R	0.98	0.13	26
G28	ESTAR-EN500CA-3,180(2)-3,CL-13AR95SS-R	1.57	0.40	29
G29	ESTAR-EN500CA-3,180(2)-3,CL-3,180(5)-13AR95SS-R	1.09	0.35	36
G30	ESTAR-EN500CA-3,180(2)-3,180(4)-3,180(5)-13AR95SS-R	1.07	0.34	36
G31	ESTAR-EN500CA-3,180(2)-3,180(4)-3,i89(6)-13AR95SS-R	1.02	0.34	37
G32	ESTAR-EN500CA-3,180(2)-3,CL-3,i89(6)-13AR95SS-R	1.17	0.36	35
G33	ESTAR-EN500CA-3,180(2)-3,CL-3,CL-13AR95SS-R	1.29	0.37	33
G34	ESTAR-EN500CA-3,180(2)-3,CL-3,CL-13AR95SP-R	1.28	0.37	33

EN500 Series Awning Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-EN500AW-3,272(2)-3,CL-13AR90EE-R	1.52	0.26	22
G02	ESTAR-EN500AW-3,SB60(2)-3,CL-13AR90EE-R	1.51	0.25	21
G03	ESTAR-EN500AW-3,SN68(2)-3,CL-13AR90EE-R	1.51	0.24	21
G04	ESTAR-EN500AW-3,SN68(2)-3,SN68(3)-13AR90EE-R	1.48	0.22	20
G05	ESTAR-EN500AW-3,SN68(2)-3,SN68(4)-13AR90EE-R	1.30	0.22	24
G06	ESTAR-EN500AW-3,SB60(2)-3,SB60(4)-13AR90EE-R	1.30	0.23	25
G07	ESTAR-EN500AW-3,SB60(2)-3,i89(4)-13AR90EE-R	1.34	0.25	25
G08	ESTAR-EN500AW-3,SB60(2)-3CL-3,i89(6)-13AR90EE-R	1.13	0.23	29
G09	ESTAR-EN500AW-3,272(2)-3,CL-3,CL-13AR90EE-R	1.24	0.24	27
G10	ESTAR-EN500AW-3,SB60(2)-3,CL-3,CL-13AR90EE-R	1.24	0.23	26
G11	ESTAR-EN500AW-3,SB60(2)-3,CL-3,SB60(6)-13AR90EE-R	1.11	0.21	28
G12	ESTAR-EN500AW-3,SN68(2)-3,CL-3,SN68(6)-13AR90EE-R	1.11	0.20	27
G13	ESTAR-EN500AW-6,SB60(2)-3,CL-9AR90EE-R	1.58	0.25	20
G14	ESTAR-EN500AW-3,366(2)-3,i89(4)-13AR90EE-R	1.32	0.17	21
G15	ESTAR-EN500AW-3,SCLE(2)-3,SCLE(4)-13AR95SS-R	1.48	0.39	30
G16	ESTAR-EN500AW-3,SB60(2)-3,SCLE(4)-13AR95SS-R	1.37	0.24	24
G17	ESTAR-EN500AW-3,180(2)-3,180(4)-13AR95SS-R	1.37	0.38	32
G18	ESTAR-EN500AW-3,180(2)-3,i89(4)-13AR95SS-R	1.40	0.39	32
G19	ESTAR-EN500AW-3,366(2)-3,i89(4)-13AR95SS-R	1.35	0.17	20
G20	ESTAR-EN500AW-3,270(2)-3,i89(4)-13AR95SS-R	1.36	0.23	24
G21	ESTAR-EN500AW-3,CL-3,S400(3)-3,S400(5)-13AR95SS-R	1.12	0.36	36
G22	ESTAR-EN500AW-3,CL-3,S400(3)-3,SB60(5)-13AR95SS-R	1.08	0.30	34
G23	ESTAR-EN500AW-3,SB60(2)-3,SB60(4)-3,SCLE(6)-13AR95SS-R	1.01	0.20	29
G24	ESTAR-EN500AW-3,SB60(2)-3,CL-3,SCLE(6)-13AR95SS-R	1.18	0.22	27
G25	ESTAR-EN500AW-3,270(2)-3,180(4)-3,i89(6)-13AR95SS-R	1.02	0.20	29
G26	ESTAR-EN500AW-3,270(2)-3,270(4)-3,i89(6)-13AR95SS-R	1.00	0.18	28
G27	ESTAR-EN500AW-3,366(2)-3,366(4)-3,i89(6)-13AR95SS-R	0.99	0.13	26



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G28	ESTAR-EN500AW-3,180(2)-3,CL-13AR95SS-R	1.57	0.40	29
G29	ESTAR-EN500AW-3,180(2)-3,CL-3,180(5)-13AR95SS-R	1.08	0.35	37
G30	ESTAR-EN500AW-3,180(2)-3,180(4)-3,180(5)-13AR95SS-R	1.06	0.34	36
G31	ESTAR-EN500AW-3,180(2)-3,180(4)-3,i89(6)-13AR95SS-R	1.02	0.34	37
G32	ESTAR-EN500AW-3,180(2)-3,CL-3,i89(6)-13AR95SS-R	1.18	0.36	35
G33	ESTAR-EN500AW-3,180(2)-3,CL-3,CL-13AR95SS-R	1.28	0.37	33
G34	ESTAR-EN500AW-3,180(2)-3,CL-3,CL-13AR95SP-R	1.27	0.37	34

EN900 Series Picture Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-EN900PC-3,272(2)-3,CL-13AR90EE-R	1.57	0.33	24
G02	ESTAR-EN900PC-3,SB60(2)-3,CL-13AR90EE-R	1.56	0.32	24
G03	ESTAR-EN900PC-3,SN68(2)-3,CL-13AR90EE-R	1.57	0.30	23
G04	ESTAR-EN900PC-3,SN68(2)-3,SN68(3)-13AR90EE-R	1.53	0.28	22
G05	ESTAR-EN900PC-3,SN68(2)-3,SN68(4)-13AR90EE-R	1.27	0.27	28
G06	ESTAR-EN900PC-3,SB60(2)-3,SB60(4)-13AR90EE-R	1.26	0.29	29
G07	ESTAR-EN900PC-3,SB60(2)-3,i89(4)-13AR90EE-R	1.33	0.31	29
G08	ESTAR-EN900PC-3,SB60(2)-3CL-3,i89(6)-5AR90EE-R	1.50	0.29	24
G09	ESTAR-EN900PC-3,272(2)-3,CL-3,CL-5AR90EE-R	1.78	0.31	19
G10	ESTAR-EN900PC-3,SB60(2)-3,CL-3,CL-5AR90EE-R	1.77	0.30	18
G11	ESTAR-EN900PC-3,SB60(2)-3,CL-3,SB60(6)-5AR90EE-R	1.43	0.26	24
G12	ESTAR-EN900PC-3,SN68(2)-3,CL-3,SN68(6)-5AR90EE-R	1.43	0.25	23
G13	ESTAR-EN900PC-3,180(2)-3,180(3)-13AR95SS-R	1.56	0.48	33
G14	ESTAR-EN900PC-3,180(2)-3,i89(4)-13AR95SS-R	1.37	0.49	38
G15	ESTAR-EN900PC-3,272(2)-3,i89(4)-13AR95SS-R	1.34	0.32	29
G16	ESTAR-EN900PC-3,366(2)-3,i89(4)-13AR95SS-R	1.32	0.21	23
G17	ESTAR-EN900PC-3,SB60(2)-3,i89(4)-13AR95SS-R	1.33	0.31	29
G18	ESTAR-EN900PC-3,180(2)-3,CL-13AR95SS-R	1.62	0.51	34

EN900 Series Single Sliding Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-EN900SS-3,272(2)-3,CL-13AR90EE-R	1.62	0.31	22
G02	ESTAR-EN900SS-3,SB60(2)-3,CL-13AR90EE-R	1.61	0.30	21
G03	ESTAR-EN900SS-3,SN68(2)-3,CL-13AR90EE-R	1.62	0.29	21
G04	ESTAR-EN900SS-3,SN68(2)-3,SN68(3)-13AR90EE-R	1.59	0.27	20
G05	ESTAR-EN900SS-3,SN68(2)-3,SN68(4)-13AR90EE-R	1.35	0.26	25
G06	ESTAR-EN900SS-3,SB60(2)-3,SB60(4)-13AR90EE-R	1.34	0.27	26
G07	ESTAR-EN900SS-3,SB60(2)-3,i89(4)-13AR90EE-R	1.40	0.29	25
G08	ESTAR-EN900SS-3,SB60(2)-3CL-3,i89(6)-5AR90EE-R	1.56	0.27	21
G09	ESTAR-EN900SS-3,272(2)-3,CL-3,CL-5AR90EE-R	1.82	0.29	16



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G10	ESTAR-EN900SS-3,SB60(2)-3,CL-3,CL-5AR90EE-R	1.81	0.28	16
G11	ESTAR-EN900SS-3,SB60(2)-3,CL-3,SB60(6)-5AR90EE-R	1.50	0.25	21
G12	ESTAR-EN900SS-3,SN68(2)-3,CL-3,SN68(6)-5AR90EE-R	1.50	0.23	20
G13	ESTAR-EN900SS-3,180(2)-3,180(3)-13AR95SS-R	1.61	0.46	31
G14	ESTAR-EN900SS-3,180(2)-3,i89(4)-13AR95SS-R	1.43	0.47	35
G15	ESTAR-EN900SS-3,272(2)-3,i89(4)-13AR95SS-R	1.40	0.30	26
G16	ESTAR-EN900SS-3,366(2)-3,i89(4)-13AR95SS-R	1.38	0.20	21
G17	ESTAR-EN900SS-3,SB60(2)-3,i89(4)-13AR95SS-R	1.40	0.29	25
G18	ESTAR-EN900SS-3,180(2)-3,CL-13AR95SS-R	1.66	0.48	31

EN900 Series Single Hung Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-EN900SH-3,272(2)-3,CL-13AR90EE-R	1.62	0.31	22
G02	ESTAR-EN900SH-3,SB60(2)-3,CL-13AR90EE-R	1.61	0.30	21
G03	ESTAR-EN900SH-3,SN68(2)-3,CL-13AR90EE-R	1.61	0.29	21
G04	ESTAR-EN900SH-3,SN68(2)-3,SN68(3)-13AR90EE-R	1.58	0.27	20
G05	ESTAR-EN900SH-3,SN68(2)-3,SN68(4)-13AR90EE-R	1.34	0.26	25
G06	ESTAR-EN900SH-3,SB60(2)-3,SB60(4)-13AR90EE-R	1.33	0.27	26
G07	ESTAR-EN900SH-3,SB60(2)-3,i89(4)-13AR90EE-R	1.39	0.29	26
G08	ESTAR-EN900SH-3,SB60(2)-3CL-3,i89(6)-5AR90EE-R	1.55	0.27	21
G09	ESTAR-EN900SH-3,272(2)-3,CL-3,CL-5AR90EE-R	1.82	0.29	16
G10	ESTAR-EN900SH-3,SB60(2)-3,CL-3,CL-5AR90EE-R	1.81	0.28	16
G11	ESTAR-EN900SH-3,SB60(2)-3,CL-3,SB60(6)-5AR90EE-R	1.49	0.25	21
G12	ESTAR-EN900SH-3,SN68(2)-3,CL-3,SN68(6)-5AR90EE-R	1.49	0.23	20
G13	ESTAR-EN900SH-3,180(2)-3,180(3)-13AR95SS-R	1.60	0.46	31
G14	ESTAR-EN900SH-3,180(2)-3,i89(4)-13AR95SS-R	1.43	0.47	35
G15	ESTAR-EN900SH-3,272(2)-3,i89(4)-13AR95SS-R	1.40	0.30	26
G16	ESTAR-EN900SH-3,366(2)-3,i89(4)-13AR95SS-R	1.37	0.20	21
G17	ESTAR-EN900SH-3,SB60(2)-3,i89(4)-13AR95SS-R	1.39	0.29	26
G18	ESTAR-EN900SH-3,180(2)-3,CL-13AR95SS-R	1.66	0.48	31

Crown Series Picture Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-CRWN-PC-3,272(2)-3,CL-19AR90EE-R	1.52	0.33	N/A
G02	ESTAR-CRWN-PC-3,SB60(2)-3,CL-19AR90EE-R	1.51	0.32	N/A
G03	ESTAR-CRWN-PC-3,SN68(2)-3,CL-19AR90EE-R	1.52	0.30	N/A
G04	ESTAR-CRWN-PC-3,SN68(2)-3,SN68(3)-19AR90EE-R	1.49	0.28	N/A
G05	ESTAR-CRWN-PC-3,SN68(2)-3,SN68(3)-17AR90EE-R	1.47	0.28	N/A
G06	ESTAR-CRWN-PC-3,272(2)-3,CL-17AR90EE-R	1.51	0.33	N/A
G07	ESTAR-CRWN-PC-4,SN68(2)-4,SN68(3)-16AR90EE-R	1.46	0.28	N/A



Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G08	ESTAR-CRWN-PC-4,272(2)-4,CL-16AR90EE-R	1.50	0.32	N/A
G09	ESTAR-CRWN-PC-3,SB60(2)-3,CL-16AR90EE-R	1.49	0.32	N/A
G10	ESTAR-CRWN-PC-3,SB60(2)-3,CL-3,SB60(6)-13AR90EE-R	0.98	0.27	N/A

Crown Series Tilt & Turn Window

Glass / Grille Option #	Model Code	U-Factor (W/m ² K)	Product SHGC	Energy Rating
G01	ESTAR-CRWN-TT-3,272(2)-3,CL-19AR90EE-R	1.52	0.28	N/A
G02	ESTAR-CRWN-TT-3,SB60(2)-3,CL-19AR90EE-R	1.51	0.27	N/A
G03	ESTAR-CRWN-TT-3,SN68(2)-3,CL-19AR90EE-R	1.51	0.26	N/A
G04	ESTAR-CRWN-TT-3,SN68(2)-3,SN68(3)-19AR90EE-R	1.48	0.24	N/A
G05	ESTAR-CRWN-TT-3,SN68(2)-3,SN68(3)-17AR90EE-R	1.47	0.24	N/A
G06	ESTAR-CRWN-TT-3,272(2)-3,CL-17AR90EE-R	1.50	0.28	N/A
G07	ESTAR-CRWN-TT-4,SN68(2)-4,SN68(3)-16AR90EE-R	1.46	0.24	N/A
G08	ESTAR-CRWN-TT-4,272(2)-4,CL-16AR90EE-R	1.50	0.28	N/A
G09	ESTAR-CRWN-TT-3,SB60(2)-3,CL-16AR90EE-R	1.49	0.27	N/A
G10	ESTAR-CRWN-TT-3,SB60(2)-3,CL-3,SB60(6)-13AR90EE-R	1.05	0.23	N/A

Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.