VANCOUVER, BC: LOS ANGELES, CA: TORONTO, ON: TULSA, OK: MIAMI, FL:

WEBSITE:

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. | 909.483.0336 fx. 905.605.5444 ph. 918.437.8333 ph. |

WWW.QAI.ORG

918.437.8487 fx. 305.885.3328 ph. | 305.885.3329 fx.

WINDOWS & DOORS LISTING PROGRAM

Customer: Viewmax Windows and Doors Co. Ltd.

Class: Fenestration Products – Energy Performance

Location: Shandong, China Website: www.viewmax.ca

Listing No. W579-1 Project No. W579-1 ED1 Effective Date: April 30, 2020 Last Revised Date: April 30, 2020

Expires: N/A

Standards: CSA A440.2 "Fenestration Energy Performance"

Product: Vinyl Windows

Markings: Products are marked with the following content in a permanent

manner where it is readily visible after installation:

a) Manufacturer's name, Trademark or other recognized

symbol or identification. b) QAI file Number: W579

c) QAI logo shown here:



d) "Evaluation for energy performance in accordance with CSA A440.2" / "Évalué pour la performance d'énergie en accord à la norme CSA A440.2"

Models / Ratings:

E3 Series Picture Window

Model Code	U-Value (W/m²K)	Energy Rating
VMW-E3-PC-5,55T(2)-5,CL-16AR95SW	1.56	18
VMW-E3-PC-5,55T(2)-5,55T(4)-5,CL-12AR95SW	0.97	27

VANCOUVER, BC: LOS ANGELES, CA: TORONTO, ON: TULSA, OK: MIAMI, FL:

WEBSITE:

877.461.8378 ph. | 604.527.8368 fx. 909.483.0250 ph. 905.605.5444 ph. 918.437.8333 ph. | 305.885.3328 ph. |

WWW.QAI.ORG

909.483.0336 fx.

918.437.8487 fx. 305.885.3329 fx.

E3 Series Tilt & Turn Window

Model Code	U-Value (W/m ² K)	Energy Rating
VMW-E3-TT-5,55T(2)-5,CL-16AR95SW	1.56	16
VMW-E3-TT-5,55T(2)-5,55T(4)-5,CL-12AR95SW	1.05	24

P2 Series Picture Window

Model Code	U-Value (W/m²K)	Energy Rating
VMW-P2-PC-5,55T(2)-5,55T(4)-5,CL-12AR95SW	0.91	28

P2 Series Tilt & Turn Window

Model Code	U-Value (W/m ² K)	Energy Rating
VMW-P2-TT-5,55T(2)-5,55T(4)-5,CL-12AR95SW	0.97	24

Windows and doors are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.