

VANCOUVER, BC: LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx. TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx. TORONTO, ON WEBSITE: 905 605 5444 WWW.QAI.ORG

877.461.8378 ph. | 604.527.8368 fx.

FACTORY BUILT STRUCTURES LISTING PROGRAM

Customer: ATCO Structures and Logistics Class: Permanent Engineered Structures Location: Calgary, AB Canada Website: www.atco.com

Listing No. REC712-2 Project No. REC712-2, Edition 1 Effective Date: June 29, 2020 Last Revised June 29, 2020 Date: Expires: N/A

Standards: CSA A277 "Procedure for certification of prefabricated buildings, modules, and panels". CSA C22.1 "Canadian Electrical Code, Part 1" BC Building Code, Parts 3,4,5 and 6 **BC Plumbing Code** CSA B149.1 "Propane and Natural Gas Installation Code"

- Product: Factory Built Permanent Engineered Structures
- Markings: Products are labelled and marked in a permanent manner where it is readily visible after installation with the following information:

QAI compliance label (Item 1097, black lettering with silver background) is located in close proximity to the electrical panel.

The Specification Nameplate (item 1068, 8-1/2" x 14" in size) is located in close proximity to the electrical panel and includes:

- Manufacturer's name and address •
- Date of Manufacture •
- Model serial number or Product Code •
- Foundation type (Perimeter Foundation Wall or Piers) •
- Floor Live Load (kPa) •
- Specified Snow Load (1/50)
- Seismic Response S_a (0.2)
- Hourly Wind Pressure (1/50)
- Building Envelope Effective Thermal Resistance
- Windows/Doors/Skylights Thermal Characteristics
- Outside Design Temperature (Heat Loss/Heat Gain) •
- **Factory Installed Appliances**
- Site Installed Components, Assemblies and Systems



- Electrical System Voltage, Frequency and Amperage
- QAI logo shown here:



Models / Ratings: Structures are: Permanent Engineered Mod

Permanent Engineered Modular Structures built under Parts 3,4,5 and 6 of the BC Building Code. These permanent modular structures are classified under Group A2 Occupancy and are comprised of single or multiple modules. Structures included in this listing require considerations from Parts of the Building Code outside of Part 9 with respect to Structural, Fire Safety and Mechanical Systems.

Structures under this listing typically include units used as kitchen facilities for construction camps. This listing does not include structures with multiple Major Occupancies.

For a full list of structures covered under this occupancy, please refer to Notes to Part 3, A-3.1.2.1.(1) Major Occupancy Classification in the BC Building Code 2018.

Structural: Engineered wood frame construction

Electrical System: 120/208V, 60Hz, 800A, 3Phase

Plumbing System: Conventional drain and vent systems to a maximum of 240 hydraulic fixture units, designed by P.Eng.

Heating/Ventilation: Units are equipped with propane-fired forced air furnaces and roof-top ventilation units

Gas System: Units are equipped with propane-fired furnaces and commercial kitchen equipment.

Fire Alarm System:

This certification covers factory installed portions of the fire alarm system. The design of the fire alarm system must be completed by a professional engineer registered in the Province in which the building is installed. Installation and commissioning of the fire alarm system must be



VANCOUVER, BC: 877.461.8378 ph. | 604.527.8368 fx. LOS ANGELES, CA: 909.483.0250 ph. | 909.483.0336 fx. TULSA, OK: 918.437.8333 ph. | 918.437.8487 fx. TORONTO, ON 905.605.5444 WEBSITE: WWW.QAI.ORG

completed on site by qualified technicians as per the requirement of the Authority Having Jurisdiction.

Notes: Structures included in this listing are manufactured at a central facility and transported to site. These modules include provisions for on-site interconnections, connection to municipal services (water and sewer), gas and electrical supply. QAI certification covers the construction of the structures including any factory installed plumbing, gas and electrical services, equipment, and fixtures. QAI certification is intended to obviate the necessity of further inspection by the local regulatory authorities except for site connections to services or to other modules and site installed features.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at <u>www.qai.org</u> for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to <u>info@qai.org</u>. Please include the listing number in the request.
