

## WINDOWS & DOORS LISTING PROGRAM

**Customer:** Open Windows Inc.  
**Class:** Fenestration Products – Energy Performance  
**Location:** Richmond, British Columbia  
**Website:** [www.open-windows.ca](http://www.open-windows.ca)

**Listing No.** W536-2  
**Project No.** W536-2 ED1  
**Effective Date:** December 7, 2020  
**Last Revised Date:** December 7, 2020  
**Expires:** N/A

**Standards:** CSA A440.2-14 “Fenestration Energy Performance”

**Product:** Doors and Skylights

**Markings:** Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W536
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

### Models / Ratings:

#### Geneo Series Out-Swing Side-Hinged Door

GO #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	OW-GEN-OSHD-4,PUN(2)-4,CL-4,PUN(5)-16AR90CU	0.80	0.29	39

**Geneo Series Tilt & Slide Door**

GO #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	OW-GEN-TSD-4,PUN(2)-4,CL-4,PUN(5)-16AR90CU	0.81	0.30	39

**Geneo Series Lift & Slide Door**

GO #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	OW-GEN-LSD-6,PUN(2)-6,CL-13AR90CU	1.50	0.35	N/A
G02	OW-GEN-LSD-6,PUN(2)-6,PBG(4)-13AR90CU	1.31	0.34	N/A

**Masterline 8 Series Out-Swing Side-Hinged Door**

GO #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	OW-ML8-OSHD-4,PUN(2)-4,CL-16AR90CU	1.68	0.33	21
G02	OW-ML8-OSHD-4,PUN(2)-4,CL-4,PUN(5)-16AR90CU	1.20	0.28	29
G03	OW-ML8-OSHD-6,PUN(2)-4,CL-16AR90CU	1.68	0.32	21
G04	OW-ML8-OSHD-6,PUN(2)-4,CL-6,PUN(5)-16AR90CU	1.19	0.28	29
G05	OW-ML8-OSHD-4,PUN(2)-4,PBG(4)-16AR90CU	1.52	0.32	24
G06	OW-ML8-OSHD-6,PUN(2)-4,PBG(4)-16AR90CU	1.51	0.31	24
G07	OW-ML8-OSHD-6,PUN(2)-6,CL-16AR90CU	1.67	0.32	21
G08	OW-ML8-OSHD-6,PUN(2)-6,PBG(4)-16AR90CU	1.50	0.31	24
G09	OW-ML8-OSHD-6,PUN(2)-6,PBG(4)-16AR90SS	1.48	0.31	25
G10	OW-ML8-OSHD-6,PUN(2)-4,CL-6,PUN(5)-16AR90SS	1.16	0.27	29

**Synego Series Out-Swing Side-Hinged Door**

GO #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	OW-SYG-OSHD-4,PUN(2)-4,CL-14AR90CU	1.45	0.32	N/A
G02	OW-SYG-OSHD-4,PUN(2)-4,PBG(4)-14AR90CU	1.28	0.31	N/A
G03	OW-SYG-OSHD-4,PUN(2)-4,CL-4,PUN(5)-15AR90CU	0.99	0.27	N/A

**CW50 Series Aluminum Unit Skylight**

GO #	Model Code	U-Value (W/m <sup>2</sup> K)	Product SHGC	Energy Rating
G01	OW-CW50-SKY-10,CL-8,P1L44(3)-16AR90CU	2.89	0.35	N/A
G02	OW-CW50-SKY-8,PUN(2)-9,PBGFL(4)-16AR90CU	2.75	0.43	N/A
G03	OW-CW50-SKY-8,SKN176(2)-8,P1L44(3)-18AR90CU	2.90	0.25	N/A
G04	OW-CW50-SKY-8,SKN176(2)-9,PBGFL(4)-16AR90CU	2.74	0.27	N/A

**Notes:** Windows and doors are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing. Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.