

WINDOWS & DOORS LISTING PROGRAM

Customer: Ventanas Premium Windows & Doors Inc.
Class: Fenestration Products – Energy Performance
Location: Richmond, British Columbia
Website: www.ventanas.ca

Listing No. W575-1
Project No. W575-1 ED4
Effective Date: October 1, 2019
Last Revised Date: August 22, 2022
Expires: N/A

Standards: CSA A440.2-19 “Fenestration Energy Performance”

Product: Windows

Markings: Products are marked with the following content in a permanent manner where it is readily visible after installation:

- a) Manufacturer’s name, Trademark or other recognized symbol or identification.
- b) QAI file Number: W575
- c) QAI logo shown here:



- d) “Evaluation for energy performance in accordance with CSA A440.2” / “Évalué pour la performance d’énergie en accord à la norme CSA A440.2”

Models / Ratings:

LM901 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-901-PC-5,Y168(2)-12AR90TG-5,Y168(4)-12AR90TG-5,CL	0.99	0.18	29
G02	VEN-901-PC-6,Y175(2)-10AR90TG-6,Y175(4)-10AR90TG-6,CL	1.10	0.23	29
G03	VEN-901-PC-5,Y168(2)-18AR90TG-5,CL	1.55	0.25	20
G04	VEN-901-PC-6,Y175(2)-15AR90TG-6,CL	1.56	0.30	23

LM901 Series Tilt & Turn Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-901-TT-5,Y168(2)-12AR90TG-5,Y168(4)-12AR90TG-5,CL	1.04	0.16	26
G02	VEN-901-TT-6,Y175(2)-10AR90TG-6,Y175(4)-10AR90TG-6,CL	1.13	0.21	27
G03	VEN-901-TT-5,Y168(2)-18AR90TG-5,CL	1.53	0.22	19
G04	VEN-901-TT-6,Y175(2)-15AR90TG-6,CL	1.54	0.26	21

LM901 Series In-Swing Casement Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-901-CA-5,Y168(2)-12AR90TG-5,Y168(4)-12AR90TG-5,CL	1.19	0.12	N/A
G02	VEN-901-CA-6,Y175(2)-10AR90TG-6,Y175(4)-10AR90TG-6,CL	1.27	0.16	N/A
G03	VEN-901-CA-5,Y168(2)-18AR90TG-5,CL	1.57	0.16	N/A
G04	VEN-901-CA-6,Y175(2)-15AR90TG-6,CL	1.59	0.20	N/A

LM901 Series In-Swing Awning Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-901-AW-5,Y168(2)-12AR90TG-5,Y168(4)-12AR90TG-5,CL	1.20	0.12	N/A
G02	VEN-901-AW-6,Y175(2)-10AR90TG-6,Y175(4)-10AR90TG-6,CL	1.28	0.16	N/A
G03	VEN-901-AW-5,Y168(2)-18AR90TG-5,CL	1.59	0.17	N/A
G04	VEN-901-AW-6,Y175(2)-15AR90TG-6,CL	1.60	0.20	N/A

LM902 Series Out-Swing Casement Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-902-CA-5,Y168(2)-12AR90TG-5,Y168(4)-12AR90TG-5,CL	1.52	0.11	N/A
G02	VEN-902-CA-6,Y175(2)-10AR90TG-6,Y175(4)-10AR90TG-6,CL	1.59	0.14	N/A
G03	VEN-902-CA-5,Y168(2)-18AR90TG-5,CL	1.85	0.15	N/A
G04	VEN-902-CA-6,Y175(2)-15AR90TG-6,CL	1.87	0.17	N/A

LM902 Series Out-Swing Awning Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-902-AW-5,Y168(2)-12AR90TG-5,Y168(4)-12AR90TG-5,CL	1.53	0.11	N/A
G02	VEN-902-AW-6,Y175(2)-10AR90TG-6,Y175(4)-10AR90TG-6,CL	1.60	0.14	N/A
G03	VEN-902-AW-5,Y168(2)-18AR90TG-5,CL	1.86	0.15	N/A
G04	VEN-902-AW-6,Y175(2)-15AR90TG-6,CL	1.88	0.17	N/A

CS77 Series Picture Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-CS77-PC-6,PLXN(2)-6,CL-16AR90TG	1.82	0.48	N/A
G02	VEN-CS77-PC-6,SN68(2)-6,CL-16AR90TG	1.80	0.30	N/A
G03	VEN-CS77-PC-6,7153(2)-6,CL-16AR90TX	1.80	0.41	N/A
G04	VEN-CS77-PC-6,7153(2)-6,CL-16AR90TX-F1	1.62	0.41	N/A
G05	VEN-CS77-PC-6,7153(2)-6,CL-16AR90TX-F2	1.60	0.41	N/A
G06	VEN-CS77-PC-6,CL-6,7153(3)-20AR90TX-F1	1.67	0.45	N/A
G07	VEN-CS77-PC-11,SX60LM(2)-10,CLLM-16AR90TX	1.69	0.22	N/A
G08	VEN-CS77-PC-11,CLLM-10,SX60LM(3)-20AR90TX-F1	1.57	0.30	N/A
G09	VEN-CS77-PC-6,PLXN(2)-6,CL,6,PLXN(5)-12AR90TG	1.20	0.40	N/A
G10	VEN-CS77-PC-6,SN68(2)-6,CL-6,SN68(5)-13AR90TG	1.17	0.26	N/A
G11	VEN-CS77-PC-6,7153(2)-6,CL-6,7153(5)-12AR90TX	1.18	0.33	N/A
G12	VEN-CS77-PC-6,7153(2)-6,CL-6,7153(5)-12AR90TX-F1	1.01	0.33	N/A
G13	VEN-CS77-PC-6,7153(2)-6,CL-6,7153(5)-12AR90TX-F2	1.00	0.33	N/A
G14	VEN-CS77-PC-6,5032(2)-6,CL-6,CL-12AR90TX	1.42	0.23	N/A

CS77 Series Tilt & Turn Window

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G01	VEN-CS77-TT-6,PLXN(2)-6,CL-16AR90TG-F1	1.76	0.41	N/A
G02	VEN-CS77-TT-6,SN68(2)-6,CL-16AR90TG-F1	1.74	0.26	N/A
G03	VEN-CS77-TT-6,7153(2)-6,CL-16AR90TX-F1	1.73	0.35	N/A
G04	VEN-CS77-TT-6,7153(2)-6,CL-16AR90TX-F2	1.70	0.35	N/A
G05	VEN-CS77-TT-6,CL-6,7153(3)-20AR90TX-F1	1.77	0.38	N/A
G06	VEN-CS77-TT-11,SX60LM(2)-10,CLLM-16AR90TX	1.88	0.19	N/A
G07	VEN-CS77-TT-11,SX60LM(2)-10,CLLM-16AR90TX-F1	1.64	0.19	N/A
G08	VEN-CS77-TT-11,CLLM-10,SX60LM(3)-20AR90TX-F1	1.67	0.26	N/A
G09	VEN-CS77-TT-6,PLXN(2)-6,CL,6,PLXN(5)-12AR90TG	1.48	0.34	N/A
G10	VEN-CS77-TT-6,SN68(2)-6,CL-6,SN68(5)-13AR90TG	1.45	0.22	N/A
G11	VEN-CS77-TT-6,SN68(2)-6,CL-6,SN68(5)-13AR90TG-F2	1.17	0.22	N/A
G12	VEN-CS77-TT-6,7153(2)-6,CL-6,7153(5)-12AR90TX	1.45	0.29	N/A

Glass / Grille Option #	Model Code	U-Value (W/m ² K)	Product SHGC	Energy Rating
G13	VEN-CS77-TT-6,7153(2)-6,CL-6,7153(5)-12AR90TX-F1	1.20	0.29	N/A
G14	VEN-CS77-TT-6,7153(2)-6,CL-6,7153(5)-12AR90TX-F2	1.19	0.29	N/A
G15	VEN-CS77-TT-6,5032(2)-6,CL-6,CL-12AR90TX	1.65	0.20	N/A

Notes:

- Products are not intended for installation in storefronts, non-operable portions of curtain wall, fixed glazing cast into precast concrete panels, greenhouses, skylights or sloped glazing.
- Test procedures are designed to test the performance of the test specimen only and are not necessarily used to test the performance of the installation, particularly the perimeter sealant joint and anchoring of the assembly.
- The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI.
- No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing.
- Visit the QAI Online Listing Directory located at www.qai.org for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to info@qai.org. Please include the listing number in the request.