



## PLUMBING PRODUCTS LISTING PROGRAM

Customer: Marathon Roofing Products, Inc.  
Class: Roof Drains  
Location: Orchard Park NY  
Website: <https://marathondrains.com>  
Product Site: <https://marathondrains.com/products/product:aluminator-drain/>  
Listing No. P376-1  
Effective Date: October 19, 2021  
Last Revised Date: February 19, 2026  
Expires: <N/A>  
Standards: ASME A112.6.4-2003 (R2012) Roof, Deck, and Balcony Drains.  
CSA B79-2008 (R2018) Commercial and Residential Drains and Cleanouts.

Product: Marathon Roofing Products, Inc., Roof Drains of the following types:

- Aluminator Roof Drains with Pro-Seal
- Aluminator Roof Drains with MaxxFlo Seal
- Fast Flow Roof Drains with Pro-Seal
- Fast Flow Roof Drains with MaxxFlo Seal

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer's name or trademark
- b) Model designation
- c) Month and year of manufacture
- d) The wording "ASME A112.6.4 and CSA B79
- e) QAI file Number: P376-1
- f) QAI logo with 'c' and 'us' identifier shown here.





Models /  
Ratings:

<b>Aluminator with Pro-Seal</b>		
<b>Model</b>	<b>Grate Classification</b>	<b>Description</b>
BALUM3CRP	Heavy Duty	3 inch (76 mm) standard roof drain.
BALUM3CRPASP	Heavy Duty	3 inch (76 mm) Asphalt Coated Flange roof drain.
BALUM3CRPTPO	Heavy Duty	3-inch (76 mm) TPO Coated Flange roof drain.
BALUM3CRPPVC	Heavy Duty	3-inch (76 mm) PVC Coated Flange roof drain.
BALUM4CRP	Heavy Duty	4 inch (102 mm) standard roof drain.
BALUM4CRPASP	Heavy Duty	4 inch (102 mm) Asphalt Coated Flange roof drain.
BALUM4CRPTPO	Heavy Duty	4-inch (102 mm) TPO Coated Flange roof drain.
BALUM4CRPPVC	Heavy Duty	4-inch (102 mm) PVC Coated Flange roof drain.
BALUM5CRP	Heavy Duty	5 inch (127 mm) standard roof drain.
BALUM5CRPASP	Heavy Duty	5 inch (127 mm) Asphalt Coated Flange roof drain
BALUM5CRPTPO	Heavy Duty	5-inch (127 mm) TPO Coated Flange roof drain.
BALUM5CRPPVC	Heavy Duty	5-inch (127 mm) PVC Coated Flange roof drain.
BALUM6CRP	Heavy Duty	6 inch (152 mm) standard roof drain.
BALUM6CRPASP	Heavy Duty	6 inch (152 mm) Asphalt Coated Flange roof drain
BALUM6CRPTPO	Heavy Duty	6-inch (152 mm) TPO Coated Flange roof drain.
BALUM6CRPPVC	Heavy Duty	6-inch (152 mm) PVC Coated Flange roof drain.
<b>Aluminator with MaxxFlo Seal</b>		
<b>Model</b>	<b>Grate Load Classification</b>	<b>Description</b>
<b>Model</b>	<b>Grate Load Classification</b>	<b>Description</b>
RD-BALUM3CRP	Heavy Duty	3 inch (76 mm) standard roof drain.
RD-BALUM3CRPASP	Heavy Duty	3 inch (76 mm) Asphalt Coated Flange roof drain.
RD-BALUM3CRPTPO	Heavy Duty	3-inch (76 mm) TPO Coated Flange roof drain.
RD-BALUM3CRPPVC	Heavy Duty	3-inch (76 mm) PVC Coated Flange roof drain.
RD-BALUM4CRP	Heavy Duty	4 inch (102 mm) standard roof drain.
RD-BALUM4CRPASP	Heavy Duty	4 inch (102 mm) Asphalt Coated Flange roof drain.
RD-BALUM4CRPTPO	Heavy Duty	4-inch (102 mm) TPO Coated Flange roof drain.
RD-BALUM4CRPPVC	Heavy Duty	4-inch (102 mm) PVC Coated Flange roof drain.
RD-BALUM5CRP	Heavy Duty	5 inch (127 mm) standard roof drain.
RD-BALUM5CRPASP	Heavy Duty	5 inch (127 mm) Asphalt Coated Flange roof drain
RD-BALUM5CRPTPO	Heavy Duty	5-inch (127 mm) TPO Coated Flange roof drain.
RD-BALUM5CRPPVC	Heavy Duty	5-inch (127 mm) PVC Coated Flange roof drain.
RD-BALUM6CRP	Heavy Duty	6 inch (152 mm) standard roof drain.
RD-BALUM6CRPASP	Heavy Duty	6 inch (152 mm) Asphalt Coated Flange roof drain
RD-BALUM6CRPTPO	Heavy Duty	6-inch (152 mm) TPO Coated Flange roof drain.
RD-BALUM6CRPPVC	Heavy Duty	6-inch (152 mm) PVC Coated Flange roof drain.



The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warrantee is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.

\*\*\*