

## FIRE DOOR LISTING PROGRAM

Customer: Linear Interior Systems  
 Class: Fire Doors  
 Location: Concord, Ontario  
 Website: <https://www.linearinteriorsystems.com/>

Listing No. F467  
 Project No. F467 Edition 2

Effective Date: September 30, 2021  
 Last Revised: June 2, 2026  
 Expires: N/A

Standards:	CAN/ULC-S104	<i>Standard Method for Fire Tests of Door Assemblies.</i>
	UL 10(b)	<i>Fire Tests of Doors Assemblies.</i>
	UL 10(c)	<i>Fire Tests of Doors Assemblies.</i>
	NFPA 252	<i>Standard Methods of Fire Tests of Door Assemblies.</i>

Label: See [FD001 - Fire Door Labeling requirements](#)

Models / Ratings: **Fire Doors:**

<u>Machining Specifications:</u>	<u>Listing No.:</u>	<u>Criteria:</u>
20 minute Fire Rated Door Slab	F467-1-20 - Wood Core	CPL - Zanini

**Fire Door Frames:**

<u>Machining Specifications:</u>	<u>Listing No.:</u>	<u>Criteria:</u>
20 minute Fire Rated Door Frame	F467-2-20 – Wood	CPL – Zanini

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.

\*\*\*