

VANCOUVER, BC: VANCOUVER, BC: 677.401.578 pll. | 004.327.8508 lX. LOS ANGELES, CA: 909.483.0250 pl. | 909.483.0336 fx. TULSA, OK: 918.437.8333 pl. | 918.437.8487 fx. TORONTO, ON 905.605.5444 WEBSITE: WWW.QAI.ORG

877.461.8378 ph. | 604.527.8368 fx.

PLUMBING PRODUCTS LISTING PROGRAM

Customer: Class: Location: Website: Listing No. Effective Date: Last Revised Date: Expires:	Vista Water Group, LLC Dual Check Backflow Prevente Ashland, OH <u>https://vistawatergroup.com</u> P379-2 December 13, 2021 May 10, 2022 N/A	rs
Standards:	ASME A112.18.1 / CSA B125.1 ASSE 1024	Plumbing Supply Fittings. Performance Requirements for Dual Check Backflow Preventers.
	ASSE 1032	Performance Requirements for Dual Check Backflow Preventers for Carbonated Beverage Dispensers, Post Mix Type.
	NSF 61	Drinking Water System Components – Health Effects.
	NSF 372	Drinking Water System Components – Lead Content.

Vista Dual Check Backflow Preventers of the Following Types: Product:

MODELS		
PVC	Anodized Aluminum	
VCB025-P	VCB025-A	
VCB038-P	VCB038-A	
VC050-P	VC050-A	
VC075-P	VC075-A	
VC100-P	VC100-A	
VC125-P	VC125-A	
VC150-P	VC150-A	
VC250-A	-	
VC250-B	-	
VC025-QC	-	
VC038-QC	-	

Markings: Products are marked in a permanent manner where it is readily visible after installation with the following:

- a) Manufacturer's name or trademark
- b) Model designation
- c) The wording "ASME A112.18.1 / CSA B125.1", "ASME 1024", or "ASSE 1032" as appropriate.



- d) QAI logo with 'c' and 'us' or "us" identifier as outlined below as appropriate.
- e) QAI file Number: P379-2



*cQAlus mark applied to products compliant with CSA B125.1 products.

Ratings: Vista Water Group Dual Check Backflow Preventers comply with the requirements as outlined below.

MODEL	DESCRIPTION	SPECIFICATION
VC250-A ¹	Dual check backflow preventer with 1/4" push-to-connect end	ASME A112.18.1 / CSA B125.1
	connections.	Compliant.
VC250-B ¹	Dual check backflow preventer with 3/8" push-to-connect end	ASME A112.18.1 / CSA B125.1
	connections.	Compliant.
VC025-QC ¹	Dual check backflow preventer with 1/4" push-to-connect end	ASME A112.18.1 / CSA B125.1
	connections.	Compliant.
VC038-QC ¹	Dual check backflow preventer with 3/8" push-to-connect end	ASME A112.18.1 / CSA B125.1
	connections.	Compliant.
VC050-A to VC150-A ^{1, 2}	Dual check backflow preventer with ½" to 1-1/2" valves – Aluminum	ASSE 1024 Compliant.
VC050-P to VC150-P ^{1, 2}	Dual check backflow preventer with ½" to 1-1/2" valves - PVC	ASSE 1024 Compliant.
VCB025-A to VCB038-A ^{1,2}	Dual check backflow preventer with 1⁄4" and 3/8" valves for use with carbonated beverage dispensers - Aluminum	ASSE 1024 and ASSE 1032 Compliant.
VCB025-P to VCB038-P ^{1,2}	Dual check backflow preventer with ¼" and 3/8" valves for use with carbonated beverage dispensers - PVC	ASSE 1024 and ASSE 1032 Compliant.

Note 1: Products have been found eligible for use in potable water systems based on evaluation to NSF 61 and NSF 372 requirements. Note 2: Products to be marked with QAIus only.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at <u>www.qai.org</u> for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to <u>info@qai.org</u>. Please include the listing number in the request.
