

## **ELECTRICAL LISTING PROGRAM**

Customer: Blue1 DEF Solutions  
Class: Industrial Control Equipment  
Location: Greenville, SC, USA  
Listing No. E10353  
Report No. E10353-1701 Ed.5  
Project No. E10353-1701 Ed. 5 (QA-1076)  
Effective Date: 2013-12-18  
Last Revised Date: 2025-04-15  
Expires: N/A  
Standards: CSA C22.2 No. 14 – Industrial Control Equipment  
UL 508 – Industrial Control Equipment  
Product: DEF (Diesel Exhaust Fluid) Dispensers, Industrial Control Equipment,  
Permanently Connected.  
Markings: Products are marked in a permanent manner where it is readily visible after  
installation with the following:  
a) Manufacturer's name or trademark  
b) Model designation  
c) Month and year of manufacture  
d) Product ratings: voltage, frequency, watts or amperes  
e) QAI file Number: E10353  
f) The wording "CSA C22.2 No. 14 and UL 508"  
g) Enclosure rating or marked type "3R"  
h) Warning markings as required by the standards in English and French  
i) QAI logo shown here:





Models/  
Ratings:

Model #	Note	Voltage (V)	Freq. (Hz)	Current (A)	Loc.
REM – Remote Mini-Bulk (with or without a 3rd party Dispenser) yyMxxz-aa-bb-cccc	Remote Mini-Bulk	120 Or 120/240 or 120/240 Or 120/240	60	30 or 30 Or 40 or 50	Wet
COM – Commercial Mini-Bulk (With Dispenser) yyCxxz-aa-bb-cccc	Commercial Mini-Bulk	120 Or 120/240 or 120/240 Or 120/240	60	30 or 30 Or 40 or 50	Wet
RET, COM, REM yyRxxz-aa-bb-cccc	Retail	120 or 120/240	60	30 or 50	Wet
RET, COM, REM yyRExxz-aa-bb-cccc	Retail with EMV	120 or 120/240	60	30 or 50	Wet
Tote Cabinet yyTC-bb-cccc		120	60	30	Wet
Tote Cabinet, double-wide yyTCDN-bb-cccc		120	60	30	Wet
DEF Dispenser yyDC-aa-bb-cccc		120 120	60 60	15 15	Wet
BIB yyBIBxx-bb-cccc	Blue 1 Box	120	60	30	Wet
RET – Retail yyRxxz-aa-bb-cccc		120 or 120/240	60	30 or 50	Wet
RET – Retail with EMV yyRExxz-aa-bb-cccc		120 or 120/240	60	30 or 50	Wet
Cube yyCUBxx-bb-cccc		120	60	30	Wet
COM Northern Easytank yyCNETxx-bb-cccc		120	60	30-50	Wet
REM Northern Easytank yyRNETxx-bb-cccc		120	60	30-50	Wet
REM Southern easy tank yyRSETxx-cccc		120	60	30	Wet

**Where:**

- yy = 2 digit numbers, 17 to 99 (inclusive), indicating the year of manufacture after 2000 (yr 20xx),
- xx = up to 2 alphanumeric digits (0-9 & a-z), indicating tank size (ie. 5 = 500gal, 5K = 5000gal)
- z = Orientation of Door or Dispenser,
- bb = Options installed, multiple configurations can be provided as noted in the model's "Note" above,
- ccccc = up to 5 alphanumeric digits, not relating to safety.
- Not all model configurations may be possible.

**Example**

- 17C2KL-HEGI-03-044
  - o Mini-Bulk, Commercial, 2000Gal tank, Left Side Dispenser, with a Heater, Exhaust, GFCI Receptacle, and Leak Detection options installed.

**Notes:**

Devices included in this listing are intended for permanent installation and to be installed as per the NEC and CEC as applicable. The product is not evaluated or intended for use within Hazardous Environments.

The materials, products or systems listed herein have been qualified to bear the QAI Listing Mark under the conditions stated with each Listing. Only those products bearing the QAI Listing Mark are considered to be listed by QAI. No warranty is expressed or implied, and no guarantee is provided that any jurisdictional authority will accept the Listing found herein. The appropriate authorities should be contacted regarding the acceptability of any given Listing. Visit the QAI Online Listing Directory located at [www.qai.org](http://www.qai.org) for the most up to date version of this Listing and to validate that this QAI Listing is active. Questions regarding this listing may be directed to [info@qai.org](mailto:info@qai.org). Please include the listing number in the request.