International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

### **QAI LABORATORIES INC.**

Qai.org

Contact Name J arred J ohnson

**Contact Phone** +1-9184378333

Accredited to ISO/IEC 17025:2017

Effective Date J une 15, 2022

| Environmental       | Environmental   |  |
|---------------------|---|--|
| AS 60529            | Degrees of protection provided by enclosures (IP code), (excluding 5X, 6X, and X9)  |  |
| ASTM B117           | Standard practice for operating salt spray (fog) apparatus  |  |
| ASTM D2247          | Standard practice for testing water resistance of coatings in 100 % relative humidity   |  |
| ASTM E96/E96M       | Standard test methods for water vapor transmission of materials   |  |
| ASTM E331           | Standard test method for water penetration of exterior windows, skylights, doors, and curtain walls by uniform static air pressure difference |  |
| ASTM G23            | Practice for operating light-exposure apparatus (carbon arc type) with and without water for exposure of nonmetallic materials                |  |
| ASTM G26            | Practice for operating light-exposure apparatus (xenon arc type) with and without water for exposure of nonmetallic materials                 |  |
| ASTM G53            | Practice for operating light- and water-exposure apparatus (fluorescent UV-condensation type) for exposure of nonmetallic materials           |  |
| ASTM G152           | Standard practice for operating open flame carbon arc light apparatus for exposure of nonmetallic materials                                   |  |
| ASTM G153           | Standard practice for operating enclosed carbon arc light apparatus for exposure of nonmetallic materials                                     |  |
| ASTM G154           | Standard practice for operating fluorescent ultraviolet (UV) lamp apparatus for exposure of nonmetallic materials                             |  |
| ASTM G155           | Standard practice for operating xenon arc light apparatus for exposure of non-metallic materials.   |  |
| ASTM D2898          | Standard practice for accelerated weathering of fire-retardant-treated wood for fire testing  |  |
| ASTM D4459          | Standard practice for xenon-arc exposure of plastics intended for indoor applications   |  |
| CSA C22.2 No. 60529 | Degrees of protection provided by enclosures (IP code), (excluding 5X, 6X, and X9)  |  |





#### International Accreditation Service, Inc.

| Degrees of protection provided by enclosures (IP code), (excluding 5X, 6X, and X9)   |
|--|
| Degrees of protection provided by enclosures (IP code), (excluding 5X, 6X, and X9)   |
| Degrees of protection provided by enclosures (IP code), (excluding 5X, 6X, and X9)   |
|  |
| Standard test method for surface burning characteristics of building materials   |
| Standard test methods for fire tests of roof coverings   |
| Standard test method for behavior of materials in a vertical tube furnace at 750°C   |
| Standard test method for specific optical density of smoke generated by solid materials                                      |
| Standard test method for critical radiant flux of floor-covering systems using a radiant heat energy source                  |
| Standard test method for critical radiant flux of exposed attic floor insulation using a radiant heat energy source          |
| Standard test method for extended duration surface burning characteristics of building materials (30 min tunnel test)        |
| Standard test method for evaluating the ability of exterior vents to resist the entry of embers and direct flame impingement |
| Fire testing to toxicity   |
| Standard method of test for surface burning characteristics of building materials and assemblies                             |
| Surface burning characteristics of flooring, floor covering, and miscellaneous materials                                     |
| Methods of fire tests of roof coverings  |
| Standard method for flame tests of flame resistant fabrics and films   |
| Materials and construction methods for exterior wildfire exposure - decking  |
| Materials and construction methods for exterior wildfire exposure - ignition-resistant material (30 minute ASTM E-84 test)   |
| Test method (small scale fire test on fabrics)   |
| Standard methods of fire tests for flame propagation of textiles and films   |
| Standard for tests for flammability of plastic materials for parts in devices and appliances                                 |
|  |





#### International Accreditation Service, Inc.

| UL 723          | Standard for test for surface burning characteristics of building materials  |
|-----------------|--|
| UL 790          | Standard for standard test methods for fire tests of roof coverings  |
| UL 1256         | Standard for fire test of roof deck constructions  |
| Physical        |  |
| AS/NZS 2908.1   | Cellulose-cement products part 1: corrugated sheets  |
| AS/NZS 2908.2   | Cellulose-cement products part 2: flat sheets  |
| ASTM C39/C39M   | Standard test method for compressive strength of cylindrical concrete specimens  |
| ASTM C42        | Standard test method for obtaining and testing drilled cores and sawed beams of concrete   |
| ASTM C67        | Standard test methods for sampling and testing brick and structural clay tile  |
| ASTM C109       | Standard test method for compressive strength of hydraulic cement mortars (using 2-in. or [50-mm] cube specimens)  |
| ASTM C192/C192M | Standard practice for making and curing concrete test specimens in the laboratory  |
| ASTM C297/C297M | Standard test method for flatwise tensile strength of sandwich constructions   |
| ASTM C473       | Standard test methods for physical testing of gypsum panel products  |
| ASTM C474       | Standard test methods for joint treatment materials for gypsum board construction  |
| ASTM C475/C475M | Standard specification for joint compound and joint tape for finishing gypsum board  |
| ASTM C482       | Standard test method for bond strength of ceramic tile to Portland cement paste  |
| ASTM C617       | Standard practice for capping cylindrical concrete specimens   |
| ASTM C648       | Standard test method for breaking strength of ceramic tile   |
| ASTM C650       | Standard test method for resistance of ceramic tile to chemical substances   |
| ASTM C794       | Standard test method for adhesion-in-peel of elastomeric joint sealants  |
| ASTM C836/C836M | Standard specification for high solids content, cold liquid-applied elastomeric waterproofing membrane for use with separate wearing course (sections 6.7, 6.8, 6.9, and 6.11) |
| ASTM C880/C880M | Standard test method for flexural strength of dimension stone  |
| ASTM C1167      | Standard specification for clay roof tiles   |
| ASTM C1306      | Standard test method for hydrostatic pressure resistance of a liquid-applied waterproofing membrane  |
| ASTM C1492      | Standard specification for concrete roof tile  |



#### International Accreditation Service, Inc.

| ASTM D226/D226M   | Standard specification for asphalt-saturated organic felt used in roofing and waterproofing   |
|-------------------|---|
| ASTM D228/D228M   | Standard Test Methods For Sampling, Testing and Analysis of Asphalt Roll Roofing, Cap Sheets, And Shingles Used in Roofing and Waterproofing, Cl. 7.9 |
| ASTM D412         | Standard test methods for vulcanized rubber and thermoplastic elastomers—tension  |
| ASTM D570         | Standard test method for water absorption of plastics   |
| ASTM D635         | Standard test method for rate of burning and/or extent and time of burning of plastics in a horizontal position                                       |
| ASTM D638         | Standard test method for tensile properties of plastics   |
| ASTM D751         | Standard test methods for coated fabrics  |
| ASTM D790         | Standard test methods for flexural properties of unreinforced and reinforced plastics and electrical insulating materials                             |
| ASTM D1000        | Standard test methods for pressure-sensitive adhesive-coated tapes used for electrical and electronic applications. (only section 129 through 139)    |
| ASTM D1037        | Standard test methods for evaluating properties of wood-base fiber and particle panel materials   |
| ASTM D1204        | Standard test method for linear dimensional changes of nonrigid thermoplastic sheeting or film at elevated temperature                                |
| ASTM D1621        | Standard test method for compressive properties of rigid cellular plastics  |
| ASTM D1622/D1622M | Standard test method for apparent density of rigid cellular plastics  |
| ASTM D1623        | Standard test method for tensile and tensile adhesion properties of rigid cellular plastics   |
| ASTM D1642        | Standard test methods for elasticity or toughness of varnishes  |
| ASTM D1929        | Standard test method for determining ignition temperature of plastics   |
| ASTM D1970/D1970M | Standard specification for self-adhering polymer modified bituminous sheet materials used as steep roofing underlayment for ice dam protection        |
| ASTM D2136        | Standard test method for coated fabrics—low-temperature bend test   |
| ASTM D2299        | Recommended practice for determining relative stain resistance of plastics  |
| ASTM D2395        | Standard test methods for density and specific gravity (relative density) of wood and wood-based materials  |
| ASTM D2939        | Standard test methods for emulsified bitumens used as protective coatings (only section 15)   |
| ASTM D5385/D5385M | Standard test method for hydrostatic pressure resistance of waterproofing membranes   |
|                   | $m_{ij}$  |





#### International Accreditation Service, Inc.

| ASTM D5947        | Standard test methods for physical dimensions of solid plastics specimens (only sections 6.2, 7, 8.1, 8.2, 8.5.2, 8.5.3, 8.6.1, 8.6.3, 9.2.2, 9.2.3, 9.2.4 and 9.2.6, test method B) |
|-------------------|--|
| ASTM D8257/D8257M | Standard Specification for Mechanically Attached Polymeric Roof Underlayment Used in Steep Slope Roofing   |
| ASTM E154/E154M   | Standard test methods for water vapor retarders used in contact with earth under concrete slabs, on walls, or as ground cover (only section 13)                                      |
| ASTM E334         | Standard practice for general techniques of infrared microanalysis   |
| ASTM E2178        | Standard test method for air permeance of building materials   |
| ASTM E2273        | Standard test method for determining the drainage efficiency of exterior insulation and finish systems (EIFS) clad wall assemblies   |
| ASTM E2357:       | Standard test method for determining air leakage of air barrier assemblies   |
| CAN/CGSB 37.54    | Polyvinyl chloride roofing and waterproofing membrane  |
| FM 4473           | Impact resistance testing of rigid roofing materials by impacting with freezer ice balls   |
| ICC ES AC07       | Special roofing systems (test methods referenced in sections 3.0 and 4.0, except sections 3.1.6, 3.3.11, 3.3.12, 4.3.2, 4.5, 4.10 and 4.11)  |
| ICC ES AC11       | Cementitious exterior wall coatings (test methods referenced in sections 3.0 and 4.0)  |
| ICC ES AC29       | Cold, liquid-applied, below-grade, exterior dampproofing and waterproofing materials (test methods referenced in section 3.0)  |
| ICC ES AC38       | Water-resistive barriers (test methods referenced in section 4.0)  |
| ICC ES AC39       | Walking decks (test methods referenced in section 4.0)   |
| ICC ES AC48       | Self-adhered roof underlayments for use as ice barriers (test methods referenced in section 4.0)   |
| ICC ES AC71       | Foam plastic sheathing panels used as weather-resistive barriers (test methods referenced in section 3.0)  |
| ICC ES AC75       | Membrane roof-covering systems (test methods referenced in section 4.0)  |
| ICC ES AC90       | Fiber cement siding used as exterior wall siding (test methods referenced in sections 3.0 and 4.0)   |
| ICC ES AC92       | Polymer-based, polymer-modified and high-pressure laminate exterior and interior wall cladding (test methods referenced in sections 3.0 and 4.0)                                     |
| ICC ES AC107      | Classified wood roof systems (test methods referenced in sections 3.0 and 4.0)   |
| ICC ES AC114      | Rigid polyethylene, below-grade, dampproofing and wall waterproofing material (test methods referenced in sections 3.0 and 4.0)  |



#### International Accreditation Service, Inc.

| ICC ES AC148 | Flexible flashing materials (test methods referenced in sections 3.0 and 4.0)  |
|--------------|--|
| ICC ES AC166 | Metal roof coverings (test methods referenced in sections 3.0 and 4.0)   |
| ICC ES AC180 | Clay and concrete roof tiles (test methods referenced in section 3.0)  |
| ICC ES AC188 | Roof underlayments (test methods referenced in Table 1)  |
| ICC ES AC191 | Metal plaster bases (lath) (test methods referenced in sections 3.0 and 4.0)   |
| ICC ES AC207 | Polypropylene roof underlayments (test methods referenced in section 4.0)  |
| ICC ES AC219 | Exterior insulation and finish systems (test methods referenced in sections 3.0 and 4.0)   |
| ICC ES AC235 | EIFS clad drainage wall assemblies (test methods referenced in sections 3.0 and 4.0)   |
| ICC ES AC275 | Glass fiber lath used in cementitious exterior wall coatings or exterior cement plaster (stucco) (test methods referenced in section 3.0)                                  |
| ISO 8336     | Fibre-cement flat sheets - product specification and test methods  |
| TAS 112      | Standard requirements for concrete roof tiles (section 7.0 except section 7.4)   |
| TAS 201-94   | Impact test procedures   |
| TAS 202-94   | Criteria for testing impact and non-impact resistant building envelope components using uniform static air pressure  |
| TAS 203-94   | Criteria for testing products subject to cyclic wind pressure loading  |
| UL 1703      | Standard for flat-plate photovoltaic modules and panels (sections 16, 25, 29, 31, 34, 37.1, and 41 only)   |
| UL 1897      | Standard for uplift tests for roof covering systems  |
| UL 2218      | Standard for impact resistance of prepared roof covering materials   |
| UL 2703      | Standard for mounting systems, mounting devices, clamping/retention devices, and ground lugs for use with flat-plate photovoltaic modules and panels (except section 19.2) |
| Structural   |  |
| AAMA 711     | Test methods and minimum performance requirements for self-adhering flashing products used in the installation of exterior fenestration products                           |
| AAMA 712     | Windows mullions and skylights   |
| ANSI Z97.10  | Impact test on safety glazing materials  |
| ASHRAE 171   | Method of testing for rating seismic and wind restraints   |
| ASTM A370    | Standard test methods and definitions for mechanical testing of steel products (tension test only)   |
|              | -  |





#### International Accreditation Service, Inc.

| ASTM C22/C22M   | Standard specification for gypsum   |
|-----------------|---|
| ASTM C36/C36M   | Standard specification for gypsum wallboard   |
| ASTM C97/C97M   | Standard test methods for absorption and bulk specific gravity of dimension stone   |
| ASTM C1185      | Standard test methods for sampling and testing non-asbestos fiber-cement flat sheet, roofing and siding shingles, and clapboards (except sections 14.0 and 15.0)                |
| ASTM C1186      | Standard specification for flat fiber-cement sheets (except section S9)   |
| ASTM D7032      | Standard specification for establishing performance ratings for wood-plastic composite and plastic lumber deck boards, stair treads, guards, and handrails (except section 4.8) |
| ASTM E8         | Standard test methods for tension testing of metallic materials   |
| ASTM E72        | Standard test methods of conducting strength tests of panels for building construction  |
| ASTM E330/E330M | Standard test method for structural performance of exterior windows, doors, skylights and curtain walls by uniform static air pressure difference                               |
| ASTM E455       | Standard test method for static load testing of framed floor or roof diaphragm constructions for building (cantilever application using proprietary frames)                     |
| ASTM E488/E488M | Standard test methods for strength of anchors in concrete elements (only sections 5.4.1, 6.3, 8.1, 8.3, 9.1 and 9.4)  |
| ASTM E935       | Standard test methods for performance of permanent metal railing systems and rails for buildings  |
| ASTM E2126      | Standard test method for cyclic (revised) load test for shear resistance of vertical elements of lateral force resisting systems for buildings                                  |
| FM 1950         | Seismic sway braces for pipe, tubing and conduit  |
| ICC ES AC04     | Sandwich panels (test methods referenced in section 4.0)  |
| ICC ES AC05     | Sandwich panel adhesives (test methods referenced in sections 7.0 and 8.0, except sections 8.7 and 8.8)   |
| ICC ES AC51     | Precast stone veneer (test methods referenced in section 4.0)   |
| ICC ES AC116    | Nails (test methods referenced in section 3.0)  |
| ICC ES AC118    | Tapping screw fasteners (test methods referenced in section 3.0 and 4.0)  |
| ICC ES AC120    | Wood-frame horizontal diaphragms, vertical shear walls and braced walls with alternative fasteners (test methods referenced in section 3.0 and 4.0)                             |
| ICC ES AC174    | Acceptance criteria for deck board span ratings and guardrail systems (test methods referenced in sections 3 except 3.9, 4 and 5)   |
| ICC ES AC273    | Acceptance criteria for handrails and guards (test methods referenced in sections 3 and 4)  |
|                 |   |



#### International Accreditation Service, Inc.

| ICC ES AC390    | Wall Panels with a welded steel perimeter frame used in agricultural storage structures (test methods referenced in section 3.0 (except sections 3.1, 3.2 and 3.5.2.3)  |
|-----------------|---|
| ICC ES AC395    | Headed shear stud reinforcement assemblies for concrete slabs or footings (test methods referenced in section 3.0 and 4.0)  |
| ICC ES AC502    | Acceptance criteria for cast-in-insert assemblies in concrete (table 1, only test nos. 3a, 3b, 5 and 7)   |
| Thermal         |   |
| ASTM C578       | Standard specification for rigid, cellular polystyrene thermal insulation (except sections 11.4 and 11.10, thermal and oxygen index tests excluded)   |
| ASTM C1029      | Standard specification for spray-applied rigid cellular polyurethane thermal insulation   |
| ASTM E2634      | Standard specification for flat wall insulating concrete form (ICF) systems (except the VOC test)   |
| CAN/ULC S701    | Standard for thermal insulation, polystyrene, boards and pipe covering (except section 6.3.9 and limited oxygen index)  |
| CAN/ULC S705.1  | Standard for thermal insulation – spray applied rigid polyurethane foam, medium density – material specification (except section 5.5.10, VOC test)  |
| CAN/ULC S712.1  | Standard for thermal insulation - light density, open cell spray applied semi-rigid polyurethane foam - material specification (except fungi resistance, open-cell content volume and the time to occupancy)  |
| ICC ES AC12     | Foam plastic insulation (test methods referenced in sections 3.1, 3.2 and 3.4.5)  |
| ICC ES AC377    | Spray-applied foam plastic insulation (test methods referenced in sections 3.1.1, 3.1.3 and 3.2)  |
| Electrical      |   |
| AAMI 60601-1-8  | Medical electrical equipment – part 1-8: general requirements for basic safety and essential performance – collateral standard: general Requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems   |
| AAMI60601-1-11  | Medical electrical equipment – part 1-11: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment (exclude cl. 10.1.2; 10.1.3, 10.1.4)                            |
| AAMI 60601-1-12 | Medical electrical equipment – part 1-12: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment (exclude Cl. 10.1.2; 10.1.3, and 10.1.4) |





#### International Accreditation Service, Inc.

| AAMI 80601-2-78       | Medical electrical equipment - part 2-78: particular requirements for basic safety and essential performance of medical robots for rehabilitation, assessment, compensation or alleviation  |
|-----------------------|---|
| ANSI/AAMI ES60601-1   | Medical electrical equipment - part 1: general requirements for basic safety and essential performance  |
| AS/NZS 61010-1        | Safety requirements for electrical equipment for measurement, control and laboratory use – part 1: general requirements   |
| AS/NZS 61010-2-010    | Safety requirements for electrical equipment for measurement, control and laboratory use – part 2-010: particular requirements for laboratory equipment for the heating of material   |
| AS/NZS 61010-2-081    | Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes   |
| AS/NZS 61010-2-101    | Particular requirements for in vitro diagnostic (IVD) medical equipment   |
| AS/NZS 62368-1        | Audio/video, information and communication technology equipment - part 1: safety requirements   |
| AS/NZS 80601-2-78     | Medical electrical equipment – part 2-78: particular requirements for basic safety and essential performance of medical robots for rehabilitation, assessment, compensation or alleviation  |
| BS EN 60601-1-12      | Medical electrical equipment – part 1-12: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment (exclude Cl. 10.1.2; 10.1.3, and 10.1.4) |
| BS/EN 61010-1         | Safety requirements for electrical equipment for measurement, control and laboratory use – part 1: general requirements   |
| BS/EN 61010-2-010     | Safety requirements for electrical equipment for measurement, control and laboratory use – part 2-010: particular requirements for laboratory equipment for the heating of material   |
| BS/EN 61010-2-081     | Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes   |
| BS/EN 61010-2-101     | Particular requirements for in vitro diagnostic (IVD) medical equipment   |
| BS/EN 62368-1         | Audio/video, information and communication technology equipment – part 1: safety requirements   |
| BS EN 80601-2-12      | Medical electrical equipment - part 2-12: medical electrical equipment - part 2-12: particular requirements for basic safety and essential performance of critical care ventilators   |
| BS EN 80601-2-78      | Medical electrical equipment – part 2-78: particular requirements for basic safety and essential performance of medical robots for rehabilitation, assessment, compensation or alleviation  |
| CSA C22.2 No. 60601-1 | Medical electrical equipment – part 1: general requirements for basic safety and essential performance  |
|                       |   |





#### International Accreditation Service, Inc.

| CSA C22.2 No. 60601-1-6        | Medical electrical equipment – part 1-6: general requirements for basic safety and essential performance – collateral standard usability  |
|--------------------------------|---|
| CSA C22.2 No. 60601-1-8        | Medical electrical equipment – part 1-8: general requirements for basic safety and essential performance – collateral standard: general Requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems   |
| CSA C22.2 No. 60601-1-9        | Medical electrical equipment – part 1-9: general requirements for basic safety and essential performance – collateral standard: requirements for environmentally conscious design   |
| CSA C22.2 No. 60601-1-<br>11   | Medical electrical equipment – part 1-11: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment (exclude cl. 10.1.2; 10.1.3, 10.1.4)                            |
| CSA C22.2 No. 60601-1-<br>12   | Medical electrical equipment – part 1-12: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment (exclude Cl. 10.1.2; 10.1.3, and 10.1.4) |
| CSA C22.2 No. 60601-2-<br>18   | Medical electrical equipment – part 2-18: particular requirements for the safety of endoscopic equipment  |
| CSA C22.2 No. 60601-2-<br>37   | Medical electrical equipment - part 2-37: particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment  |
| CSA C22.2 NO. 61010-1          | Safety requirements for electrical equipment for measurement, control and laboratory use – part 1: general requirements   |
| CSA C22.2 NO. 61010-2-<br>010  | Safety requirements for electrical equipment for measurement, control and laboratory use – part 2-010: particular requirements for laboratory equipment for the heating of material   |
| CSA C22.2 No. 61010-2-<br>081  | Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes   |
| CSA C22.2. No. 61010-2-<br>101 | Particular requirements for in vitro diagnostic (IVD) medical equipment   |
| CSA C22.2 No. 62368-1          | Audio/video, information and communication technology equipment - part 1: safety requirements   |
| CSA C22.2 No. 80601-2-<br>12   | Medical electrical equipment – part 2-12: medical electrical equipment – part 2-12: particular requirements for basic safety and essential performance of critical care ventilators   |
| CSA C22.2 No. 80601-2-<br>78   | Medical electrical equipment - part 2-78: particular requirements for basic safety and essential performance of medical robots for rehabilitation, assessment, compensation or alleviation  |



#### International Accreditation Service, Inc.

| EN 60601-1     | Medical electrical equipment - part 1: general requirements for basic safety and essential performance  |
|----------------|---|
| EN 60601-1-6   | Medical electrical equipment – part 1-6: general requirements for basic safety and essential performance – collateral standard usability  |
| EN 60601-1-8   | Medical electrical equipment – part 1-8: general requirements for basic safety and essential performance – collateral standard: general Requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems   |
| EN 60601-1-9   | Medical electrical equipment – part 1-9: general requirements for basic safety and essential performance – collateral standard: requirements for environmentally conscious design   |
| EN 60601-1-11  | Medical electrical equipment – part 1-11: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment (exclude cl. 10.1.2; 10.1.3, 10.1.4)                            |
| EN 60601-1-12  | Medical electrical equipment – part 1-12: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment (exclude Cl. 10.1.2; 10.1.3, and 10.1.4) |
| EN 60601-2-18  | Medical electrical equipment – part 2-18: particular requirements for the safety of endoscopic equipment  |
| EN 60601-2-37  | Medical electrical equipment – part 2-37: particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment  |
| EN 61010-1     | Safety requirements for electrical equipment for measurement, control and laboratory use – part 1: general requirements   |
| EN 61010-2-010 | Safety requirements for electrical equipment for measurement, control and laboratory use – part 2-010: particular requirements for laboratory equipment for the heating of material   |
| EN 61010-2-081 | Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes   |
| EN 61010-2-101 | Particular requirements for in vitro diagnostic (IVD) medical equipment   |
| EN 62368-1     | Audio/video, information and communication technology equipment - part 1: safety requirements   |
| EN 80601-2-12  | Medical electrical equipment - part 2-12: medical electrical equipment - part 2-12: particular requirements for basic safety and essential performance of critical care ventilators   |
| IEC 60204-1    | Safety of machinery - Electrical equipment of machines - Part 1: General requirements   |



#### International Accreditation Service, Inc.

|                 | 7   |
|-----------------|---|
| IEC 60601-1     | Medical electrical equipment - part 1: general requirements for basic safety and essential performance  |
| IEC 60601-1-6   | Medical electrical equipment – part 1-6: general requirements for basic safety and essential performance – collateral standard usability  |
| IEC 60601-1-8   | Medical electrical equipment – part 1-8: general requirements for basic safety and essential performance – collateral standard: general Requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems   |
| IEC 60601-1-9   | Medical electrical equipment – part 1-9: general requirements for basic safety and essential performance – collateral standard: requirements for environmentally conscious design   |
| IEC 60601-1-11  | Medical electrical equipment – part 1-11: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment (exclude cl. 10.1.2; 10.1.3, 10.1.4)                            |
| IEC 60601-1-12  | Medical electrical equipment – part 1-12: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment (exclude Cl. 10.1.2; 10.1.3, and 10.1.4) |
| IEC 60601-2-18  | Medical electrical equipment – part 2-18: particular requirements for the safety of endoscopic equipment  |
| IEC 60601-2-37  | Medical electrical equipment – part 2-37: particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment  |
| IEC/EN 60950-1  | Information technology equipment – safety – part 1: general requirements (excluding clauses 2.10.4, 2.10.5.4, 2.10.8.2 /2.10.9/ 2.10.10/ 2.10.11, 3.2.5.1, 4.2.8, 4.3.12, 4.3.13.2, 4.3.13.3, 4.3.13.4, 4.3.13.5.2, 4.6.2, 4.7.3, 4.7.3.6, annex U, annex Q, annex AA and annex CC)                                   |
| IEC 60950-21    | Information technology equipment - safety - part 21: remote power feeding   |
| IEC 60950-23    | Information technology equipment - safety - part 23: large data storage equipment   |
| IEC 61010-1     | Safety requirements for electrical equipment for measurement, control and laboratory use – part 1: general requirements   |
| IEC 61010-2-010 | Safety requirements for electrical equipment for measurement, control and laboratory use – part 2-010: particular requirements for laboratory equipment for the heating of material   |
| IEC 61010-2-081 | Particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes   |
| IEC 61010-2-091 | Particular requirements for cabinet X-ray systems   |
| IEC 61010-2-101 | Particular requirements for in vitro diagnostic (IVD) medical equipment   |



#### International Accreditation Service, Inc.

| IEC 62368-1    | Audio/video, information and communication technology equipment - part 1: safety requirements  |
|----------------|--|
| IEC 80601-2-78 | Medical electrical equipment – part 2-78: particular requirements for basic safety and essential performance of medical robots for rehabilitation, assessment, compensation or alleviation |
| ISO 80601-2-12 | Medical electrical equipment – part 2-12: medical electrical equipment – part 2-12: particular requirements for basic safety and essential performance of critical care ventilators        |
| NEMA 250       | Enclosures for electrical equipment (1000 volts maximum)   |
| UL 50          | Enclosures for electrical equipment, non-environmental considerations  |
| UL 50E         | Enclosures for electrical equipment, environmental considerations  |
| UL 73          | Motor-operated appliances (excluding clauses 38, 56, 57, 64 and 65)  |
| UL 467         | Standard for grounding and bonding equipment (excluding clause 9.5)  |
| UL 499         | Standard for electric heating appliances (excluding clauses 91 and 92)   |
| UL 506         | Specialty transformers   |
| UL 676         | Standard for underwater luminaires and submersible junction boxes  |
| UL 962A        | Standard for furniture power distribution units  |
| UL 1012        | Standard for power units other than class 2  |
| UL 1310        | Standard for class 2 power units   |
| UL 1573        | Standard for stage and studio luminaires and connector strips (excluding clause 46)  |
| UL 1795        | Standard for hydromassage bathtubs   |
| UL 1838        | Low voltage landscape lighting systems (excluding clause 63)   |
| UL 1951        | Standard for electric plumbing accessories (excluding clause 52)   |
| UL 2388        | Low voltage landscape lighting systems (excluding clauses 31 and 33)   |
| UL 5085-1      | Low voltage transformers-part 1: general requirements (excluding clause 23)  |
| UL 5085-2      | Low voltage transformers-part 2: general purpose transformers  |
| UL 5085-3      | Low voltage transformers-part 3: class 2 and class 3 transformers  |
| UL 8752        | Organic light emitting diode (oled) panels   |
| UL 60601-1     | Medical electrical equipment—part 1: general requirements for basic safety and essential performance   |
| UL 60950-21    | Information technology equipment - safety - part 21: remote power feeding  |



#### International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| UL 60950-22    | Safety information technology equipment – safety – part 22: equipment to be installed outdoors (excluding clause 11.3, annex A (SO4 atmosphere))                                    |
|----------------|---|
| UL 60950-23    | Information technology equipment - safety - part 23: large data storage equipment   |
| UL 61010-1     | Safety requirements for electrical equipment for measurement, control and laboratory use – part 1: general requirements   |
| UL 61010-2-010 | Safety requirements for electrical equipment for measurement, control and laboratory use – part 2-010: particular requirements for laboratory equipment for the heating of material |
| UL 61010-2-020 | Particular requirements for laboratory centrifuges (exclude annex A (bioseal)   |
| UL 61010-2-081 | Particular Requirements for Automatic and Semi-Automatic Laboratory Equipment for Analysis and Other Purposes   |
| UL 61010-2-091 | Particular requirements for cabinet X-ray systems   |
| UL 61010-2-101 | Particular requirements for in vitro diagnostic (IVD) medical equipment   |
| UL 62368-1     | Audio/video, information and communication technology equipment - part 1: safety requirements   |

CGSB: Canadian General Standards Board

CSFM: California State Fire Marshall FAR: Federal Aviation Regulations FTMS: Federal Test Method Standard NFPA: National Fire Protection Association

TAS: Testing Application Standards (Miami-Dade County Protocol)

UBC: Uniform Building Code
UL: Underwriters Laboratories

ULC: Underwriters Laboratories Canada



